



**Department of
Environment and Conservation**

2007

Western Australia Air Monitoring Report

**Written to comply with the
National Environment Protection Measure
(Ambient Air Quality)**

**Technical Report XXX
July 2008**

ISBN : X XXXXXX XX X [PDF]
ISSN : XXXX XXXX [Print]

Table of Contents

SECTION A – MONITORING SUMMARY	9
Current Monitoring Stations	9
Carbon Monoxide.....	15
Photochemical Oxidants as Ozone.....	16
Nitrogen Dioxide.....	16
Sulfur Dioxide	16
Lead.....	17
Particles as PM ₁₀	17
Particles as PM _{2.5}	17
Status of NATA Accreditation.....	17
SECTION B – ASSESSMENT OF COMPLIANCE WITH STANDARDS AND GOALS	18
SECTION C – ANALYSIS OF AIR QUALITY MONITORING	21
Carbon Monoxide.....	21
Nitrogen Dioxide.....	22
Photochemical Smog as Ozone	23
Sulfur Dioxide	24
Particles as PM ₁₀	25
Particles as PM _{2.5}	26
SECTION D – DATA ANALYSIS	27
Maxima and Percentiles by Pollutant in 2007.....	27
Maxima and Percentiles by Site 1998 to 2007	30
Maxima by Pollutant 1998 to 2007	46
ATTACHMENT 1 – GRAPHICAL TRENDS	50
Carbon Monoxide.....	51
Nitrogen Dioxide.....	53
Ozone	58
Sulfur Dioxide	64
Particles as PM ₁₀	68
Particles as PM _{2.5}	72
ATTACHMENT 2 – PM₁₀ EXCEEDANCE ON 4TH FEBRUARY 2007	75
ATTACHMENT 3 –PM₁₀ EXCEEDANCES ON 4TH AND 5TH FEBRUARY 2007	76
ATTACHMENT 4 - PM₁₀ EXCEEDANCE ON 24TH FEBRUARY 2007	77
ATTACHMENT 5 – PM₁₀ EXCEEDANCES ON 9TH AND 10TH MARCH 2007	78
ATTACHMENT 6 –PM₁₀ EXCEEDANCE ON 16TH MARCH 2007	79
ATTACHMENT 7 – PM₁₀ EXCEEDANCE ON THE 10TH MAY 2007.....	80
ATTACHMENT 8 – PM_{2.5} EXCEEDANCE ON 11TH MAY 2007	81

ATTACHMENT 9 – PM _{2.5} EXCEEDANCE ON 1 ST JUNE 2007	82
ATTACHMENT 10 – PM ₁₀ EXCEEDANCE ON 6 TH JUNE 2007	83
ATTACHMENT 11 – PM ₁₀ EXCEEDANCE ON 22 ND JUNE 2007	84
ATTACHMENT 12 – PM _{2.5} EXCEEDANCES ON 24 TH AND 25 TH OCTOBER 2007	85
ATTACHMENT 13 – PM ₁₀ EXCEEDANCE ON 10 TH NOVEMBER 2007	86
ATTACHMENT 14 – PM _{2.5} EXCEEDANCE ON 15 TH NOVEMBER 2007.....	87
ATTACHMENT 15 – PM ₁₀ EXCEEDANCE ON 9 TH DECEMBER 2007	88

List of Figures

Figure A1 - DEC air quality monitoring stations currently operating in the Perth metropolitan region.....	9
Figure A2 - DEC air quality monitoring stations currently operating in Bunbury and Busselton.....	10
Figure A3 - DEC air quality monitoring station currently operating in Geraldton	11
Figure A4 - DEC air quality monitoring station currently operating in Albany.....	12
Figure A1-1 - 8-hour carbon monoxide at Caversham	51
Figure A1-2 - 8-hour carbon monoxide at Duncraig	51
Figure A1-3 - 8-hour carbon monoxide at Queen's Buildings	52
Figure A1-4 - 8-hour carbon monoxide at South Lake.....	52
Figure A1-5 - 1-hour nitrogen dioxide at Caversham.....	53
Figure A1-6 - 1-hour nitrogen dioxide at Duncraig.....	53
Figure A1-7 - 1-hour nitrogen dioxide at Hope Valley	54
Figure A1-8 - 1-hour nitrogen dioxide at Queen's Buildings.....	54
Figure A1-9 - 1-hour nitrogen dioxide at Quinns Rocks	55
Figure A1-10 - 1-hour nitrogen dioxide at Rockingham	55
Figure A1-11 - 1-hour nitrogen dioxide at Rolling Green.....	56
Figure A1-12 - 1-hour nitrogen dioxide at South Lake	56
Figure A1-13 - 1-hour nitrogen dioxide at Swanbourne.....	57
Figure A1-14 - 1-hour ozone at Caversham	58
Figure A1-15 - 1-hour ozone at Quinns Rocks.....	58
Figure A1-16 - 1-hour ozone at Rockingham.....	59
Figure A1-17 - 1-hour ozone at Rolling Green.....	59
Figure A1-18 - 1-hour ozone at South Lake	60
Figure A1-19 - 1-hour ozone at Swanbourne	60
Figure A1-20 - 4-hour ozone at Caversham	61
Figure A1-21 - 4-hour ozone at Quinns Rocks.....	61
Figure A1-22 - 4-hour ozone at Rockingham.....	62
Figure A1-23 - 4-hour ozone at Rolling Green.....	62
Figure A1-24 - 4-hour ozone at South Lake	63
Figure A1-25 - 4-hour ozone at Swanbourne	63
Figure A1-26 - 1-hour sulfur dioxide at Hope valley	64
Figure A1-27 - 1-hour sulfur dioxide at Rockingham	64
Figure A1-28 - 1-hour sulfur dioxide at South Lake	65
Figure A1-29 - 1-hour sulfur dioxide at Wattleup.....	65
Figure A1-30 - 24-hour sulfur dioxide at Hope Valley	66
Figure A1-31 - 24-hour sulfur dioxide at Rockingham	66
Figure A1-32 - 24-hour sulfur dioxide at South Lake	67
Figure A1-33 - 24-hour sulfur dioxide at Wattleup.....	67
Figure A1-34 - 24-hour PM ₁₀ at Caversham.....	68
Figure A1-35 - 24-hour PM ₁₀ at Duncraig.....	68
Figure A1-36 - 24-hour PM ₁₀ at Gosnells.....	69
Figure A1-37 - 24-hour PM ₁₀ at South Lake	69
Figure A1-38 - 24-hour PM ₁₀ at Bunbury.....	70
Figure A1-39 - 24-hour PM ₁₀ at Albany.....	70
Figure A1-40 - 24-hour PM ₁₀ at Geraldton.....	71
Figure A1-41 - 24-hour PM _{2.5} at Caversham.....	72
Figure A1-42 - 24-hour PM _{2.5} at Duncraig	72
Figure A1-43 - 24-hour PM _{2.5} at Quinns Rocks	73
Figure A1-44 - 24-hour PM _{2.5} at South Lake.....	73
Figure A1-45 - 24-hour PM _{2.5} at Bunbury	74

Figure A1-46 - 24-hour PM _{2.5} at Busselton	74
---	----

List of Tables


Table A1. Air quality parameters measured at DEC monitoring stations.	13
Table A2. Monitoring in Western Australia.	14
Table A3. Stations site compliance with AS 2922 - 1987	15
Table B1. 2007 compliance summary for carbon monoxide.....	18
Table B2. 2007 compliance summary for nitrogen dioxide	18
Table B3. 2007 compliance summary for ozone	19
Table B4. 2007 compliance summary for sulfur dioxide	19
Table B5. 2007 compliance summary for particles as PM ₁₀	20
Table B6. 2007 compliance summary for particles as PM _{2.5}	20
Table C1. 2007 summary statistics for daily peak 8-hour carbon monoxide	21
Table C2. 2007 summary statistics for daily peak 1-hour nitrogen dioxide.....	22
Table C3. 2007 summary statistics for daily peak 1-hour ozone.....	23
Table C4. 2007 summary statistics for daily peak 4-hour ozone.....	23
Table C5. 2007 summary statistics for daily peak 1-hour sulfur dioxide.....	24
Table C6. 2007 summary statistics for 24-hour sulfur dioxide	24
Table C7. 2007 summary statistics for 24-hour particles as PM ₁₀	25
Table C8. 2007 summary statistics for 24-hour particles as PM _{2.5}	26
Table C9. 2007 summary statistics for annual particles as PM _{2.5}	26
Table D1. 2007 percentiles of daily peak 8-hour carbon monoxide concentrations ...	27
Table D2. 2007 percentiles of daily peak 1-hour nitrogen dioxide concentrations	27
Table D3. 2007 percentiles of daily peak 1-hour ozone concentrations.....	28
Table D4. 2007 percentiles Percentiles of daily peak 4-hour ozone concentrations ...	28
Table D5. 2007 percentiles of daily peak 1-hour sulfur dioxide concentrations	28
Table D6. 2007 percentiles of daily peak 24-hour sulfur dioxide concentrations	29
Table D7. 2007 percentiles of daily peak 24-hour particles as PM ₁₀ concentrations ..	29
Table D8. 2007 percentiles of daily peak 24-hour particles as PM _{2.5} concentrations .	29
Table D9. Daily peak 8-hour carbon monoxide at Caversham (1998-2007).....	30
Table D10. Daily peak 8-hour carbon monoxide at Duncraig (1998-2007).....	30
Table D11. Daily peak 8-hour carbon monoxide at Queen's Buildings (1998-2007).	31
Table D12. Daily peak 8-hour carbon monoxide at South Lake (1998-2007)	31
Table D13. Daily peak 1-hour nitrogen dioxide at Caversham (1998-2007)	31
Table D14. Daily peak 1-hour nitrogen dioxide at Duncraig (1998-2007)	32
Table D15. Daily peak 1-hour nitrogen dioxide at Hope Valley (1998-2007).....	32
Table D16. Daily peak 1-hour nitrogen dioxide at Queen's Buildings (1998-2007) ..	32
Table D17. Daily peak 1-hour nitrogen dioxide at Quinns Rocks (1998-2007).....	33
Table D18. Daily peak 1-hour nitrogen dioxide at Rockingham (1998-2007).....	33
Table D19. Daily peak 1-hour nitrogen dioxide at Rolling Green (1998-2007)	33
Table D20. Daily peak 1-hour nitrogen dioxide at South Lake (1998-2007).....	34
Table D21. Daily peak 1-hour nitrogen dioxide at Swanbourne (1998-2007)	34
Table D22. Daily peak 1-hour ozone at Caversham (1998-2007)	34
Table D23. Daily peak 1-hour ozone at Quinns Rocks (1998-2007)	35
Table D24. Daily peak 1-hour ozone at Rockingham (1998-2007).....	35
Table D25. Daily peak 1-hour ozone at Rolling Green (1998-2007)	35
Table D26. Daily peak 1-hour ozone at South Lake (1998-2007).....	36
Table D27. Daily peak 1-hour ozone at Swanbourne (1998-2007)	36
Table D28. Daily peak 4-hour ozone at Caversham (1998-2007)	36
Table D29. Daily peak 4-hour ozone at Quinns Rocks (1998-2007)	37
Table D30. Daily peak 4-hour ozone at Rockingham (1998-2007).....	37
Table D31. Daily peak 4-hour ozone at Rolling Green (1998-2007)	37
Table D32. Daily peak 4-hour ozone at South Lake (1998-2007).....	38
Table D33. Daily peak 4-hour ozone at Swanbourne (1998-2007)	38

Table D34. Daily peak 1-hour sulfur dioxide at Hope Valley (1998-2007).....	38
Table D35. Daily peak 1-hour sulfur dioxide at Rockingham (1998-2007).....	39
Table D36. Daily peak 1-hour sulfur dioxide at South Lake (1998-2007).....	39
Table D37. Daily peak 1-hour sulfur dioxide at Wattleup (1998-2007).....	39
Table D38. Daily peak 24-hour sulfur dioxide at Hope Valley (1998-2007).....	40
Table D39. Daily peak 24-hour sulfur dioxide at Rockingham (1998-2007).....	40
Table D40. Daily peak 24-hour sulfur dioxide at South Lake (1998-2007).....	40
Table D41. Daily peak 24-hour sulfur dioxide at Wattleup (1998-2007).....	41
Table D42. Daily peak 24-hour particles as PM ₁₀ at Caversham (1998-2007)	41
Table D43. Daily peak 24-hour particles as PM ₁₀ at Duncraig (1998-2007)	41
Table D44. Daily peak 24-hour particles as PM ₁₀ at Gosnells (1998-2007)	42
Table D45. Daily peak 24-hour particles as PM ₁₀ at South Lake (1998-2007).....	42
Table D46. Daily peak 24-hour particles as PM ₁₀ at Bunbury (1998-2007)	42
Table D47. Daily peak 24-hour particles as PM ₁₀ at Albany (1998-2007)	43
Table D48. Daily peak 24-hour particles as PM ₁₀ at Geraldton (1998-2007)	43
Table D49. Daily peak 24-hour particles as PM _{2.5} at Caversham (1998-2007).....	43
Table D50. Daily peak 24-hour particles as PM _{2.5} at Duncraig (1998-2007).....	44
Table D51. Daily peak 24-hour particles as PM _{2.5} at Quinns Rocks (1998-2007)	44
Table D52. Daily peak 24-hour particles as PM _{2.5} at South Lake (1998-2007)	44
Table D53. Daily peak 24-hour particles as PM _{2.5} at Bunbury (1998-2007).....	45
Table D54. Daily peak 24-hour particles as PM _{2.5} at Busselton (1998-2007).....	45
Table D55. Annual daily peak 8-hour carbon monoxide concentrations (ppm) for 1998-2007	46
Table D56. Annual daily peak 1-hour nitrogen dioxide concentrations (ppm) for 1998- 2007.....	46
Table D57. Annual daily peak 1-hour ozone concentrations (ppm) for 1998-2007	47
Table D58. Annual daily peak 4-hour ozone concentrations (ppm) for 1998-2007....	47
Table D59. Annual daily peak 1-hour sulfur dioxide concentrations (ppm) for 1998- 2007.....	47
Table D60. Annual daily peak 24-hour sulfur dioxide concentrations (ppm) for 1998- 2007.....	48
Table D61. Annual daily peak 24-hour particles as PM ₁₀ concentrations (ug/m ³) for 1998-2007	48
Table D62. Annual daily peak 24-hour particles as PM _{2.5} concentrations (ug/m ³) for 1998-2007	48
Table D63. Annual averaged particles as PM _{2.5} concentrations (ug/m ³) for 1998-2007	49
Table D64. Annual averaged lead concentrations (ug/m ³) for 1998-2007	49

SECTION A – MONITORING SUMMARY

Current Monitoring Stations

The Department of Environment and Conservation (DEC) monitoring network shown in Figure A1 was the subject of careful design for the purposes of the Perth Photochemical Smog Study, the Perth Haze Study and the management of sulfur dioxide in the Kwinana area. The network's design was based on the knowledge of emissions sources, pollutant chemistry and important features of the meteorology. CSIRO Atmospheric Research provided advice on monitoring site locations for the Perth Photochemical Smog Study and Perth Haze Study. The Bunbury station shown in Figure A2 was established in the southwest of the state to monitor fuel reduction burns, and a station in Busselton is also in operation for that purpose. The Geraldton station shown in Figure A3 was established in the mid-west of the state to monitor wind blown crustal material and smoke from bushfires, hazard reduction or stubble burning and possibly wood-fired home heaters. A particle monitoring station was also recently established in Albany (Figure A4). Table A1 indicates the pollutants monitored at each site.



CA Caversham	HV Hope Valley	RO Rockingham	SW Swanbourne
DU Duncraig	QB Queen's Buildings	RG Rolling Green	WT Wattleup
GO Gosnells	QR Quinns Rock	SL South Lake	

Figure A1 - DEC air quality monitoring stations currently operating in the Perth metropolitan region.



Figure A2 - DEC air quality monitoring stations currently operating in Bunbury and Busselton



Figure A3 - DEC air quality monitoring station currently operating in Geraldton




Figure A4 - DEC air quality monitoring station currently operating in Albany

Table A1. Air quality parameters measured at DEC monitoring stations.

Monitoring Site	CO	O ₃	NO ₂	SO ₂	lead	PM ₁₀ Hi-Vol	PM ₁₀ TEOM	PM _{2.5} TEOM	Visibil- ity
AL Albany							07/06 to present		
BN Bunbury	03/99 to 04/02						06/99 to present	04/97 to present	02/97 to 06/05
BS Busselton								11/06 to present	
CA Caversham	08/93 to present	11/89 to present	09/90 to present			05/93 to 08/05	01/04 to present	03/94 to present	12/89 to 05/06
DU Duncraig	08/95 to present		08/95 to present			09/94 to 01/05	06/96 to present	01/95 to present	03/94 to 07/05
GE Geraldton							09/05 to present		
GO Gosnells							12/07 to present		
HV Hope Valley	01/90 to 03/91		12/89 to present	12/89 to present					01/89 to 09/05
QB Queen's Buildings	08/89 to 03/07		01/90 to 03/07		01/90 to 12/01	01/90 to 03/07			01/90 to 07/05
QR Quinns Rock		11/92 to present	11/92 to present					07/06 to present	12/95 to 06/06
RO Rockingham		12/95 to present	12/95 to present	07/88 to present					
RG Rolling Green		01/93 to present	01/93 to present						
SL South Lake	03/00 to present	03/00 to present	03/00 to present	03/00 to present			03/00 to present	04/06 to present	03/00 to 09/05
SW Swanbourne	01/93 to 05/95	01/93 to present	03/93 to present			03/94 to 04/06		06/94 to 07/95	06/94 to 07/03
WT Wattleup				01/88 to present					

The grey font indicates those pollutants that are no longer monitored at that site.

Table A2. Monitoring in Western Australia.

Site:	CO	O₃	NO₂	SO₂	Pb	PM₁₀	PM_{2.5}
AL – Albany						C	
BN – Bunbury						C	DEC
BS – Busselton							DEC
CA - Caversham	DEC	T	T			P	DEC
DU - Duncraig	T		DEC			T	DEC
GE – Geraldton						C	
GO – Gosnells						C	
HV – Hope Valley			DEC	DEC			
QB - Queen's Buildings	P		DEC		P ⁽¹⁾	DEC	
QR - Quinns Rock		DEC	DEC				DEC
RG - Rolling Green		DEC	DEC				
RO - Rockingham		DEC	DEC	DEC			
SL - South Lake	P	T	P	T		P	DEC
SW - Swanbourne		T	P			DEC	
WT - Wattleup				DEC			

Key to symbols:**P** – performance monitoring station**P⁽¹⁾** – performance monitoring for lead was removed on 31 December 2001 after the annual average concentration reduced to less than 10% of the NEPM standard in accordance with the WA Monitoring Plan.**C** – Campaign Monitoring**T** – trend performance monitoring station**DEC** – station will be maintained by DEC for the foreseeable future

Table A3. Stations site compliance with AS 2922 - 1987

	Height above ground	Min. distance to support structures	Clear sky angle of 120°	Unrestricted airflow of 270°/360°	20m from trees	No boilers or incinerators nearby	Minimum distance from road or traffic	Sample line material	Sample line length	Comments
Perth Region										
Caversham	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Duncraig	✓	✓	✗	✓	✗	✓	✓	✓	✓	6 metres to medium sized trees and presence of power pole.
Gosnells	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Hope Valley	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Queen's Buildings	✓	✗	✗	✗	✓	✓	✗	✓	✓	City canyon with high traffic volume.
Quinns Rocks	✓	✓	✓	✓	✗	✓	✓	✓	✓	15 metres to small to medium size trees. Surrounding area dominated by low scrub.
Rockingham	✓	✓	✓	✓	✗	✓	✓	✓	✓	12 metres to trees. Northern vector dominated by grain storage facility.
Rolling Green	✓	✓	✓	✓	✓	✓	✓	✓	✓	
South Lake	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Swanbourne	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Wattleup	✓	✓	✓	✓	✗	✓	✓	✓	✓	10 metres to medium to large eucalyptus trees.
Southwest Region										
Albany	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Bunbury	✓	✓	✓	✓	✗	✓	✓	✓	✓	15 metres to small to medium eucalyptus trees.
Busselton	✓	✓	✓	✓	✗	✓	✓	✓	✓	5 metres to small to medium eucalyptus trees.
Midwest Region										
Geraldton	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Carbon Monoxide

Duncraig is an upper bound site for monitoring the combined effects of emissions from vehicles on the nearby Mitchell Freeway and domestic wood fires. The site is about 200 metres from the freeway; hence it is well beyond the distance of roadside measurement. By Perth's standards the site is representative of dense population. The site lies in a dunal depression through which the freeway passes, hence the effect of stable air pooling in the depression is likely to lead to elevated concentrations. This feature would be found in many other places across the coastal plain.

South Lake lies in a growing urban area and is likely to see increasing levels of CO from wood fires in particular. It is not as close as Duncraig to major roads and is therefore more typical of a population-average site.

Caversham is located in a region of low population density and so is not considered as a performance monitoring station.

The Queen's Buildings station was decommissioned in December 2007 due to major renovation works within the main building. The station was used as a performance

monitoring station to provide an upper bound measurement of motor vehicle emitted CO, and to track the improving compliance with the NEPM. It was not nominated as a trend site since it did not fit the normal pattern of a generally representative upper bound for community exposure (GRUB) or population-average monitoring site.

In summary, during 2007, WA maintained performance monitoring of CO at Duncraig, South Lake and Queen's Buildings. Duncraig and South Lake are nominated as trend stations.

Photochemical Oxidants as Ozone

Statistics for the coastal sites of Quinns Rocks, Swanbourne and Rockingham indicate there is little difference between each station over the long term. Swanbourne was selected as a performance monitoring station while maintaining monitoring stations at Quinns Rocks and at or near Rockingham for the foreseeable future, as resources allow.

Given its location, there is reason to be confident that Caversham represents an upper bound, middle distance, inland site. Accordingly Caversham was selected as a performance monitoring station site.

South Lake is the third performance monitoring station. It has the following desirable attributes:

- it provides spatial spread of stations (it will measure ozone returning on shore in the southern part of the metropolitan area);
- it is a moderate distance inland in a growing urban area, hence it is well classed as a population average station;
- it may occasionally detect the interactions of O₃-rich air with the NO_x-rich plumes from Kwinana industry (potentially giving elevated NO₂ concentrations);

Caversham, Swanbourne and South Lake are all nominated as trend stations.

DEC also maintains the stations at Quinns Rocks and Rolling Green for the foreseeable future as part of its wider ozone network.

Nitrogen Dioxide

The Queen's Buildings station was decommissioned in December 2007 due to major renovation works within the main building. The site located within the CBD provided an upper limit for NO₂.

For purposes of scientific understanding, NO_x is currently being monitored at all stations where O₃ is monitored. Caversham, Swanbourne and South Lake were therefore chosen as performance monitoring stations for NO₂ as these provide a good spatial distribution.

Caversham, Swanbourne and South Lake are also trend stations.

DEC will continue to measure NO₂ at Quinns Rocks, Rolling Green and Duncraig for the foreseeable future as part of its wider network.

Sulfur Dioxide

WA operates one performance monitoring station at South Lake for sulfur dioxide, while maintaining a source management network which includes Hope Valley, Wattleup and Rockingham.

South Lake is an upper bound performance monitoring station for sulfur dioxide, and a trend station. The South Lake site is near the southern extent of the main urban population and downwind of Kwinana in sea breeze conditions.

Lead

Since 1995, lead levels at Queen's Buildings in the Perth CBD have been below 60 % of the NEPM standard of 0.5 ug/m^3 . In 2001, the average lead level in Perth was 0.022 ug/m^3 representing less than 5% of the NEPM standard. In accordance with NEPM (Ambient Air Quality) Technical Paper No. 4, Screening Procedures, and the WA Monitoring Plan, a performance monitoring station for lead has not been maintained since 2001.

Particles as PM₁₀

Duncraig is an upper bound performance monitoring station site for PM₁₀ caused by the combination of vehicle and domestic wood heater emissions during strongly stable meteorological conditions. Likewise, the site at South Lake measures significant PM₁₀ concentrations from wood fires.

Duncraig and South Lake are both nominated as trend stations.

Campaign monitoring that commenced in Geraldton during September 2005 continued throughout the whole of 2006 and 2007.

Campaign monitoring stations were also established in Albany during 2006 and Gosnells in December 2007.

Particles as PM_{2.5}

To make further assessments against the advisory standard, four additional PM_{2.5} TEOMs were installed during 2006. There is now a total of 6 such devices in use in WA; four in the greater Perth metropolitan area, and one each in Bunbury and Busselton. All will remain in use at these locations indefinitely with the intention of developing trend data.

Status of NATA Accreditation

WA is still working towards achieving NATA accreditation as discussed in the WA Monitoring Plan, and hence the data within this report only meets Department of Environment and Conservation quality standards.

SECTION B – ASSESSMENT OF COMPLIANCE WITH STANDARDS AND GOALS

Table B1. 2007 compliance summary for carbon monoxide

Table 2-2007 Compliance Summary for Carbon Monoxide							AAQ NEPM Standard 9.0 ppm (8-hour average)	
Regional Performance Monitoring Station	Data availability rates					Number of exceedances (days)	Performance against the standards and goal	
	(% of hours)							
	Q1	Q2	Q3	Q4	Annual			
<u>Perth Region</u>								
Caversham (North East Metro)	99.5	99.4	94.5	99.4	98.2	0	met	
Duncraig (North Metro)	99.6	99.5	99.5	99.5	99.5	0	met	
Queen's Buildings (CBD)	99	1.5	0	0	24.8	0	not demonstrated	
South Lake (South East Metro)	99	99.3	99.6	99.5	99.3	0	met	

Performance against the standards and goal: "met", "not met", "not demonstrated"

Table B2. 2007 compliance summary for nitrogen dioxide

						AAQ NEPM Standard 0.12 ppm (1-hour average) 0.03 ppm (1-year average)			
Regional Performance Monitoring Station	Data availability rates					Annual mean (ppm)	Number of exceedances (days)	Performance against the standards and goal	
	(% of hours)							1-hour	1-year
	Q1	Q2	Q3	Q4	Annual				
<u>Perth Region</u>									
Caversham (North East Metro)	99.5	99.4	95.8	99.4	98.5	0.006	0	met	met
Duncraig (North Metro)	99.5	99.5	99.5	99.7	99.6	0.007	0	met	met
Hope Valley (South Metro)	89.1	99.5	99.6	87	93.8	0.005	0	met	met
Queen's Buildings (CBD)	99	1.5	0	0	24.8	0.013	0	not demon strated	not demon strated
Quinns Rocks (Outer North Coast)	99.5	99.5	99.6	99.3	99.5	0.003	0	met	met
Rockingham (South Coast)	99.4	99.5	99.6	99.2	99.4	0.004	0	met	met
Rolling Green (Outer East Rural)	96.6	99.7	99.7	99.3	98.8	0.002	0	met	met
South Lake (South East Metro)	98	99.3	99.5	99.5	99.1	0.008	0	met	met
Swanbourne (Inner West Coast)	97.2	99.6	98.4	99.4	98.7	0.005	0	met	met

Performance against the standards and goal: "met", "not met", "not demonstrated"

Table B3. 2007 compliance summary for ozone

AAQ NEPM Standard
0.10 ppm (1-hour average)
0.08 ppm (4-hour average)

Regional Performance Monitoring Station	Data availability rates (% of hours)					Number of Exceedances (days)		Performance against the standards and goal	
	Q1	Q2	Q3	Q4	Annual	1-hour	4-hour	1-hour	4-hour
<u>Perth Region</u>									
Caversham (North East Metro)	99.6	99.4	95.8	99.5	98.6	0	0	met	met
Quinns Rocks (Outer North Coast)	99.4	99.5	98.8	97.4	98.8	0	0	met	met
Rockingham (South Coast)	99.4	99.6	99.5	99.5	99.5	0	0	met	met
Rolling Green (Outer East Rural)	96.8	99.7	99.7	99.4	98.9	0	0	met	met
South Lake (South East Metro)	99	99.4	99.6	99.6	99.4	0	0	met	met
Swanbourne (Inner West Coast)	99.7	99.6	98.6	99.3	99.3	0	0	met	met

Performance against the standards and goal: "met", "not met", "not demonstrated"

Table B4. 2007 compliance summary for sulfur dioxide

AAQ NEPM Standard
0.20 ppm (1-hour average)
0.08 ppm (24-hour average)
0.02 ppm (1-year average)

Regional Performance Monitoring Station	Data availability rates (% of hours)					Annual mean	Number of Exceedances (days)		Performance against the standards and goal		
	Q1	Q2	Q3	Q4	Annual	(ppm)	1-hour	24-hour	1-hour	24-hour	1-year
<u>Perth Region</u>											
Hope Valley (South Metro)	99.4	99.5	99.6	99.5	99.5	0.002	0	0	met	met	met
Rockingham (South Coast)	99.4	98.4	99.6	97.1	98.6	0.001	0	0	met	met	met
South Lake (South East Metro)	99	99.4	99.6	99.5	99.4	0.001	0	0	met	met	met
Wattleup (South Metro)	79	97.5	97.4	98.8	93.3	0.002	0	0	met	met	met

Performance against the standards and goal: "met", "not met", "not demonstrated"

Table B5. 2007 compliance summary for particles as PM₁₀**AAQ NEPM Standard
50 ug/m³ (24-hour average)**

Regional Performance Monitoring Station	Data availability rates					Number of exceedances (Days)	Performance against the standards and goal
	(% of days)						
	Q1	Q2	Q3	Q4	Annual		
<u>Perth Region</u>							
Caversham (North East Metro)	99.5	99.3	95.8	99.2	98.4	1	met
Duncraig (North Metro)	99.8	99.5	99.9	99.7	99.7	0	met
Gosnells (South Metro)	0	0	0	37.2	9.4	0	not demonstrated
South Lake (South East Metro)	94	98	99.7	99.7	97.9	1	met
<u>Southwest Region</u>							
Albany	99.7	99.8	100	99.8	99.8	1	met
Bunbury	99.7	99.7	99.6	99.5	99.6	0	met
<u>Midwest Region</u>							
Geraldton	99.6	99.7	99.7	99.9	99.7	10	not met

Performance against the standards and goal: "met", "not met", "not demonstrated"

Table B6. 2007 compliance summary for particles as PM_{2.5}**AAQ NEPM Advisory
Standard
25 ug/m³ (24-hour average)**

Regional Performance Monitoring Station	Data availability rates					Number of exceedances (Days)	Performance against the standards and goal
	(% of days)						
	Q1	Q2	Q3	Q4	Annual		
<u>Perth Region</u>							
Caversham (North East Metro)	99.5	99	95.8	99.3	98.4	0	n/a
Duncraig (North Metro)	99.6	99.5	99.6	99.8	99.6	0	n/a
Quinns Rocks (Outer North Coast)	99.8	99.8	99.8	99.4	99.7	0	n/a
South Lake (South East Metro)	97.6	99.4	99.5	99.1	98.9	0	n/a
<u>Southwest Region</u>							
Bunbury	99.6	98.9	99.5	99.5	99.4	3	n/a
Busselton	99.4	99.7	99.3	99.2	99.4	2	n/a

SECTION C – ANALYSIS OF AIR QUALITY MONITORING

Carbon Monoxide

The NEPM standard for carbon monoxide of 9.0 ppm averaged over 8 hours was not exceeded at any site during 2007. The NEPM goal of no more than 1 exceedance at each site was met. Table C1 contains the summary statistics for daily peak 8-hour CO in Western Australia.

Table C1. 2007 summary statistics for daily peak 8-hour carbon monoxide

Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ppm)	AAQ NEPM Standard 9.0 ppm (8-hour average)			
			Highest		2 nd Highest	2 nd Highest
			(date)	(time)	(ppm)	(date) (time)
<u>Perth Region</u>						
Caversham (North East Metro)	98.2	0.9	09/09/2007	0600	0.7	16/07/2007 0300
Duncraig (North Metro)	99.5	2.0	17/07/2007	0400	1.8	19/07/2007 0200
Queen's Buildings (CBD)	24.8	1.6	31/03/2007	0100	1.1	14/02/2007 1400
South Lake (South East Metro)	99.3	1.7	31/05/2007	0100	1.6	19/07/2007 0200

Nitrogen Dioxide

The NEPM standard for nitrogen dioxide of 0.12 ppm averaged over 1 hour and the 0.03 ppm annual average were not exceeded at any site during 2007. The NEPM goal of no more than 1 exceedance at each site was met. Table C2 contains the summary statistics for daily peak 1-hour NO₂ in Western Australia.

Table C2. 2007 summary statistics for daily peak 1-hour nitrogen dioxide

Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ppm)	Highest		2 nd Highest (ppm)	2 nd Highest	
			(date)	(time)		(date)	(time)
Perth Region							
Caversham (North East Metro)	98.5	0.044	02/02/2007	2000	0.042	24/10/2007	2100
Duncraig (North Metro)	99.6	0.053	07/03/2007	2200	0.037	04/04/2007	2200
Hope Valley (South Metro)	93.8	0.084	08/02/2007	0200	0.040	26/12/2007	2100
Queen's Buildings (CBD)	24.8	0.055	06/03/2007	1700	0.046	22/01/2007	1200
Quinns Rocks (Outer North Coast)	99.5	0.035	16/08/2007	2200	0.033	12/04/2007	2000
Rockingham (South Coast)	99.4	0.040	12/04/2007	2000	0.040	28/03/2007	0900
Rolling Green (Outer East Rural)	98.8	0.020	23/11/2007	2100	0.020	19/10/2007	1900
South Lake (South East Metro)	99.1	0.057	23/11/2007	1700	0.044	19/03/2007	1700
Swanbourne (Inner West Coast)	98.7	0.038	25/10/2007	0200	0.035	23/10/2007	2200

Photochemical Smog as Ozone

The NEPM standard for ozone of 0.10 ppm averaged over 1 hour was not exceeded at any site during 2007. The NEPM goal of no more than 1 exceedance at each site was met. Table C3 contains the summary statistics for daily peak 1-hour O₃ in Western Australia.

Table C3. 2007 summary statistics for daily peak 1-hour ozone

Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ppm)	Highest		2 nd Highest (ppm)	2 nd Highest	
			(date)	(time)		(date)	(time)
<u>Perth Region</u>							
Caversham (North East Metro)	98.6	0.085	13/01/2007	1400	0.078	29/01/2007	1200
Quinns Rocks (Outer North Coast)	98.8	0.081	06/03/2007	1700	0.079	07/03/2007	1900
Rockingham (South Coast)	99.5	0.084	07/03/2007	1800	0.076	28/01/2007	1300
Rolling Green (Outer East Rural)	98.9	0.095	13/01/2007	1600	0.089	27/12/2007	1300
South Lake (South East Metro)	99.4	0.067	14/01/2007	1100	0.066	23/11/2007	1500
Swanbourne (Inner West Coast)	99.3	0.077	07/03/2007	1700	0.071	25/12/2007	1700

The NEPM standard for ozone of 0.08 ppm averaged over 4 hours was not exceeded at any site during 2007. The NEPM goal of no more than 1 exceedance at each site was met. Table C4 contains the summary statistics for daily peak 4-hour O₃ in Western Australia.

Table C4. 2007 summary statistics for daily peak 4-hour ozone

Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ppm)	Highest		2 nd Highest (ppm)	2 nd Highest	
			(date)	(time)		(date)	(time)
<u>Perth Region</u>							
Caversham (North East Metro)	98.6	0.073	13/01/2007	1600	0.072	24/11/2007	1500
Quinns Rocks (Outer North Coast)	98.8	0.075	07/03/2007	2000	0.065	06/03/2007	1900
Rockingham (South Coast)	99.5	0.079	07/03/2007	1800	0.060	28/01/2007	1600
Rolling Green (Outer East Rural)	98.9	0.080	27/12/2007	1400	0.079	13/01/2007	1900
South Lake (South East Metro)	99.4	0.059	14/01/2007	1400	0.055	23/11/2007	1500
Swanbourne (Inner West Coast)	99.3	0.067	07/03/2007	1900	0.063	25/12/2007	1800

Sulfur Dioxide

The NEPM standard for sulfur dioxide of 0.20 ppm averaged over 1 hour was not exceeded at any site during 2007. The NEPM goal of no more than 1 exceedance at each site was met. Table C5 contains the summary statistics for daily peak 1-hour SO₂ in Western Australia.

Table C5. 2007 summary statistics for daily peak 1-hour sulfur dioxide

					AAQ NEPM Standard 0.20 ppm (1-hour average)		
Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ppm)	Highest (date) (time)		2 nd Highest (ppm)	2 nd Highest (date) (time)	
<u>Perth Region</u>							
Hope Valley (South Metro)	99.5	0.190	22/05/2007	1300	0.091	23/01/2007	1300
Rockingham (South Coast)	98.6	0.041	27/06/2007	0300	0.039	26/06/2007	1000
South Lake (South East Metro)	99.4	0.040	19/03/2007	1700	0.037	23/11/2007	1800
Wattleup (South Metro)	93.3	0.060	14/01/2007	1600	0.055	04/04/2007	1800

The NEPM standard for sulfur dioxide of 0.08 ppm averaged over 24 hours was not exceeded at any site during 2007. The NEPM goal of no more than 1 exceedance at each site was met. Table C6 contains the summary statistics for daily peak 24-hour SO₂ in Western Australia.

Table C6. 2007 summary statistics for 24-hour sulfur dioxide

					AAQ NEPM Standard 0.08 ppm (24-hour average)		
Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ppm)	Highest (date) (time)		2 nd Highest (ppm)	2 nd Highest (date) (time)	
<u>Perth Region</u>							
Hope Valley (South Metro)	99.5	0.015	22/05/2007	2400	0.013	04/07/2007	2400
Rockingham (South Coast)	98.6	0.012	26/06/2007	2400	0.009	27/06/2007	2400
South Lake (South East Metro)	99.4	0.006	23/11/2007	2400	0.005	28/12/2007	2400
Wattleup (South Metro)	93.3	0.010	29/01/2007	2400	0.008	22/01/2007	2400

Particles as PM₁₀

The NEPM standard for particles as PM₁₀ of 50 µg/m³ averaged over 24 hours was exceeded during 2007 once at Caversham (58.8 ug/m³ on 04/02/2007), South Lake (56.7 ug/m³ on 04/02/2007) and Albany (55.7 ug/m³ on 10/11/2007) and 10 times at Geraldton (59.4 µg/m³ on 04/02/2007, 116.2 µg/m³ on 05/02/2007, 52.6 ug/m³ on 24/02/2007, 95.5 ug/m³ on 09/03/2007, 71.6 ug/m³ on 10/03/2007, 95.0 ug/m³ on 16/03/2007, 72.4 ug/m³ on 10/05/2007, 108.5 ug/m³ on 06/06/2007, 83.0 ug/m³ on 22/06/2007 and 77.5 µg/m³ on 09/12/2007). Attachments 2-7, 11, 13 and 15 contain descriptions of the circumstances that led to each exceedance. The NEPM goal of no more than 5 exceedances was met at all sites except Geraldton where the goal was not met. Table C7 contains the summary statistics for daily peak 24-hour PM₁₀ in Western Australia.

Table C7. 2007 summary statistics for 24-hour particles as PM₁₀

Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ug/m ³)	AAQ NEPM Standard 50 ug/m ³ (24-hour average)			
			Highest		6 th Highest	6 th Highest
			(date)	(time)	(ug/m ³)	(date) (time)
<u>Perth Region</u>						
Caversham ²	98.4	58.8	04/02/2007	2400	37.2	03/02/2007 2400
(North East Metro)						
Duncraig ²	99.7	40.3	22/06/2007	2400	30.3	23/11/2007 2400
(North Metro)						
Gosnells	9.4	49.2	24/11/2007	2400	34.9	25/12/2007 2400
(South Metro)						
South Lake ²	97.9	56.7	04/02/2007	2400	36.3	26/01/2007 2400
(South East Metro)						
<u>Southwest Region</u>						
Albany ²	99.8	55.7	10/11/2007	2400	30.4	02/10/2007 2400
Bunbury ²	99.6	46.5	11/05/2007	2400	30.2	27/01/2007 2400
<u>Midwest Region</u>						
Geraldton	99.7	116.3	05/02/2007	2400	77.5	09/12/2007 2400

1 – High volume samplers operating 1 day in every six.

2 – Tapered Element Oscillating Microbalance (TEOM) operating continuously (unadjusted for temperature)

Particles as PM_{2.5}

The NEPM advisory standard for particles as PM_{2.5} of 25 micrograms per cubic metre averaged over 24 hours was exceeded three times at Bunbury (34.5 ug/m³ on 11/05/2007, 34.5 ug/m³ on 01/06/2007 and 25.1 ug/m³ on 15/11/2007) and twice at Busselton (51.1 ug/m³ on 24/10/2007 and 37.2 ug/m³ on 25/10/2007). Attachments 8, 9, 12 and 14 contain descriptions of the circumstances that led to the exceedances. Table C8 contains the summary statistics for daily peak 24-hour PM_{2.5} in Western Australia.

Table C8. 2007 summary statistics for 24-hour particles as PM_{2.5}

**AAQ NEPM Advisory Standard
25 ug/m³ (24-hour average)**

Regional Performance Monitoring Station	Data Recovery Rates (%)	Highest (ug/m ³)	Highest (date) (time)	6th Highest (ug/m ³)	6th Highest (date) (time)
<u>Perth Region</u>					
Caversham ¹ (North East Metro)	98.4	24.5	04/02/2007 2400	14.6	25/10/2007 2400
Duncraig ¹ (North Metro)	99.6	19.6	17/07/2007 2400	14.1	22/06/2007 2400
Quinns Rocks ¹ (Outer North Coast)	99.7	19.9	25/10/2007 2400	14.4	13/11/2007 2400
South Lake ¹ (South East Metro)	98.9	21.2	04/02/2007 2400	15.4	15/11/2007 2400
<u>Southwest Region</u>					
Bunbury ¹	99.4	34.5	11/05/2007 2400	20.3	02/06/2007 2400
Busselton ¹	99.4	51.1	24/10/2007 2400	15.2	02/10/2007 2400

1 - Tapered Element Oscillating Microbalance (TEOM) operating continuously (unadjusted for temperature) with Const A set to 3.000 and Const B set to 1.030.

The NEPM advisory standard for particles as PM_{2.5} of 8 micrograms per cubic metre averaged over one year was not exceeded during 2007.

Table C9. 2007 summary statistics for annual particles as PM_{2.5}

**AAQ NEPM Advisory Standard
8 ug/m³ (annual average)**

Regional Performance Monitoring Station	Data Recovery Rates (%)	annual average (ug/m ³)
<u>Perth Region</u>		
Caversham ¹ (North East Metro)	98.4	7.5
Duncraig ¹ (North Metro)	99.6	7.3
Quinns Rocks ¹ (Outer North Coast)	99.7	6.9
South Lake ¹ (South East Metro)	98.9	7.6
<u>Southwest Region</u>		
Bunbury ¹	99.4	7.8
Busselton ¹	99.4	7.4

1 - Tapered Element Oscillating Microbalance (TEOM) operating continuously (unadjusted for temperature) with Const A set to 3.000 and Const B set to 1.030.

SECTION D – DATA ANALYSIS

Maxima and Percentiles by Pollutant in 2007

Table D1. 2007 percentiles of daily peak 8-hour carbon monoxide concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)	75th percentile (ppm)	50th percentile (ppm)
<u>Perth Region</u>								
Caversham (North East Metro)	98.2	0.9	0.6	0.6	0.5	0.4	0.3	0.2
Duncraig (North Metro)	99.5	2.0	1.6	1.4	1.2	0.8	0.5	0.2
Queen's Buildings (CBD)	24.8	1.6	1.1	1.0	0.8	0.7	0.7	0.5
South Lake (South East Metro)	99.3	1.7	1.4	1.2	1.0	0.8	0.4	0.2

Table D2. 2007 percentiles of daily peak 1-hour nitrogen dioxide concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)	75th percentile (ppm)	50th percentile (ppm)
<u>Perth Region</u>								
Caversham (North East Metro)	98.5	0.044	0.037	0.033	0.028	0.026	0.021	0.016
Duncraig (North Metro)	99.6	0.053	0.034	0.032	0.030	0.028	0.024	0.019
Hope Valley (South Metro)	93.8	0.084	0.031	0.028	0.025	0.023	0.018	0.012
Queen's Buildings (CBD)	24.8	0.055	0.047	0.046	0.044	0.041	0.034	0.026
Quinns Rocks (Outer North Coast)	99.5	0.035	0.031	0.029	0.028	0.025	0.018	0.011
Rockingham (South Coast)	99.4	0.040	0.034	0.030	0.028	0.025	0.019	0.012
Rolling Green (Outer East Rural)	98.8	0.020	0.019	0.018	0.016	0.014	0.011	0.007
South Lake (South East Metro)	99.1	0.057	0.041	0.038	0.032	0.029	0.025	0.020
Swanbourne (Inner West Coast)	98.7	0.038	0.033	0.032	0.030	0.027	0.020	0.014

Table D3. 2007 percentiles of daily peak 1-hour ozone concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)	75th percentile (ppm)	50th percentile (ppm)
<u>Perth Region</u>								
Caversham (North East Metro)	98.6	0.085	0.073	0.066	0.059	0.047	0.036	0.031
Quinns Rocks (Outer North Coast)	98.8	0.081	0.061	0.057	0.050	0.045	0.038	0.034
Rockingham (South Coast)	99.5	0.084	0.065	0.056	0.049	0.042	0.035	0.031
Rolling Green (Outer East Rural)	98.9	0.095	0.081	0.078	0.062	0.053	0.038	0.033
South Lake (South East Metro)	99.4	0.067	0.056	0.053	0.047	0.040	0.033	0.030
Swanbourne (Inner West Coast)	99.3	0.077	0.064	0.057	0.051	0.044	0.038	0.034

Table D4. 2007 percentiles Percentiles of daily peak 4-hour ozone concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)	75th percentile (ppm)	50th percentile (ppm)
<u>Perth Region</u>								
Caversham (North East Metro)	98.6	0.073	0.062	0.058	0.049	0.042	0.034	0.030
Quinns Rocks (Outer North Coast)	98.8	0.075	0.056	0.053	0.046	0.041	0.036	0.032
Rockingham (South Coast)	99.5	0.079	0.057	0.052	0.046	0.038	0.033	0.030
Rolling Green (Outer East Rural)	98.9	0.080	0.070	0.066	0.053	0.046	0.037	0.033
South Lake (South East Metro)	99.4	0.059	0.051	0.048	0.042	0.037	0.032	0.028
Swanbourne (Inner West Coast)	99.3	0.067	0.054	0.051	0.048	0.042	0.036	0.032

Table D5. 2007 percentiles of daily peak 1-hour sulfur dioxide concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)	75th percentile (ppm)	50th percentile (ppm)
<u>Perth Region</u>								
Hope Valley (South Metro)	99.5	0.190	0.056	0.045	0.033	0.025	0.014	0.005
Rockingham (South Coast)	98.6	0.041	0.025	0.020	0.013	0.008	0.003	0.001
South Lake (South East Metro)	99.4	0.040	0.032	0.028	0.019	0.012	0.005	0.001
Wattleup (South Metro)	93.3	0.060	0.045	0.040	0.034	0.025	0.014	0.004

Table D6. 2007 percentiles of daily peak 24-hour sulfur dioxide concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)	75th percentile (ppm)	50th percentile (ppm)
<u>Perth Region</u>								
Hope Valley (South Metro)	99.5	0.015	0.011	0.008	0.006	0.004	0.002	0.001
Rockingham (South Coast)	98.6	0.012	0.005	0.004	0.003	0.002	0.002	0.000
South Lake (South East Metro)	99.4	0.006	0.004	0.003	0.002	0.002	0.001	0.000
Wattleup (South Metro)	93.3	0.010	0.008	0.007	0.005	0.004	0.002	0.001

Table D7. 2007 percentiles of daily peak 24-hour particles as PM₁₀ concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (µg/m ³)	99 th percentile (µg/m ³)	98 th percentile (µg/m ³)	95 th percentile (µg/m ³)	90 th percentile (µg/m ³)	75 th percentile (µg/m ³)	50 th percentile (µg/m ³)
<u>Perth Region</u>								
Caversham (North East Metro)	98.4	58.8	39.7	35.9	30.3	26.1	19.6	14.5
Duncraig (North Metro)	99.7	40.3	31.8	29.4	25.8	22.0	18.4	14.4
Gosnells (South Metro)	9.4	49.2	48.2	47.2	43.7	39.9	27.6	18.5
South Lake (South East Metro)	97.9	56.7	37.7	36.0	32.9	26.7	20.8	16.1
<u>Southwest Region</u>								
Albany	99.8	55.7	31.3	28.0	24.7	22.1	16.9	12.9
Bunbury	99.6	46.5	32.8	29.6	27.1	24.5	20.4	16.8
<u>Midwest Region</u>								
Geraldton	99.7	116.3	87.2	67.9	44.7	36.4	27.4	20.0

Table D8. 2007 percentiles of daily peak 24-hour particles as PM_{2.5} concentrations

Regional Performance Monitoring Station	Data availability rates (%)	Max conc. (µg/m ³)	99 th percentile (µg/m ³)	98 th percentile (µg/m ³)	95 th percentile (µg/m ³)	90 th percentile (µg/m ³)	75 th percentile (µg/m ³)	50 th percentile (µg/m ³)
<u>Perth Region</u>								
Caversham (North East Metro)	98.4	24.5	15.1	14.0	12.1	10.7	8.7	7.0
Duncraig (North Metro)	99.6	19.6	14.2	13.5	11.6	10.1	8.4	6.9
Quinns Rocks (Outer North Coast)	99.7	19.9	15.4	13.7	12.1	10.1	8.4	6.5
South Lake (South East Metro)	98.9	21.2	15.6	12.9	11.8	10.5	8.8	7.3
<u>Southwest Region</u>								
Bunbury	99.4	34.5	21.2	17.8	13.2	10.7	8.8	7.1
Busselton	99.4	51.1	15.6	14.3	11.7	9.9	8.2	6.6

Maxima and Percentiles by Site 1998 to 2007

Table D9. Daily peak 8-hour carbon monoxide at Caversham (1998-2007)

Trend station/region: Caversham

AAQ NEPM Standard
9.0 ppm (8-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.0	0	1.7	1.3	1.2	1.0	0.8
1999	99.6	0	1.6	1.2	1.1	0.8	0.6
2000	99.3	0	1.4	1.0	1.0	0.8	0.6
2001	99.6	0	1.5	1.3	1.2	1.0	0.9
2002	98.1	0	1.3	1.0	0.9	0.8	0.7
2003	95.7	0	1.1	0.9	0.8	0.7	0.6
2004	96.2	0	1.3	0.9	0.9	0.7	0.5
2005	98.3	0	1.3	0.9	0.8	0.7	0.6
2006	99.7	0	1.8	0.9	0.9	0.6	0.5
2007	98.2	0	0.9	0.6	0.6	0.5	0.4

Table D10. Daily peak 8-hour carbon monoxide at Duncraig (1998-2007)

Trend station/region: Duncraig

AAQ NEPM Standard
9.0 ppm (8-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.4	0	6.1	4.9	4.3	3.0	2.0
1999	96.9	0	6.6	4.5	4.2	2.8	2.0
2000	98.7	0	4.8	3.5	3.0	2.3	1.6
2001	99.5	0	5.9	4.7	4.2	3.1	2.6
2002	96.6	0	5.4	3.7	3.6	2.6	1.8
2003	97.8	0	4.1	3.1	2.8	2.0	1.5
2004	99.1	0	4.5	3.2	2.7	2.1	1.2
2005	98.5	0	3.3	2.7	2.2	1.7	1.2
2006	99.3	0	3.4	2.8	2.3	1.8	1.3
2007	99.5	0	2.0	1.6	1.4	1.2	0.8

Table D11. Daily peak 8-hour carbon monoxide at Queen's Buildings (1998-2007)

Trend station/region: Queen's Buildings

AAQ NEPM Standard

9.0 ppm (8-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.5	0	6.1	5.3	4.7	3.9	3.6
1999	99.4	0	5.0	4.3	4.0	3.6	3.1
2000	98.7	0	4.3	3.5	3.3	3.0	2.7
2001	99.6	0	4.8	3.9	3.1	2.5	2.4
2002	96.8	0	4.7	2.7	2.5	2.2	2.0
2003	95.9	0	2.8	2.2	2.2	2.0	1.8
2004	99.5	0	2.8	2.1	2.0	1.7	1.6
2005	99.7	0	4.2	2.7	2.0	1.6	1.4
2006	99.7	0	2.9	1.8	1.5	1.2	1.1
2007	24.8	0	1.6	1.1	1.0	0.8	0.7

Table D12. Daily peak 8-hour carbon monoxide at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Standard

9.0 ppm (8-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	0.0	0					
1999	0.0	0					
2000	82.3	0	3.6	2.2	2.1	1.8	1.6
2001	99.6	0	4.0	3.5	3.1	2.3	1.7
2002	97.6	0	3.2	2.8	2.4	1.9	1.3
2003	98.9	0	3.1	2.5	2.3	1.7	1.3
2004	99.5	0	3.5	2.3	2.1	1.5	1.0
2005	96.9	0	2.9	2.5	2.0	1.6	1.1
2006	98.6	0	2.5	2.4	2.2	1.6	1.0
2007	99.3	0	1.7	1.4	1.2	1.0	0.8

Table D13. Daily peak 1-hour nitrogen dioxide at Caversham (1998-2007)

Trend station/region: Caversham

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.0	0	0.051	0.038	0.034	0.031	0.028
1999	99.6	0	0.038	0.031	0.030	0.028	0.025
2000	99.3	0	0.044	0.035	0.033	0.030	0.028
2001	99.4	0	0.045	0.037	0.033	0.029	0.027
2002	99.5	0	0.055	0.035	0.033	0.031	0.028
2003	95.7	0	0.043	0.037	0.034	0.031	0.028
2004	98.9	0	0.046	0.036	0.033	0.029	0.028
2005	98.3	0	0.048	0.040	0.034	0.031	0.027
2006	98.3	0	0.084	0.037	0.034	0.031	0.028
2007	98.5	0	0.044	0.037	0.033	0.028	0.026

Table D14. Daily peak 1-hour nitrogen dioxide at Duncraig (1998-2007)

Trend station/region: Duncraig

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.5	0	0.065	0.040	0.037	0.031	0.028
1999	93.5	0	0.049	0.035	0.032	0.030	0.027
2000	98.7	0	0.050	0.035	0.033	0.031	0.029
2001	99.5	0	0.041	0.038	0.035	0.032	0.030
2002	97.1	0	0.049	0.040	0.037	0.034	0.031
2003	97.4	0	0.057	0.042	0.037	0.033	0.031
2004	94.5	0	0.043	0.037	0.035	0.031	0.029
2005	96.7	0	0.051	0.039	0.036	0.032	0.030
2006	99.5	0	0.056	0.037	0.036	0.032	0.030
2007	99.6	0	0.053	0.034	0.032	0.030	0.028

Table D15. Daily peak 1-hour nitrogen dioxide at Hope Valley (1998-2007)

Trend station/region: Hope valley

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	97.0	0	0.044	0.029	0.027	0.024	0.020
1999	98.8	0	0.032	0.028	0.026	0.024	0.022
2000	99.6	0	0.033	0.030	0.028	0.025	0.023
2001	99.6	0	0.033	0.031	0.030	0.027	0.025
2002	99.6	0	0.039	0.033	0.030	0.028	0.024
2003	94.6	0	0.039	0.034	0.028	0.024	0.021
2004	99.6	0	0.034	0.032	0.028	0.024	0.021
2005	99.2	0	0.035	0.030	0.027	0.025	0.023
2006	95.6	0	0.045	0.030	0.029	0.026	0.024
2007	93.8	0	0.084	0.031	0.028	0.025	0.023

Table D16. Daily peak 1-hour nitrogen dioxide at Queen's Buildings (1998-2007)

Trend station/region: Queen's Buildings

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.5	0	0.093	0.085	0.077	0.068	0.058
1999	99.4	0	0.073	0.063	0.061	0.054	0.047
2000	98.6	0	0.073	0.068	0.065	0.056	0.049
2001	99.5	0	0.082	0.065	0.064	0.058	0.055
2002	99.0	0	0.091	0.077	0.072	0.060	0.055
2003	95.9	1	0.121	0.075	0.067	0.058	0.055
2004	99.5	0	0.075	0.070	0.064	0.058	0.050
2005	89.2	0	0.113	0.072	0.058	0.051	0.045
2006	99.7	0	0.068	0.057	0.051	0.047	0.043
2007	24.8	0	0.055	0.047	0.046	0.044	0.041

Table D17. Daily peak 1-hour nitrogen dioxide at Quinns Rocks (1998-2007)

Trend station/region: Quinns Rocks

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	96.7	0	0.041	0.033	0.029	0.026	0.024
1999	98.5	0	0.034	0.030	0.029	0.025	0.023
2000	98.7	0	0.045	0.032	0.031	0.028	0.025
2001	96.4	0	0.036	0.033	0.031	0.027	0.026
2002	99.5	0	0.037	0.031	0.030	0.028	0.026
2003	97.4	0	0.035	0.032	0.030	0.027	0.025
2004	90.8	0	0.041	0.032	0.030	0.028	0.025
2005	96.9	0	0.041	0.031	0.030	0.027	0.024
2006	96.9	0	0.065	0.051	0.042	0.035	0.029
2007	99.5	0	0.035	0.031	0.029	0.028	0.025

Table D18. Daily peak 1-hour nitrogen dioxide at Rockingham (1998-2007)

Trend station/region: Rockingham

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.2	0	0.043	0.031	0.028	0.026	0.024
1999	93.5	0	0.030	0.029	0.028	0.025	0.024
2000	99.4	0	0.048	0.041	0.039	0.036	0.032
2001	98.9	0	0.046	0.040	0.038	0.035	0.033
2002	99.6	0	0.042	0.039	0.038	0.035	0.032
2003	98.4	0	0.051	0.040	0.036	0.034	0.032
2004	99.4	0	0.055	0.043	0.039	0.035	0.031
2005	99.1	0	0.045	0.038	0.036	0.032	0.030
2006	98.9	0	0.054	0.040	0.036	0.034	0.031
2007	99.4	0	0.040	0.034	0.030	0.028	0.025

Table D19. Daily peak 1-hour nitrogen dioxide at Rolling Green (1998-2007)

Trend station/region: Rolling Green

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	95.7	0	0.029	0.021	0.019	0.017	0.014
1999	98.7	0	0.024	0.017	0.016	0.015	0.012
2000	97.1	0	0.027	0.021	0.019	0.015	0.014
2001	99.1	0	0.026	0.021	0.020	0.017	0.015
2002	97.6	0	0.025	0.022	0.020	0.017	0.015
2003	94.0	0	0.032	0.020	0.017	0.016	0.015
2004	95.6	0	0.025	0.023	0.021	0.018	0.016
2005	97.9	0	0.029	0.025	0.023	0.020	0.017
2006	98.0	0	0.026	0.020	0.019	0.017	0.015
2007	98.8	0	0.020	0.019	0.018	0.016	0.014

Table D20. Daily peak 1-hour nitrogen dioxide at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	0.0	0					
1999	0.0	0					
2000	81.3	0	0.041	0.035	0.032	0.031	0.029
2001	99.2	0	0.039	0.032	0.030	0.029	0.027
2002	95.5	0	0.048	0.035	0.032	0.030	0.028
2003	98.9	0	0.048	0.039	0.038	0.030	0.028
2004	98.4	0	0.043	0.038	0.036	0.032	0.029
2005	87.1	0	0.052	0.043	0.039	0.033	0.028
2006	98.0	0	0.045	0.039	0.037	0.032	0.029
2007	99.1	0	0.057	0.041	0.038	0.032	0.029

Table D21. Daily peak 1-hour nitrogen dioxide at Swanbourne (1998-2007)

Trend station/region: Swanbourne

AAQ NEPM Standard

0.12 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	93.5	0	0.051	0.036	0.033	0.030	0.028
1999	95.3	0	0.037	0.034	0.033	0.031	0.028
2000	98.0	0	0.045	0.038	0.036	0.034	0.030
2001	87.4	0	0.037	0.034	0.032	0.031	0.030
2002	92.1	0	0.051	0.040	0.036	0.031	0.029
2003	99.2	0	0.048	0.036	0.034	0.031	0.029
2004	70.2	0	0.042	0.039	0.035	0.032	0.028
2005	96.2	0	0.039	0.037	0.033	0.029	0.026
2006	99.5	0	0.043	0.034	0.033	0.031	0.028
2007	98.7	0	0.038	0.033	0.032	0.030	0.027

Table D22. Daily peak 1-hour ozone at Caversham (1998-2007)

Trend station/region: Caversham

AAQ NEPM Standard

0.10 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.2	1	0.112	0.085	0.076	0.058	0.049
1999	99.5	1	0.101	0.083	0.075	0.061	0.048
2000	99.3	0	0.084	0.069	0.064	0.054	0.046
2001	99.6	0	0.099	0.072	0.067	0.051	0.044
2002	99.6	0	0.091	0.074	0.065	0.057	0.048
2003	93.8	0	0.083	0.070	0.062	0.052	0.044
2004	98.9	0	0.079	0.070	0.062	0.052	0.045
2005	99.3	0	0.094	0.078	0.063	0.054	0.043
2006	99.6	0	0.080	0.072	0.067	0.058	0.049
2007	98.6	0	0.085	0.073	0.066	0.059	0.047

Table D23. Daily peak 1-hour ozone at Quinns Rocks (1998-2007)

Trend station/region: Quinns Rocks

AAQ NEPM Standard

0.10 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.5	0	0.080	0.072	0.070	0.058	0.049
1999	98.6	1	0.105	0.070	0.068	0.058	0.046
2000	98.7	0	0.078	0.069	0.067	0.055	0.045
2001	99.5	0	0.073	0.065	0.058	0.049	0.042
2002	99.5	0	0.079	0.069	0.060	0.055	0.046
2003	86.1	0	0.086	0.060	0.057	0.049	0.045
2004	97.9	0	0.079	0.064	0.060	0.056	0.046
2005	98.0	0	0.095	0.068	0.063	0.055	0.045
2006	99.0	0	0.085	0.065	0.063	0.052	0.045
2007	98.8	0	0.081	0.061	0.057	0.050	0.045

Table D24. Daily peak 1-hour ozone at Rockingham (1998-2007)

Trend station/region: Rockingham

AAQ NEPM Standard

0.10 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.0	0	0.082	0.065	0.060	0.051	0.043
1999	99.0	0	0.076	0.067	0.060	0.050	0.040
2000	99.4	0	0.083	0.077	0.063	0.050	0.040
2001	99.1	0	0.076	0.057	0.050	0.042	0.037
2002	99.6	0	0.079	0.067	0.057	0.050	0.043
2003	98.4	0	0.064	0.053	0.050	0.045	0.039
2004	99.1	1	0.102	0.067	0.059	0.048	0.040
2005	99.1	0	0.081	0.064	0.056	0.044	0.040
2006	98.9	0	0.072	0.061	0.056	0.050	0.041
2007	99.5	0	0.084	0.065	0.056	0.049	0.042

Table D25. Daily peak 1-hour ozone at Rolling Green (1998-2007)

Trend station/region: Rolling Green

AAQ NEPM Standard

0.10 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.5	1	0.109	0.085	0.077	0.063	0.056
1999	98.8	0	0.096	0.080	0.073	0.064	0.052
2000	97.1	0	0.092	0.072	0.065	0.058	0.049
2001	99.0	0	0.097	0.080	0.068	0.051	0.044
2002	99.6	0	0.091	0.080	0.068	0.059	0.049
2003	94.3	0	0.087	0.076	0.071	0.059	0.049
2004	97.9	1	0.101	0.076	0.071	0.060	0.049
2005	97.9	0	0.079	0.071	0.064	0.058	0.050
2006	98.6	0	0.093	0.075	0.072	0.060	0.053
2007	98.9	0	0.095	0.081	0.078	0.062	0.053

Table D26. Daily peak 1-hour ozone at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Standard

0.10 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	83.3	0	0.077	0.061	0.053	0.043	0.038
2001	99.6	0	0.079	0.062	0.054	0.044	0.038
2002	99.5	0	0.067	0.062	0.054	0.049	0.043
2003	99.1	0	0.071	0.061	0.055	0.048	0.041
2004	99.0	0	0.076	0.061	0.057	0.047	0.041
2005	97.0	0	0.080	0.062	0.056	0.049	0.041
2006	99.6	0	0.066	0.057	0.054	0.045	0.040
2007	99.4	0	0.067	0.056	0.053	0.047	0.040

Table D27. Daily peak 1-hour ozone at Swanbourne (1998-2007)

Trend station/region: Swanbourne

AAQ NEPM Standard

0.10 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.4	0	0.081	0.070	0.064	0.052	0.046
1999	96.6	0	0.088	0.069	0.064	0.054	0.042
2000	98.0	0	0.079	0.069	0.064	0.053	0.043
2001	98.7	0	0.074	0.064	0.059	0.048	0.040
2002	95.9	0	0.081	0.063	0.057	0.051	0.046
2003	99.7	0	0.082	0.060	0.052	0.045	0.041
2004	99.4	0	0.077	0.065	0.059	0.049	0.042
2005	96.4	0	0.076	0.066	0.061	0.051	0.043
2006	99.7	0	0.075	0.066	0.060	0.050	0.044
2007	99.3	0	0.077	0.064	0.057	0.051	0.044

Table D28. Daily peak 4-hour ozone at Caversham (1998-2007)

Trend station/region: Caversham

AAQ NEPM Standard

0.08 ppm (4-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.2	2	0.087	0.068	0.061	0.050	0.043
1999	99.5	0	0.080	0.071	0.064	0.052	0.043
2000	99.3	0	0.058	0.056	0.054	0.047	0.041
2001	99.6	0	0.079	0.062	0.055	0.045	0.039
2002	99.6	0	0.068	0.065	0.058	0.049	0.042
2003	93.8	0	0.069	0.058	0.054	0.046	0.039
2004	98.9	0	0.067	0.057	0.052	0.047	0.040
2005	99.3	0	0.069	0.055	0.052	0.046	0.039
2006	99.6	0	0.072	0.063	0.058	0.049	0.043
2007	98.6	0	0.073	0.062	0.058	0.049	0.042

Table D29. Daily peak 4-hour ozone at Quinns Rocks (1998-2007)

Trend station/region: Quinns Rocks

AAQ NEPM Standard

0.08 ppm (4-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.5	0	0.077	0.061	0.060	0.050	0.042
1999	98.6	1	0.083	0.061	0.057	0.051	0.042
2000	98.7	0	0.072	0.064	0.059	0.048	0.041
2001	99.5	0	0.066	0.057	0.051	0.044	0.039
2002	99.5	0	0.069	0.057	0.053	0.048	0.041
2003	86.1	0	0.071	0.055	0.051	0.043	0.040
2004	97.9	0	0.068	0.059	0.055	0.048	0.041
2005	98.0	0	0.070	0.058	0.057	0.047	0.041
2006	99.0	0	0.074	0.059	0.055	0.046	0.041
2007	98.8	0	0.075	0.056	0.053	0.046	0.041

Table D30. Daily peak 4-hour ozone at Rockingham (1998-2007)

Trend station/region: Rockingham

AAQ NEPM Standard

0.08 ppm (4-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.0	0	0.074	0.062	0.051	0.046	0.039
1999	99.0	0	0.067	0.060	0.055	0.045	0.038
2000	99.4	0	0.078	0.069	0.059	0.046	0.037
2001	99.1	0	0.071	0.053	0.045	0.039	0.036
2002	99.6	0	0.071	0.058	0.050	0.047	0.039
2003	98.4	0	0.059	0.049	0.048	0.041	0.037
2004	99.1	0	0.079	0.060	0.052	0.045	0.038
2005	99.1	0	0.075	0.061	0.052	0.042	0.038
2006	98.9	0	0.067	0.056	0.051	0.046	0.038
2007	99.5	0	0.079	0.057	0.052	0.046	0.038

Table D31. Daily peak 4-hour ozone at Rolling Green (1998-2007)

Trend station/region: Rolling Green

AAQ NEPM Standard

0.08 ppm (4-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	99.5	2	0.095	0.069	0.066	0.052	0.048
1999	98.8	0	0.077	0.070	0.059	0.055	0.046
2000	97.1	0	0.075	0.059	0.055	0.047	0.041
2001	99.0	2	0.094	0.067	0.058	0.046	0.038
2002	99.6	0	0.071	0.065	0.061	0.052	0.043
2003	94.3	0	0.075	0.063	0.060	0.053	0.043
2004	97.9	0	0.077	0.064	0.061	0.051	0.042
2005	97.9	0	0.068	0.060	0.058	0.049	0.044
2006	98.6	0	0.079	0.065	0.059	0.053	0.046
2007	98.9	0	0.080	0.070	0.066	0.053	0.046

Table D32. Daily peak 4-hour ozone at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Standard

0.08 ppm (4-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	83.3	0	0.067	0.051	0.045	0.037	0.035
2001	99.6	0	0.076	0.053	0.048	0.039	0.035
2002	99.5	0	0.058	0.053	0.050	0.044	0.039
2003	99.1	0	0.063	0.052	0.048	0.043	0.037
2004	99.0	0	0.064	0.053	0.049	0.042	0.035
2005	97.0	0	0.070	0.053	0.052	0.042	0.037
2006	99.6	0	0.063	0.051	0.049	0.041	0.036
2007	99.4	0	0.059	0.051	0.048	0.042	0.037

Table D33. Daily peak 4-hour ozone at Swanbourne (1998-2007)

Trend station/region: Swanbourne

AAQ NEPM Standard

0.10 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	98.4	0	0.078	0.060	0.054	0.047	0.040
1999	96.6	0	0.074	0.060	0.056	0.048	0.039
2000	98.0	0	0.073	0.065	0.057	0.047	0.039
2001	98.7	0	0.069	0.055	0.049	0.041	0.037
2002	95.9	0	0.066	0.056	0.054	0.047	0.041
2003	99.7	0	0.066	0.054	0.047	0.041	0.037
2004	99.4	0	0.067	0.057	0.054	0.044	0.038
2005	96.4	0	0.066	0.058	0.052	0.044	0.039
2006	99.7	0	0.069	0.060	0.052	0.045	0.040
2007	99.3	0	0.067	0.054	0.051	0.048	0.042

Table D34. Daily peak 1-hour sulfur dioxide at Hope Valley (1998-2007)

Trend station/region: Hope Valley

AAQ NEPM Standard

0.20 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	97.5	0	0.061	0.035	0.031	0.024	0.017
1999	98.7	0	0.064	0.036	0.029	0.019	0.014
2000	99.4	0	0.079	0.051	0.036	0.020	0.014
2001	99.6	0	0.044	0.029	0.025	0.019	0.013
2002	99.6	0	0.058	0.048	0.032	0.024	0.017
2003	94.1	0	0.060	0.041	0.031	0.024	0.017
2004	99.6	0	0.061	0.045	0.040	0.031	0.022
2005	99.2	0	0.074	0.047	0.036	0.027	0.019
2006	99.3	0	0.105	0.054	0.044	0.032	0.024
2007	99.5	0	0.190	0.056	0.045	0.033	0.025

Table D35. Daily peak 1-hour sulfur dioxide at Rockingham (1998-2007)

Trend station/region: Rockingham

AAQ NEPM Standard

0.20 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	96.9	0	0.047	0.029	0.022	0.017	0.010
1999	99.0	0	0.047	0.027	0.024	0.016	0.011
2000	98.8	0	0.034	0.021	0.017	0.010	0.006
2001	99.2	0	0.028	0.023	0.019	0.010	0.006
2002	99.6	0	0.035	0.021	0.017	0.009	0.006
2003	98.3	0	0.026	0.020	0.016	0.010	0.006
2004	99.4	0	0.039	0.021	0.018	0.011	0.006
2005	99.2	0	0.041	0.024	0.022	0.017	0.010
2006	98.9	0	0.040	0.031	0.022	0.013	0.008
2007	98.6	0	0.041	0.025	0.020	0.013	0.008

Table D36. Daily peak 1-hour sulfur dioxide at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Standard

0.20 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	82.5	0	0.042	0.027	0.024	0.019	0.013
2001	99.6	0	0.046	0.027	0.023	0.018	0.013
2002	97.4	0	0.043	0.036	0.026	0.020	0.015
2003	98.9	0	0.038	0.028	0.026	0.020	0.015
2004	99.5	0	0.042	0.028	0.024	0.019	0.013
2005	96.9	0	0.046	0.033	0.030	0.022	0.017
2006	99.5	0	0.060	0.044	0.032	0.028	0.022
2007	99.4	0	0.040	0.032	0.028	0.019	0.012

Table D37. Daily peak 1-hour sulfur dioxide at Wattleup (1998-2007)

Trend station/region: Wattleup

AAQ NEPM Standard

0.20 ppm (1-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	94.4	0	0.061	0.043	0.040	0.027	0.020
1999	99.3	0	0.060	0.033	0.030	0.022	0.017
2000	99.7	0	0.046	0.034	0.027	0.022	0.016
2001	99.7	0	0.074	0.032	0.027	0.021	0.017
2002	99.0	0	0.081	0.039	0.030	0.023	0.019
2003	97.5	0	0.062	0.032	0.028	0.023	0.018
2004	97.7	0	0.076	0.044	0.041	0.030	0.021
2005	99.7	0	0.120	0.058	0.045	0.037	0.026
2006	99.0	0	0.062	0.046	0.043	0.035	0.028
2007	93.3	0	0.060	0.045	0.040	0.034	0.025

Table D38. Daily peak 24-hour sulfur dioxide at Hope Valley (1998-2007)

Trend station/region: Hope Valley

AAQ NEPM Standard

0.08 ppm (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	97.5	0	0.008	0.006	0.004	0.003	0.002
1999	98.7	0	0.007	0.004	0.003	0.003	0.002
2000	99.4	0	0.007	0.005	0.003	0.003	0.002
2001	99.6	0	0.004	0.004	0.003	0.002	0.002
2002	99.6	0	0.007	0.006	0.004	0.003	0.002
2003	94.1	0	0.006	0.005	0.004	0.003	0.002
2004	99.6	0	0.009	0.006	0.006	0.004	0.003
2005	99.2	0	0.011	0.007	0.005	0.004	0.003
2006	99.3	0	0.012	0.007	0.005	0.004	0.003
2007	99.5	0	0.015	0.011	0.008	0.006	0.004

Table D39. Daily peak 24-hour sulfur dioxide at Rockingham (1998-2007)

Trend station/region: Rockingham

AAQ NEPM Standard

0.08 ppm (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	96.9	0	0.009	0.006	0.005	0.003	0.002
1999	99.0	0	0.016	0.008	0.006	0.004	0.002
2000	98.8	0	0.012	0.003	0.003	0.002	0.001
2001	99.2	0	0.009	0.004	0.003	0.002	0.001
2002	99.6	0	0.006	0.002	0.002	0.002	0.001
2003	98.3	0	0.005	0.003	0.003	0.002	0.001
2004	99.4	0	0.006	0.003	0.003	0.002	0.001
2005	99.2	0	0.009	0.006	0.004	0.003	0.002
2006	98.9	0	0.007	0.004	0.004	0.002	0.002
2007	98.6	0	0.012	0.005	0.004	0.003	0.002

Table D40. Daily peak 24-hour sulfur dioxide at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Standard

0.08 ppm (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	82.5	0	0.004	0.003	0.003	0.003	0.002
2001	99.6	0	0.006	0.004	0.003	0.002	0.002
2002	97.4	0	0.006	0.005	0.004	0.003	0.002
2003	98.9	0	0.006	0.005	0.004	0.003	0.002
2004	99.5	0	0.005	0.004	0.004	0.003	0.002
2005	96.9	0	0.007	0.006	0.004	0.004	0.002
2006	99.5	0	0.009	0.006	0.005	0.004	0.003
2007	99.4	0	0.006	0.004	0.003	0.002	0.002

Table D41. Daily peak 24-hour sulfur dioxide at Wattleup (1998-2007)

Trend station/region: Wattleup

AAQ NEPM Standard

0.08 ppm (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (ppm)	99th percentile (ppm)	98th percentile (ppm)	95th percentile (ppm)	90th percentile (ppm)
1998	94.4	0	0.008	0.006	0.005	0.004	0.003
1999	99.3	0	0.007	0.005	0.005	0.004	0.003
2000	99.7	0	0.006	0.004	0.004	0.003	0.002
2001	99.7	0	0.009	0.005	0.004	0.003	0.003
2002	99.0	0	0.008	0.005	0.005	0.004	0.003
2003	97.5	0	0.006	0.005	0.005	0.004	0.003
2004	97.7	0	0.009	0.007	0.005	0.004	0.003
2005	99.7	0	0.014	0.008	0.006	0.005	0.004
2006	99.0	0	0.009	0.007	0.006	0.004	0.004
2007	93.3	0	0.010	0.008	0.007	0.005	0.004

Table D42. Daily peak 24-hour particles as PM₁₀ at Caversham (1998-2007)

Trend station/region: Caversham

AAQ NEPM Standard

50 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	0.0	0	-	-	-	-	-
2001	0.0	0	-	-	-	-	-
2002	0.0	0	-	-	-	-	-
2003	0.0	0	-	-	-	-	-
2004	93.2	1	58.0	39.0	34.4	29.7	25.4
2005	98.2	1	76.8	41.4	37.1	32.2	28.1
2006	97.3	0	42.6	38.4	35.3	29.3	26.4
2007	98.4	1	58.8	39.7	35.9	30.3	26.1

Table D43. Daily peak 24-hour particles as PM₁₀ at Duncraig (1998-2007)

Trend station/region: Duncraig

AAQ NEPM Standard

50 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	98.4	1	68.9	39.2	35.8	29.7	26.5
1999	97.2	0	35.2	32.0	29.3	25.3	22.4
2000	76.5	0	29.8	28.0	25.2	24.0	22.2
2001	99.5	1	53.6	34.3	31.9	27.5	23.4
2002	97.6	1	54.0	37.5	30.8	26.4	24.2
2003	99.1	1	66.7	33.7	31.0	28.3	25.5
2004	99.0	0	45.1	30.9	30.2	27.6	24.1
2005	98.5	1	59.2	34.8	30.7	26.7	23.9
2006	99.1	0	40.6	32.9	30.5	27.3	24.0
2007	99.7	0	40.3	31.8	29.4	25.8	22.0

Table D44. Daily peak 24-hour particles as PM₁₀ at Gosnells (1998-2007)

Trend station/region: Duncraig

AAQ NEPM Standard

50 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	0.0	0	-	-	-	-	-
2001	0.0	0	-	-	-	-	-
2002	0.0	0	-	-	-	-	-
2003	0.0	0	-	-	-	-	-
2004	0.0	0	-	-	-	-	-
2005	0.0	0	-	-	-	-	-
2006	0.0	0	-	-	-	-	-
2007	9.4	0	40.3	31.8	29.4	25.8	22.0

Table D45. Daily peak 24-hour particles as PM₁₀ at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Standard

50 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	82.7	0	39.6	33.2	30.6	29.3	26.0
2001	99.1	1	56.7	37.3	33.2	27.7	25.3
2002	99.3	2	82.6	45.8	38.8	32.8	27.9
2003	95.8	0	44.5	40.1	36.3	32.4	28.2
2004	98.8	1	50.5	35.8	32.8	30.2	26.2
2005	98.8	3	98.8	46.1	39.6	33.6	28.7
2006	97.0	0	45.3	39.8	37.0	34.4	29.0
2007	97.9	1	56.7	37.7	36.0	32.9	26.7

Table D46. Daily peak 24-hour particles as PM₁₀ at Bunbury (1998-2007)

Trend station/region: Bunbury

AAQ NEPM Standard

50 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	52.3	0	40.0	33.8	30.8	27.7	24.6
2000	99.5	0	42.4	33.8	31.0	28.4	24.8
2001	99.6	1	57.6	41.0	37.5	29.3	26.8
2002	99.5	0	42.5	38.9	32.9	29.5	27.1
2003	99.2	1	54.5	34.2	33.3	30.2	26.3
2004	92.4	4	99.5	51.8	38.2	29.9	26.3
2005	99.1	3	63.3	37.9	33.3	27.5	24.9
2006	99.2	3	123.5	45.6	38.8	28.3	25.8
2007	99.6	0	46.5	32.8	29.6	27.1	24.5

Table D47. Daily peak 24-hour particles as PM₁₀ at Albany (1998-2007)

Trend station/region: Albany

AAQ NEPM Standard

50 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	0.0	0	-	-	-	-	-
2001	0.0	0	-	-	-	-	-
2002	0.0	0	-	-	-	-	-
2003	0.0	0	-	-	-	-	-
2004	0.0	0	-	-	-	-	-
2005	0.0	0	-	-	-	-	-
2006	52.1	0	39.4	35.4	33.0	26.6	24.6
2007	99.8	1	55.7	31.3	28.0	24.7	22.1

Table D48. Daily peak 24-hour particles as PM₁₀ at Geraldton (1998-2007)

Trend station/region: Bunbury

AAQ NEPM Standard

50 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	0.0	0	-	-	-	-	-
2001	0.0	0	-	-	-	-	-
2002	0.0	0	-	-	-	-	-
2003	0.0	0	-	-	-	-	-
2004	0.0	0	-	-	-	-	-
2005	27.7	2	61.3	52.9	47.0	34.8	31.6
2006	99.4	4	78.0	48.6	45.8	40.0	35.4
2007	99.7	10	116.3	87.2	67.9	44.7	36.4

Table D49. Daily peak 24-hour particles as PM_{2.5} at Caversham (1998-2007)

Trend station/region: Caversham

AAQ NEPM Advisory Standard

25 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	97.6	0	21.2	16.5	14.9	12.8	10.9
1999	98.2	0	20.3	14.3	13.6	12.4	10.9
2000	93.7	0	20.1	16.5	14.8	11.9	10.5
2001	97.2	1	31.8	15.9	15.1	12.9	11.3
2002	99.6	1	25.7	16.2	15.0	13.4	12.0
2003	98.6	1	27.3	16.3	14.4	13.4	11.6
2004	5.3	0	16.5	15.7	14.9	12.6	10.4
2005	0.0	0	-	-	-	-	-
2006	63.8	1	34.0	18.6	15.6	13.4	12.0
2007	98.4	0	24.5	15.1	14.0	12.1	10.7

Table D50. Daily peak 24-hour particles as PM_{2.5} at Duncraig (1998-2007)

Trend station/region: Duncraig

AAQ NEPM Advisory Standard

25 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	98.2	3	31.8	23.9	21.2	17.1	15.2
1999	96.9	2	26.3	21.3	17.3	14.5	12.4
2000	79.2	0	22.2	17.1	15.0	13.4	11.5
2001	93.8	4	27.0	25.5	22.6	16.1	13.4
2002	98.9	1	28.3	20.3	17.4	15.7	13.3
2003	98.4	1	25.2	19.2	16.1	14.9	13.1
2004	99.2	0	24.4	17.9	15.6	14.1	11.6
2005	98.6	3	40.6	17.3	15.0	13.1	11.4
2006	99.0	2	33.4	18.7	16.2	13.4	11.9
2007	99.6	0	19.6	14.2	13.5	11.6	10.1

Table D51. Daily peak 24-hour particles as PM_{2.5} at Quinns Rocks (1998-2007)

Trend station/region: Quinns Rocks

AAQ NEPM Advisory Standard

25 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	0.0	0	-	-	-	-	-
2001	0.0	0	-	-	-	-	-
2002	0.0	0	-	-	-	-	-
2003	0.0	0	-	-	-	-	-
2004	0.0	0	-	-	-	-	-
2005	0.0	0	-	-	-	-	-
2006	55.3	1	63.9	17.0	14.3	13.2	11.0
2007	99.7	0	19.9	15.4	13.7	12.1	10.1

Table D52. Daily peak 24-hour particles as PM_{2.5} at South Lake (1998-2007)

Trend station/region: South Lake

AAQ NEPM Advisory Standard

25 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	0.0	0	-	-	-	-	-
2001	0.0	0	-	-	-	-	-
2002	0.0	0	-	-	-	-	-
2003	0.0	0	-	-	-	-	-
2004	0.0	0	-	-	-	-	-
2005	0.0	0	-	-	-	-	-
2006	76.7	1	30.5	21.5	17.2	14.6	12.8
2007	98.9	0	21.2	15.6	12.9	11.8	10.5

Table D53. Daily peak 24-hour particles as PM_{2.5} at Bunbury (1998-2007)

Trend station/region: Bunbury

AAQ NEPM Advisory Standard

25 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	99.5	3	33.2	22.8	20.0	16.1	13.6
1999	88.9	1	30.0	21.7	18.4	15.0	12.9
2000	99.6	3	29.2	23.3	20.4	16.0	13.7
2001	92.7	2	47.3	19.6	17.4	15.4	13.1
2002	99.5	4	36.1	24.5	20.2	15.7	14.0
2003	98.9	3	37.6	20.7	18.3	15.7	13.1
2004	98.0	5	94.8	31.7	21.5	15.8	13.2
2005	99.0	5	64.2	26.9	19.1	15.4	12.1
2006	99.3	8	113.5	32.4	26.0	14.8	13.0
2007	99.4	3	34.5	21.2	17.8	13.2	10.7

Table D54. Daily peak 24-hour particles as PM_{2.5} at Busselton (1998-2007)

Trend station/region: Bunbury

AAQ NEPM Advisory Standard

25 ug/m3 (24-hour average)

Year	Data Recovery (%)	No. of exceedances (days)	Max conc. (µg/m ³)	99th percentile (µg/m ³)	98th percentile (µg/m ³)	95th percentile (µg/m ³)	90th percentile (µg/m ³)
1998	0.0	0	-	-	-	-	-
1999	0.0	0	-	-	-	-	-
2000	0.0	0	-	-	-	-	-
2001	0.0	0	-	-	-	-	-
2002	0.0	0	-	-	-	-	-
2003	0.0	0	-	-	-	-	-
2004	0.0	0	-	-	-	-	-
2005	0.0	0	-	-	-	-	-
2006	16.7	0	12.7	11.9	11.3	10.8	10.1
2007	99.4	2	51.1	15.6	14.3	11.7	9.9

Maxima by Pollutant 1998 to 2007

Table D55. Annual daily peak 8-hour carbon monoxide concentrations (ppm) for 1998-2007
AAQ NEPM Standard
9.0 ppm (8-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Caversham (North East Metro)	1.7	1.6	1.4	1.5	1.3	1.1	1.3	1.3	1.8	0.9
Duncraig (North Metro)	6.1	6.6	4.8	5.9	5.4	4.1	4.5	3.3	3.4	2.0
Queen's Buildings (CBD)	6.1	5.0	4.3	4.8	4.7	2.8	2.8	4.2	2.9	1.6
South Lake (South East Metro)	-	-	3.6	4.0	3.2	3.1	3.5	2.9	2.5	1.7
<u>Southwest Region</u>										
Bunbury	-	2.7	3.0	2.0	2.2	2.2	-	-	-	-

Highlighted cells indicate NEPM exceedances.

Table D56. Annual daily peak 1-hour nitrogen dioxide concentrations (ppm) for 1998-2007
AAQ NEPM Standard
0.12 ppm (1-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Caversham (North East Metro)	0.051	0.038	0.044	0.045	0.055	0.043	0.046	0.048	0.084	0.044
Duncraig (North Metro)	0.065	0.049	0.050	0.041	0.049	0.057	0.043	0.051	0.056	0.053
Hope Valley (South Metro)	0.044	0.032	0.033	0.033	0.039	0.039	0.034	0.035	0.045	0.084
Queen's Buildings (CBD)	0.093	0.073	0.073	0.082	0.091	0.121	0.075	0.113	0.068	0.055
Quinns Rocks (Outer North Coast)	0.041	0.034	0.045	0.036	0.037	0.035	0.041	0.041	0.065	0.035
Rockingham (South Coast)	0.043	0.030	0.048	0.046	0.042	0.051	0.055	0.045	0.054	0.040
Rolling Green (Outer East Rural)	0.029	0.024	0.027	0.026	0.025	0.032	0.025	0.029	0.026	0.020
South Lake (South East Metro)	-	-	0.041	0.039	0.048	0.048	0.043	0.052	0.045	0.057
Swanbourne (Inner West Coast)	0.051	0.037	0.045	0.037	0.051	0.048	0.042	0.039	0.043	0.038

Highlighted cells indicate NEPM exceedances.

Table D57. Annual daily peak 1-hour ozone concentrations (ppm) for 1998-2007AAQ NEPM Standard
0.10 ppm (1-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Caversham (North East Metro)	0.112	0.101	0.084	0.099	0.091	0.083	0.079	0.094	0.080	0.085
Quinns Rocks (Outer North Coast)	0.080	0.105	0.078	0.073	0.079	0.086	0.079	0.095	0.085	0.081
Rockingham (South Coast)	0.082	0.076	0.083	0.076	0.079	0.064	0.102	0.081	0.072	0.084
Rolling Green (Outer East Rural)	0.109	0.096	0.092	0.097	0.091	0.087	0.101	0.079	0.093	0.095
South Lake (South East Metro)	-	-	0.077	0.079	0.067	0.071	0.076	0.080	0.066	0.067
Swanbourne (Inner West Coast)	0.081	0.088	0.079	0.074	0.081	0.082	0.077	0.076	0.075	0.077

Highlighted cells indicate NEPM exceedances.

Table D58. Annual daily peak 4-hour ozone concentrations (ppm) for 1998-2007AAQ NEPM Standard
0.08 ppm (4-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Caversham (North East Metro)	0.087	0.080	0.058	0.079	0.068	0.069	0.067	0.069	0.072	0.073
Quinns Rocks (Outer North Coast)	0.077	0.083	0.072	0.066	0.069	0.071	0.068	0.070	0.074	0.075
Rockingham (South Coast)	0.074	0.067	0.078	0.071	0.071	0.059	0.079	0.075	0.067	0.079
Rolling Green (Outer East Rural)	0.095	0.077	0.075	0.094	0.071	0.075	0.077	0.068	0.079	0.080
South Lake (South East Metro)	-	-	0.067	0.076	0.058	0.063	0.064	0.070	0.063	0.059
Swanbourne (Inner West Coast)	0.078	0.074	0.073	0.069	0.066	0.066	0.067	0.066	0.069	0.067

Highlighted cells indicate NEPM exceedances.

Table D59. Annual daily peak 1-hour sulfur dioxide concentrations (ppm) for 1998-2007AAQ NEPM Standard
0.20 ppm (1-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Hope Valley (South Metro)	0.061	0.064	0.079	0.044	0.058	0.060	0.061	0.074	0.105	0.190
Rockingham (South Coast)	0.047	0.047	0.034	0.028	0.035	0.026	0.039	0.041	0.040	0.041
South Lake (South East Metro)	-	-	0.042	0.046	0.043	0.038	0.042	0.046	0.060	0.040
Wattleup (South Metro)	0.061	0.060	0.046	0.074	0.081	0.062	0.076	0.120	0.062	0.060

Highlighted cells indicate NEPM exceedances.

Table D60. Annual daily peak 24-hour sulfur dioxide concentrations (ppm) for 1998-2007
AAQ NEPM Standard
0.08 ppm (24-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Hope Valley (South Metro)	0.008	0.007	0.007	0.004	0.007	0.006	0.009	0.011	0.012	0.015
Rockingham (South Coast)	0.009	0.016	0.012	0.009	0.006	0.005	0.006	0.009	0.007	0.012
South Lake (South East Metro)	-	-	0.004	0.006	0.006	0.006	0.005	0.007	0.009	0.006
Wattleup (South Metro)	0.008	0.007	0.006	0.009	0.008	0.006	0.009	0.014	0.009	0.010

Highlighted cells indicate NEPM exceedances.

Table D61. Annual daily peak 24-hour particles as PM₁₀ concentrations (ug/m³) for 1998-2007
AAQ NEPM Standard
50 ug/m3 (24-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Caversham (North East Metro)	-	-	-	-	-	-	58.0	76.8	42.6	58.8
Duncraig (North Metro)	68.9	35.2	29.8	53.6	54.0	66.7	45.1	59.2	40.6	40.3
South Lake (South East Metro)	-	-	-	-	-	-	-	-	-	49.2
	-	-	39.6	56.7	82.6	44.5	50.5	98.8	45.3	56.7
<u>Southwest Region</u>										
Bunbury										
Albany	-	40.0	42.4	57.6	42.5	54.5	99.5	63.3	123.5	46.5
	-	-	-	-	-	-	-	-	39.4	55.7
<u>Midwest Region</u>										
Geraldton	-	-	-	-	-	-	-	61.3	78.0	116.3

Highlighted cells indicate NEPM exceedances.

Table D62. Annual daily peak 24-hour particles as PM_{2.5} concentrations (ug/m³) for 1998-2007
AAQ NEPM Advisory Standard
25 ug/m3 (24-hour average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Caversham (North East Metro)	21.2	20.3	20.1	31.8	25.7	27.3	16.5	-	34.0	24.5
Duncraig (North Metro)	31.8	26.3	22.2	27.0	28.3	25.2	24.4	40.6	33.4	19.6
Quinns Rocks (Outer North Coast)	-	-	-	-	-	-	-	-	63.9	19.9
South Lake (South East Metro)	-	-	-	-	-	-	-	-	30.5	21.2
<u>Southwest Region</u>										
Bunbury	33.2	30.0	29.2	47.3	36.1	37.6	94.8	64.2	113.5	34.5
Busselton	-	-	-	-	-	-	-	-	12.7	51.1

Highlighted cells indicate NEPM exceedances.

Table D63. Annual averaged particles as PM_{2.5} concentrations (ug/m³) for 1998-2007AAQ NEPM Advisory Standard
8 ug/m3 (annual average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Caversham (North East Metro)	7.0	7.2	7.4	7.6	8.1	8.0	7.6	-	8.1	7.5
Duncraig (North Metro)	10.4	8.6	8.0	8.6	9.2	8.9	7.9	7.8	8.2	7.3
Quinns Rocks (Outer North Coast)	-	-	-	-	-	-	-	-	7.8	6.9
South Lake (South East Metro)	-	-	-	-	-	-	-	-	8.7	7.6
<u>Southwest Region</u>										
Bunbury	9.2	9.3	9.3	8.7	9.0	8.6	9.2	8.6	8.7	7.8
Busselton	-	-	-	-	-	-	-	-	6.9	7.4

Highlighted cells indicate NEPM exceedances.

Table D64. Annual averaged lead concentrations (ug/m³) for 1998-2007AAQ NEPM Advisory Standard
0.50 ug/m3 (annual average)

Regional Performance Monitoring Station	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<u>Perth Region</u>										
Queen's Buildings (CBD)	0.10	0.08	0.03	0.02	-	-	-	-	-	-

Monitoring for lead ceased at the end of 2001.

ATTACHMENT 1 – Graphical Trends

This attachment provides graphical representations of tables D8 to D44 of Section D. Each graph show the maximum, 99th percentile, 98th percentile, 95th percentile and 90th percentile of daily maximum concentration for all pollutants monitored by the Department of Environment and Conservation in Western Australia. The nominated percentiles can also be expressed as an Nth highest concentration. Based on 100% data recovery and a normal year (i.e. 365 days), the following table gives each percentile an equivalent Nth highest ordinal value. The bracketed numbers represent the exact (as calculated) value of the ordinal number.

Percentile	Nth highest
100	1 (maximum)
99	5 (4.65)
98	8 (8.3)
95	19 (19.25)
90	38 (37.5)

Carbon Monoxide




Figure A1-1 - 8-hour carbon monoxide at Caversham




Figure A1-2 - 8-hour carbon monoxide at Duncraig




Figure A1-3 - 8-hour carbon monoxide at Queen's Buildings




Figure A1-4 - 8-hour carbon monoxide at South Lake

Nitrogen Dioxide




Figure A1-5 - 1-hour nitrogen dioxide at Caversham




Figure A1-6 - 1-hour nitrogen dioxide at Duncraig




Figure A1-7 - 1-hour nitrogen dioxide at Hope Valley




Figure A1-8 - 1-hour nitrogen dioxide at Queen's Buildings




Figure A1-9 - 1-hour nitrogen dioxide at Quinns Rocks




Figure A1-10 - 1-hour nitrogen dioxide at Rockingham




Figure A1-11 - 1-hour nitrogen dioxide at Rolling Green




Figure A1-12 - 1-hour nitrogen dioxide at South Lake




Figure A1-13 - 1-hour nitrogen dioxide at Swanbourne

Ozone




Figure A1-14 - 1-hour ozone at Caversham




Figure A1-15 - 1-hour ozone at Quinns Rocks




Figure A1-16 - 1-hour ozone at Rockingham




Figure A1-17 - 1-hour ozone at Rolling Green




Figure A1-18 - 1-hour ozone at South Lake




Figure A1-19 - 1-hour ozone at Swanbourne




Figure A1-20 - 4-hour ozone at Caversham




Figure A1-21 - 4-hour ozone at Quinns Rocks




Figure A1-22 - 4-hour ozone at Rockingham




Figure A1-23 - 4-hour ozone at Rolling Green




Figure A1-24 - 4-hour ozone at South Lake




Figure A1-25 - 4-hour ozone at Swanbourne

Sulfur Dioxide




Figure A1-26 - 1-hour sulfur dioxide at Hope valley




Figure A1-27 - 1-hour sulfur dioxide at Rockingham




Figure A1-28 - 1-hour sulfur dioxide at South Lake




Figure A1-29 - 1-hour sulfur dioxide at Wattleup




Figure A1-30 - 24-hour sulfur dioxide at Hope Valley




Figure A1-31 - 24-hour sulfur dioxide at Rockingham




Figure A1-32 - 24-hour sulfur dioxide at South Lake




Figure A1-33 - 24-hour sulfur dioxide at Wattleup

Particles as PM₁₀




Figure A1-34 - 24-hour PM₁₀ at Caversham




Figure A1-35 - 24-hour PM₁₀ at Duncraig




Figure A1-36 - 24-hour PM₁₀ at Gosnells




Figure A1-37 - 24-hour PM₁₀ at South Lake




Figure A1-38 - 24-hour PM₁₀ at Bunbury




Figure A1-39 - 24-hour PM₁₀ at Albany




Figure A1-40 - 24-hour PM₁₀ at Geraldton

Particles as PM_{2.5}




Figure A1-41 - 24-hour PM_{2.5} at Caversham




Figure A1-42 - 24-hour PM_{2.5} at Duncraig




Figure A1-43 - 24-hour PM_{2.5} at Quinns Rocks




Figure A1-44 - 24-hour PM_{2.5} at South Lake




Figure A1-45 - 24-hour PM_{2.5} at Bunbury





Figure A1-46 - 24-hour PM_{2.5} at Busselton

Attachment 2 – PM₁₀ Exceedance on 4th February 2007



Pollutant

PM₁₀

Monitoring Site

Caversham & South Lake

Highest Concentration

58.8 µg/m³ – Caversham

56.7 µg/m³ – South Lake

Averaging Period

24 hours

NEPM Standard

PM₁₀ – 50.0 µg/m³


Description of Event

Bushfires in the Forrestdale and Canning Vale suburbs.


Concentrations reached in µg/m³.

SITE	PM ₁₀	PM _{2.5}
BN	16.6	6.5
CA	58.8	24.5
DU	29.5	11.6
SL	56.7	21.2

60 minute averaged PM₁₀



60 minute averaged PM_{2.5}



Wind speed and direction.



Attachment 3 –PM₁₀ Exceedances on 4th and 5th February 2007

Pollutant
PM₁₀

Monitoring Site

Geraldton

Highest Concentration

59.4 µg/m³ – 04/02/2007

116.25 ug/m³ – 05/02/2007

Averaging Period


24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


Possible bush fire to the south-east of the station.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 4 - PM₁₀ Exceedance on 24th February 2007

Pollutant

PM₁₀

Monitoring Site

Geraldton

Highest Concentration

52.6 µg/m³

Averaging Period


24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


Possible bush fire to the east of the station.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 5 – PM₁₀ Exceedances on 9th and 10th March 2007

Pollutant
PM₁₀

Monitoring Site

Geraldton

Highest Concentration

95.5 µg/m³ – 09/03/2007

71.6 µg/m³ – 10/03/2007

Averaging Period


24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


Possible bush fire to the south of the station.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 6 –PM₁₀ Exceedance on 16th March 2007

Pollutant

PM₁₀

Monitoring Site

Geraldton

Highest Concentration

95.0 µg/m³

Averaging Period

24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


Possible bush fire to the east of the station.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 7 – PM₁₀ Exceedance on the 10th May 2007

Pollutant

PM₁₀

Monitoring Site

Geraldton

Highest Concentration

72.4 µg/m³

Averaging Period


24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


Possible bush fire to the north east of the station or some wind-borne dust particles.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 8 – PM_{2.5} Exceedance on 11th May 2007

Pollutant

PM_{2.5}

Monitoring Site

Bunbury

Highest Concentration

34.4 µg/m³

Averaging Period


24 hours

NEPM Advisory Standard


PM_{2.5} – 25.0 µg/m³

Description of Event


A prescribed burning program of 9300 hectares was undertaken at Collie on 10/05/2007.




60 minute averaged PM_{2.5}



Wind speed and direction.



Attachment 9 – PM_{2.5} Exceedance on 1st June 2007



Pollutant

PM_{2.5}

Monitoring Site

Bunbury

Highest Concentration

34.4 µg/m³

Averaging Period

24 hours


NEPM Advisory Standard

PM_{2.5} – 25.0 µg/m³


Description of Event

Unknown local source of wood smoke.

60 minute averaged PM_{2.5}



Wind speed and direction.



Attachment 10 – PM₁₀ Exceedance on 6th June 2007

Pollutant

PM₁₀

Monitoring Site

Geraldton

Highest Concentration

108.5 µg/m³

Averaging Period


24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


A 200 hectare prescribed burn was carried out 100 km NE of Geraldton on 05/06/2007.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 11 – PM₁₀ Exceedance on 22nd June 2007

Pollutant

PM₁₀

Monitoring Site

Geraldton

Highest Concentration

83.0 µg/m³

Averaging Period


24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


Fire event or wind borne dust originating approximately north of the particle monitor.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 12 – PM_{2.5} Exceedances on 24th and 25th October 2007

Pollutant

PM_{2.5}

Monitoring Site

Busselton

Highest Concentration

24/10/2007 - 51.1 µg/m³

25/10/2007 – 37.2 µg/m³

Averaging Period


24 hours

NEPM Advisory Standard


PM_{2.5} – 25.0 µg/m³

Description of Event


A 2,000 hectare prescribed burning program was undertaken around Collie on 24/10/2007.



60 minute averaged PM_{2.5}



Wind speed and direction.



Attachment 13 – PM₁₀ Exceedance on 10th November 2007

Pollutant

PM₁₀

Monitoring Site

Albany

Highest Concentration

55.7 µg/m³

Averaging Period

24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event


Fire event originating approximately east-south-east of the particle monitor.



60 minute averaged PM₁₀



Wind speed and direction.



Attachment 14 – PM_{2.5} Exceedance on 15th November 2007

Pollutant

PM_{2.5}

Monitoring Site

Bunbury

Highest Concentration

25.1 µg/m³

Averaging Period


24 hours

NEPM Advisory Standard


PM_{2.5} – 25.0 µg/m³

Description of Event


Several prescribed burns were undertaken in the south-west during this time and is the most likely source of the smoke.



60 minute averaged PM_{2.5}



Wind speed and direction.



Attachment 15 – PM₁₀ Exceedance on 9th December 2007

Pollutant

PM₁₀

Monitoring Site

Geraldton

Highest Concentration

77.5 µg/m³

Averaging Period

24 hours

NEPM Standard


PM₁₀ – 50.0 µg/m³

Description of Event

Fire event originating approximately south-east of the particle monitor.



60 minute averaged PM₁₀



Wind speed and direction.

