



**EPHC**  
Environment Protection and Heritage Council

# Time Activity Study

Stage 2 – Summer Survey  
February 2003

A research report to the  
Environment Protection and Heritage Council  
by the  
Centre for Population Studies in Epidemiology,  
South Australian Department of Human Services

**EPHC**

This paper is provided for information purposes only and does not necessarily reflect the views of the Environment Protection and Heritage Council (EPHC) nor any member government.

**Disclaimer:** This work has been prepared in good faith exercising due care and attention. However, no representation or warranty, express or implied, is made as to the relevance, accuracy, completeness or fitness for purpose of this work in respect to any particular user's circumstances. Users of this work should satisfy themselves concerning its application to, and where necessary seek expert advice about, their situation. The Environment Protection and Heritage Council, the National Environment Protection Council and the NEPC Service Corporation shall not be liable to any persons or entity with respect to liability, loss or damage caused or alleged to have been caused directly or indirectly by this work.

This document is available on the website [www.ephc.gov.au](http://www.ephc.gov.au) or from:

National Environment Protection Council Service Corporation  
Level 5, 81 Flinders Street  
ADELAIDE SA 5000

Telephone: (08) 8419 1200  
Facsimile: (08) 8224 0912

[exec@ephc.gov.au](mailto:exec@ephc.gov.au)

ISBN 0 642 323 78 X



© May 2004. Copyright vests in the Environment Protection and Heritage Council. Apart from any use as permitted under the *Copyright Act 1968*, no part of this work may be reproduced by any process without prior permission from the Environment Protection and Heritage Council. Requests and enquiries concerning reproduction and rights should be addressed to the Executive Officer, NEPC Service Corporation, Level 5, 81 Flinders Street, ADELAIDE SA 5000.

# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY .....</b>	<b>11</b>
<b>CHAPTER 1: INTRODUCTION .....</b>	<b>15</b>
1.1 Introduction.....	16
1.2 Survey objectives.....	17
<b>CHAPTER 2: METHOD .....</b>	<b>19</b>
2.1 Survey design.....	20
2.1.1 Sample selection.....	20
2.1.2 Introductory letter.....	21
2.1.3 Questions.....	22
2.1.4 Pilot testing .....	22
2.2 Data collection .....	23
2.2.1 CATI .....	23
2.2.2 Call backs.....	23
2.2.3 Validation.....	24
2.2.4 Participation rate .....	24
2.2.5 Number of interviews conducted .....	26
2.2.6 Weather conditions.....	26
2.3 Data processing .....	28
2.3.1 Analysis.....	28
2.3.2 Weighting.....	28
2.3.3 Data interpretation.....	28
<b>CHAPTER 3: DEMOGRAPHICS .....</b>	<b>29</b>
3.1 Introduction.....	30
3.2 Age groups .....	30
3.3 Marital status .....	31
3.4 Work status .....	32
3.5 Education.....	33
3.6 Household income .....	34
3.7 Body Mass Index .....	35
<b>CHAPTER 4: CURRENT HEALTH CONDITIONS .....</b>	<b>39</b>
4.1 Respiratory conditions.....	40
4.1.1 Asthma .....	40
4.1.2 Wheezing .....	42

4.1.3 Bronchitis, emphysema, chronic lung disease.....	46
<b>4.2 Other health conditions .....</b>	<b>50</b>
4.2.1 Heart conditions .....	50
4.2.2 Symptoms of ill health .....	54
 <b>CHAPTER 5: HEALTH RELATED BEHAVIOURS .....</b>	 <b>61</b>
<b>5.1 Introduction.....</b>	<b>62</b>
<b>5.2 Alcohol consumption risk.....</b>	<b>62</b>
<b>5.3 Smoking .....</b>	<b>67</b>
5.3.1 Smoking in the home .....	67
5.3.2 Number of cigarettes smoked.....	71
5.3.3 Smoking status .....	73
<b>5.4 Physical activity.....</b>	<b>76</b>
5.4.1 Adult physical activity .....	76
5.4.2 Child physical activity.....	82
 <b>CHAPTER 6: ENVIRONMENTAL EXPOSURE OUTDOORS .....</b>	 <b>87</b>
<b>6.1 Time spent outdoors during the day.....</b>	<b>88</b>
6.1.1 Time spent outdoors - Adelaide .....	89
6.1.2 Time spent outdoors - Brisbane .....	92
6.1.3 Time spent outdoors - Canberra.....	94
6.1.4 Time spent outdoors - Darwin.....	96
6.1.5 Time spent outdoors - Gladstone.....	98
6.1.6 Time spent outdoors - Hobart.....	100
6.1.7 Time spent outdoors - Launceston .....	102
6.1.8 Time spent outdoors - Melbourne .....	104
6.1.9 Time spent outdoors - Perth .....	106
6.1.10 Time spent outdoors - Sydney.....	108
<b>6.2 Time spent in transport.....</b>	<b>110</b>
6.2.1 Time spent in a car .....	110
6.2.2 Median year of manufacture of car .....	112
6.2.3 Time spent in a bus .....	113
6.2.4 Time spent in a train.....	114
6.2.5 Time spent in a tram.....	115
6.2.6 Time spent on a ferry .....	116
6.2.7 Time spent in a truck.....	117
6.2.8 Time spent on a motorbike/scooter .....	118
6.2.9 Time spent on a pushbike.....	119
6.2.10 Time spent in medium/heavy traffic .....	120
6.2.11 Exposure at service station yesterday.....	121
6.2.12 Exposure at enclosed car park yesterday.....	121
6.2.13 Present when petrol engine garden tools used.....	123
6.2.14 Time present when petrol engine garden tools used.....	124
 <b>CHAPTER 7: ENVIRONMENTAL EXPOSURE INDOORS .....</b>	 <b>125</b>
<b>7.1 Introduction.....</b>	<b>126</b>
7.1.1 Use of indoor air fresheners .....	126
7.1.2 Use of indoor heating/cooling methods.....	129
7.1.3 Time spent using heaters/coolers by type.....	132
7.1.4 Use of cooking methods .....	138

7.1.5 Time spent using cooking methods by type .....	141
7.1.6 Use of volatile chemicals .....	147
7.1.7 Time spent using volatile chemicals, by type.....	151
7.1.8 Bedroom or main living area painted, varnished or had timber floors treated in past month..	158
7.1.9 Bedroom or main living area had new carpet in past month .....	159
7.1.10 Windows or doors left open in house yesterday.....	160
7.1.11 Bothered by smoke from wood fires .....	161
7.1.12 Mould growing on inside walls .....	161
7.1.13 Nature of dwelling.....	163
7.1.14 Direct access to house from under-roof garage .....	164
7.1.15 Live within 100m of a busy 4-lane road or highway.....	165
<b>REFERENCES.....</b>	<b>167</b>
<b>APPENDIX 1: LETTER OF INVITATION.....</b>	<b>169</b>
<b>APPENDIX 2: QUESTIONNAIRE .....</b>	<b>171</b>
<b>APPENDIX 3: BODY MASS INDEX .....</b>	<b>187</b>

# LIST OF FIGURES

Figure 6.1: Time spent outdoors yesterday, by time of day - Adelaide.....	89
Figure 6.2: Time spent outdoors yesterday breathing heavily, by time of day - Adelaide.....	90
Figure 6.3: Time spent outdoors the day before yesterday, by time of day - Adelaide.....	90
Figure 6.4: Time spent outdoors the day before yesterday breathing heavily, by time of day - Adelaide.....	91
Figure 6.5: Time spent outdoors yesterday, by time of day - Brisbane.....	92
Figure 6.6: Time spent outdoors yesterday breathing heavily, by time of day - Brisbane.....	92
Figure 6.7: Time spent outdoors the day before yesterday, by time of day - Brisbane.....	93
Figure 6.8: Time spent outdoors the day before yesterday breathing heavily, by time of day - Brisbane.....	93
Figure 6.9: Time spent outdoors yesterday, by time of day - Canberra.....	94
Figure 6.10: Time spent outdoors yesterday breathing heavily, by time of day - Canberra.....	94
Figure 6.11: Time spent outdoors the day before yesterday, by time of day - Canberra.....	95
Figure 6.12: Time spent outdoors the day before yesterday breathing heavily, by time of day - Canberra.....	95
Figure 6.13: Time spent outdoors yesterday, by time of day - Darwin.....	96
Figure 6.14: Time spent outdoors yesterday breathing heavily, by time of day - Darwin.....	96
Figure 6.15: Time spent outdoors the day before yesterday, by time of day - Darwin.....	97
Figure 6.16: Time spent outdoors the day before yesterday breathing heavily, by time of day - Darwin.....	97
Figure 6.17: Time spent outdoors yesterday, by time of day - Gladstone.....	98
Figure 6.18: Time spent outdoors yesterday breathing heavily, by time of day - Gladstone.....	98
Figure 6.19: Time spent outdoors the day before yesterday, by time of day - Gladstone.....	99
Figure 6.20: Time spent outdoors the day before yesterday breathing heavily, by time of day - Gladstone.....	99
Figure 6.21: Time spent outdoors yesterday, by time of day - Hobart.....	100
Figure 6.22: Time spent outdoors yesterday breathing heavily, by time of day - Hobart.....	100
Figure 6.23: Time spent outdoors the day before yesterday, by time of day - Hobart.....	101
Figure 6.24: Time spent outdoors the day before yesterday breathing heavily, by time of day - Hobart.....	101
Figure 6.25: Time spent outdoors yesterday, by time of day - Launceston.....	102
Figure 6.26: Time spent outdoors yesterday breathing heavily, by time of day - Launceston.....	102
Figure 6.27: Time spent outdoors the day before yesterday, by time of day - Launceston.....	103
Figure 6.28: Time spent outdoors the day before yesterday breathing heavily, by time of day - Launceston.....	103
Figure 6.29: Time spent outdoors yesterday, by time of day - Melbourne.....	104
Figure 6.30: Time spent outdoors yesterday breathing heavily, by time of day - Melbourne.....	104
Figure 6.31: Time spent outdoors the day before yesterday, by time of day - Melbourne.....	105
Figure 6.32: Time spent outdoors the day before yesterday breathing heavily, by time of day - Melbourne.....	105
Figure 6.33: Time spent outdoors yesterday, by time of day - Perth.....	106
Figure 6.34: Time spent outdoors yesterday breathing heavily, by time of day - Perth.....	106
Figure 6.35: Time spent outdoors the day before yesterday, by time of day - Perth.....	107
Figure 6.36: Time spent outdoors the day before yesterday breathing heavily, by time of day - Perth.....	107
Figure 6.37: Time spent outdoors yesterday, by time of day - Sydney.....	108
Figure 6.38: Time spent outdoors yesterday breathing heavily, by time of day - Sydney.....	108
Figure 6.39: Time spent outdoors the day before yesterday, by time of day - Sydney.....	109
Figure 6.40: Time spent outdoors the day before yesterday breathing heavily, by time of day - Sydney.....	109
Figure 6.41: Time spent in a car in previous day, by age group.....	111
Figure 6.42: Time spent in a bus in previous day, by age group.....	113
Figure 6.43: Time spent in a train in previous day, by age group.....	114
Figure 6.44: Time spent in a tram in previous day, by age group.....	115
Figure 6.45: Time spent on a ferry in previous day, by age group.....	116
Figure 6.46: Time spent in a truck in previous day, by age group.....	117
Figure 6.47: Time spent on a motorbike/scooter in previous day, by age group.....	118

Figure 6.48: Time spent on a pushbike in previous day, by age group .....	119
Figure 6.49: Time spent in medium/heavy traffic, by age group .....	120
Figure 6.50: Time present when petrol engine garden tools used, by age group .....	124
Figure 7.1: Mean time spent using heaters, by type - Adelaide .....	132
Figure 7.2: Mean time spent using heaters, by type - Brisbane .....	133
Figure 7.3: Mean time spent using heaters, by type - Canberra .....	133
Figure 7.4: Mean time spent using heaters, by type - Darwin .....	134
Figure 7.5: Mean time spent using heaters, by type - Gladstone .....	134
Figure 7.6: Mean time spent using heaters, by type - Hobart .....	135
Figure 7.7: Mean time spent using heaters, by type - Launceston .....	135
Figure 7.8: Mean time spent using heaters, by type - Melbourne .....	136
Figure 7.9: Mean time spent using heaters, by type - Perth .....	136
Figure 7.10: Mean time spent using heaters, by type - Sydney .....	137
Figure 7.11: Time spent using cooking methods, by type - Adelaide .....	141
Figure 7.12: Time spent using cooking methods, by type - Brisbane .....	142
Figure 7.13: Time spent using cooking methods, by type - Canberra .....	142
Figure 7.14: Time spent using cooking methods, by type - Darwin .....	143
Figure 7.15: Time spent using cooking methods, by type - Gladstone .....	143
Figure 7.16: Time spent using cooking methods, by type - Hobart .....	144
Figure 7.17: Time spent using cooking methods, by type - Launceston .....	144
Figure 7.18: Time spent using cooking methods, by type - Melbourne .....	145
Figure 7.19: Time spent using cooking methods, by type - Perth .....	145
Figure 7.20: Time spent using cooking methods, by type - Sydney .....	146
Figure 7.21: Time spent using volatile chemicals, by type - Adelaide .....	152
Figure 7.22: Time spent using volatile chemicals, by type - Brisbane .....	152
Figure 7.23: Time spent using volatile chemicals, by type - Canberra .....	153
Figure 7.24: Time spent using volatile chemicals, by type - Darwin .....	153
Figure 7.25: Time spent using volatile chemicals, by type - Gladstone .....	154
Figure 7.26: Time spent using volatile chemicals, by type - Hobart .....	154
Figure 7.27: Time spent using volatile chemicals, by type - Launceston .....	155
Figure 7.28: Time spent using volatile chemicals, by type - Melbourne .....	155
Figure 7.29: Time spent using volatile chemicals, by type - Perth .....	156
Figure 7.30: Time spent using volatile chemicals, by type - Sydney .....	156

# LIST OF TABLES

Table 2.1: Initial sample sizes drawn from EWP for each city.....	21
Table 2.2: Issues covered in survey .....	22
Table 2.3: Participation rate for Summer Survey.....	25
Table 2.4: Number of interviews conducted by State and age group.....	26
Table 2.5: Climatic differences from February averages for survey cities.....	27
Table 3.1: Weighted age groups by city.....	30
Table 3.2: Marital status of respondents aged 18 years or over.....	31
Table 3.3: Work status .....	32
Table 3.4: Education status, by city.....	33
Table 3.5: Household income by city.....	34
Table 3.6: Body Mass Index, by age group - Adelaide .....	36
Table 3.7: Body Mass Index, by age group - Brisbane.....	36
Table 3.8: Body Mass Index, by age group - Canberra.....	36
Table 3.9: Body Mass Index, by age group - Darwin .....	36
Table 3.10: Body Mass Index, by age group - Gladstone .....	37
Table 3.11: Body Mass Index, by age group - Hobart.....	37
Table 3.12: Body Mass Index, by age group - Launceston.....	37
Table 3.13: Body Mass Index, by age group - Melbourne.....	37
Table 3.14: Body Mass Index, by age group - Perth.....	38
Table 3.15: Body Mass Index, by age group - Sydney .....	38
Table 4.1: Prevalence of asthma, by age group, by city .....	41
Table 4.2: Prevalence of wheezing, by age group - Adelaide.....	42
Table 4.3: Prevalence of wheezing, by age group - Brisbane.....	42
Table 4.4: Prevalence of wheezing, by age group - Canberra.....	43
Table 4.5: Prevalence of wheezing, by age group - Darwin.....	43
Table 4.6: Prevalence of wheezing, by age group - Gladstone.....	43
Table 4.7: Prevalence of wheezing, by age group - Hobart.....	44
Table 4.8: Prevalence of wheezing, by age group - Launceston.....	44
Table 4.9: Prevalence of wheezing, by age group - Melbourne.....	44
Table 4.10: Prevalence of wheezing, by age group - Perth.....	45
Table 4.11: Prevalence of wheezing, by age group - Sydney.....	45
Table 4.12: Prevalence of other respiratory problems, by age group – Adelaide*	46
Table 4.13: Prevalence of other respiratory problems, by age group – Brisbane*	46
Table 4.14: Prevalence of other respiratory problems, by age group – Canberra*	47
Table 4.15: Prevalence of other respiratory problems, by age group – Darwin*	47
Table 4.16: Prevalence of other respiratory problems, by age group – Gladstone*	47
Table 4.17: Prevalence of other respiratory problems, by age group – Hobart*	48
Table 4.18: Prevalence of other respiratory problems, by age group – Launceston*	48
Table 4.19: Prevalence of other respiratory problems, by age group – Melbourne*	48
Table 4.20: Prevalence of other respiratory problems, by age group – Perth*	49
Table 4.21: Prevalence of other respiratory problems, by age group – Sydney*	49
Table 4.22: Prevalence of heart conditions, by age group – Adelaide*	50
Table 4.23: Prevalence of heart conditions, by age group – Brisbane*	50
Table 4.24: Prevalence of heart conditions, by age group – Canberra*	51
Table 4.25: Prevalence of heart conditions, by age group – Darwin*	51
Table 4.26: Prevalence of heart conditions, by age group – Gladstone*	51
Table 4.27: Prevalence of heart conditions, by age group – Hobart*	51
Table 4.28: Prevalence of heart conditions, by age group – Launceston*	52
Table 4.29: Prevalence of heart conditions, by age group – Melbourne*	52
Table 4.30: Prevalence of heart conditions, by age group – Perth*	52
Table 4.31: Prevalence of heart conditions, by age group – Sydney*	53
Table 4.32: Symptoms of ill health, by age group – Adelaide*	55
Table 4.33: Symptoms of ill health, by age group – Brisbane*	55
Table 4.34: Symptoms of ill health, by age group – Canberra*	56
Table 4.35: Symptoms of ill health, by age group – Darwin*	56
Table 4.36: Symptoms of ill health, by age group – Gladstone*	57
Table 4.37: Symptoms of ill health, by age group – Hobart*	57



Table 4.38: Symptoms of ill health, by age group – Launceston*	58
Table 4.39: Symptoms of ill health, by age group – Melbourne*	58
Table 4.40: Symptoms of ill health, by age group – Perth*	59
Table 4.41: Symptoms of ill health, by age group – Sydney*	59
Table 5.1: Alcohol risk levels.....	62
Table 5.2: Categories of Risk Levels .....	63
Table 5.3: Alcohol consumption risk, by age group - Adelaide.....	63
Table 5.4: Alcohol consumption risk, by age group - Brisbane.....	64
Table 5.5: Alcohol consumption risk, by age group - Canberra.....	64
Table 5.6: Alcohol consumption risk, by age group - Darwin.....	64
Table 5.7: Alcohol consumption risk, by age group - Gladstone.....	64
Table 5.8: Alcohol consumption risk, by age group - Hobart.....	65
Table 5.9: Alcohol consumption risk, by age group - Launceston.....	65
Table 5.10: Alcohol consumption risk, by age group - Melbourne.....	65
Table 5.11: Alcohol consumption risk, by age group - Perth .....	66
Table 5.12: Alcohol consumption risk, by age group - Sydney.....	66
Table 5.13: Smoking in the home, by age group of respondent - Adelaide.....	67
Table 5.14: Smoking in the home, by age group of respondent - Brisbane.....	68
Table 5.15: Smoking in the home, by age group of respondent - Canberra .....	68
Table 5.16: Smoking in the home, by age group of respondent - Darwin.....	68
Table 5.17: Smoking in the home, by age group of respondent - Gladstone.....	69
Table 5.18: Smoking in the home, by age group of respondent - Hobart .....	69
Table 5.19: Smoking in the home, by age group of respondent - Launceston.....	69
Table 5.20: Smoking in the home, by age group of respondent - Melbourne .....	70
Table 5.21: Smoking in the home, by age group of respondent - Perth.....	70
Table 5.22: Smoking in the home, by age group of respondent - Sydney.....	70
Table 5.23: Number of cigarettes smoked in house yesterday, by age group and city .....	71
Table 5.24: Number of cigars or pipes smoked in house yesterday, by age group and city .....	72
Table 5.25: Smoking status, by age group - Adelaide.....	73
Table 5.26: Smoking status, by age group - Brisbane .....	73
Table 5.27: Smoking status, by age group - Canberra .....	74
Table 5.28: Smoking status, by age group - Darwin.....	74
Table 5.29: Smoking status, by age group - Gladstone .....	74
Table 5.30: Smoking status, by age group - Hobart .....	74
Table 5.31: Smoking status, by age group - Launceston .....	75
Table 5.32: Smoking status, by age group - Melbourne .....	75
Table 5.33: Smoking status, by age group - Perth.....	75
Table 5.34: Smoking status, by age group - Sydney.....	75
Table 5.35: Prevalence of walking in the last week, by age group and city .....	77
Table 5.36: Number of times walked in the last week, by age group and city .....	78
Table 5.37: Prevalence of vigorous activity in the last week, by age group and city .....	79
Table 5.38: Number of times did vigorous activity in the last week, by age group and city.....	79
Table 5.39: Prevalence of moderate activity other than walking in the last week, by age group and city .....	80
Table 5.40: Number of times did moderate activity in the last week, by age group and city.....	81
Table 5.41: Level of physical activity in children, by age group - Adelaide.....	82
Table 5.42: Level of physical activity in children, by age group - Brisbane.....	83
Table 5.43: Level of physical activity in children, by age group - Canberra .....	83
Table 5.44: Level of physical activity in children, by age group - Darwin.....	83
Table 5.45: Level of physical activity in children, by age group - Gladstone.....	83
Table 5.46: Level of physical activity in children, by age group - Hobart .....	84
Table 5.47: Level of physical activity in children, by age group - Launceston.....	84
Table 5.48: Level of physical activity in children, by age group - Melbourne .....	84
Table 5.49: Level of physical activity in children, by age group - Perth.....	84
Table 5.50: Level of physical activity in children, by age group - Sydney.....	85
Table 5.51: Proportion of children active at organised sport outdoors, by age group and city.....	85
Table 5.52: Time spent by children being active at organised sport outdoors, by age group and city..	86
Table 6.1: Median year of manufacture of car, by age group .....	112
Table 6.2: Visit to service station yesterday, by age group .....	121
Table 6.3: Visit to enclosed car park yesterday, by age group.....	122

<i>Table 6.4: Present when petrol engine garden tools used, by age group</i> .....	123
<i>Table 7.1: Use of room fresheners or sprays, by city</i> .....	126
<i>Table 7.2: Use of bathroom or toilet bowl deodorisers, by city</i> .....	127
<i>Table 7.3: Use of humidifiers, by city</i> .....	127
<i>Table 7.4: None of these indoor air fresheners used, by city</i> .....	128
<i>Table 7.5: Use of wood combustion heaters, by city</i> .....	129
<i>Table 7.6: Use of open fires, by city</i> .....	130
<i>Table 7.7: Use of gas heaters, by city</i> .....	130
<i>Table 7.8: Use of air conditioners, by city</i> .....	131
<i>Table 7.9: Use of electric cook tops, by city</i> .....	138
<i>Table 7.10: Use of gas cook tops, by city</i> .....	139
<i>Table 7.11: Use of electric ovens, by city</i> .....	139
<i>Table 7.12: Use of gas ovens, by city</i> .....	140
<i>Table 7.13: Use of glue, by city</i> .....	147
<i>Table 7.14: Use of nail polish or removers, by city</i> .....	148
<i>Table 7.15: Use of household cleaning sprays, by city</i> .....	148
<i>Table 7.16: Use of household cleaning liquids, by city</i> .....	149
<i>Table 7.17: Use of paints, stains and varnishes in last week, by city</i> .....	150
<i>Table 7.18: Bedroom or main living area painted, by city</i> .....	158
<i>Table 7.19: Bedroom or main living area had new carpet, by city</i> .....	159
<i>Table 7.20: Windows or doors left open in house, by city</i> .....	160
<i>Table 7.21: Bothered by smoke from wood fires, by city</i> .....	161
<i>Table 7.22: Mould growing on inside walls, by city</i> .....	162
<i>Table 7.23: Rooms with mould on walls, by type of room</i> .....	162
<i>Table 7.24: Nature of dwelling</i> .....	163
<i>Table 7.25: Building material used for dwelling</i> .....	163
<i>Table 7.26: Direct access to house from under-roof garage, by city</i> .....	164
<i>Table 7.27: Live close to highway, by city</i> .....	165

# **EXECUTIVE SUMMARY**

This report details aspects of the exposure of children, young adults, and elderly people to ambient air pollution in Australian capital cities and some country centres. The summer report describes the second stage of the survey. The data for the summer survey of respondents were collected in February 2003 and represent the activities of people both indoors and outdoors at this time of year. The results from this survey are to be compared with a sample taken in winter 2002 to illustrate differences in exposure to pollutants in different seasons.

In the winter 2002 survey, over 4,000 respondents to the survey reported on their health condition, home environment, levels of activity, and time spent in various situations both indoors and outdoors. Because of the likelihood of seasonal variations in February 2003, where possible, participants from the winter survey were reinterviewed. Of the 3300 participants contacted in summer, 3100 interviews were achieved. The main findings of the summer survey are listed hereunder.

- Respiratory conditions were again common, particularly in elderly people. Symptoms of colds and flu were again common during summer.
- Alcohol consumption was much higher in people aged 18 to 25 years than in elderly people.
- Smoking was also higher in the 15 to 25 year age group than in elderly people. Smoke free homes were very common but less so for the 15 to 25 year age group who demonstrated higher smoking rates.
- Walking was the most popular form of physical activity. Elderly people were less likely to engage in vigorous or other moderate activity. Older children were less active than younger children.

**The main findings of time spent outdoors are:**

**Age groups**

- People aged 60 years and over spent the highest proportion of their time outdoors in the morning. The period between 9 am and midday was a period of outdoor activity in all locations.
- The peak time for the 5 to 14 year age group was afternoon, which corresponded with after school activities.

- The 0 to 4 year age group had a bimodal distribution in most centres, with peaks in the morning and late afternoon and generally a less active period outdoors at midday.

### **Geographic regions**

- The most northerly location samples (Darwin and Gladstone) did not show bimodal distributions in summer that were substantially different from southern cities.
- Launceston showed activity times that are biased toward morning and midday, with activity tapering off toward afternoon and evening. This pattern was less pronounced in Hobart.
- Locations in mid latitudes, where the majority of the population resided, tended to be characterised by the 60 years and over age group being outdoors in the morning, the 5 to 25 year ages being outdoors in the afternoon, and the 0 to 4 year age group having peaks of activity in the morning and mid afternoon with a period indoors at midday.
- Considerable time is spent in motorcars, especially in heavy traffic, compared with other forms of transportation.

### **The main findings of time spent indoors are:**

#### **Chemicals**

- There is considerable use of chemicals indoors. These include cleaning products and solvents that are vaporised or produce fumes that can be breathed.

#### **Ventilation**

- High levels of homes were ventilated with doors and windows left open during summer. Most centres reported “predictable patterns” regarding heating and cooling during summer with highest usage in Perth, Darwin and Gladstone.

The data in this second report are preliminary results that present a picture at a point in time of activities related to ambient air quality in Australian cities. The first report comments on the winter first stage of the survey<sup>1</sup>. A third report which summarises the main seasonal variations in the survey information will be also published.



# CHAPTER 1: INTRODUCTION

## 1.1 Introduction

Air pollution can have a significant impact on public health. Health effects associated with exposure to air pollution can include increases in premature deaths and hospital admissions due to respiratory and cardiovascular disease<sup>2</sup>. Hospital admissions for children with asthma are also strongly associated with current air pollution levels in Australian cities. These impacts may cause a significant burden on the health system. Costs are not only associated with the required health care, but loss in productivity can also pose a significant burden on Australian society.

The National Environment Protection Council (NEPC), an incorporated body of the Environment Protection and Heritage Council, has been established to set national environmental goals and standards for Australia, through National Environment Protection Measures (NEPMs).

The Environment Protection and Heritage Council has agreed that the development of cost-effective air quality standards and management strategies needs to be based on consistent, scientifically sound information. Accordingly, in June 2002, the National Environment Protection Council proposed that a study of population behaviour patterns and exposures to air pollutants in Australia, a "Time Activity Study", be undertaken.

The Time Activity Study is designed to fill current gaps in knowledge and provide baseline data relating to population behaviour patterns and exposures to indoor and outdoor air pollutants amongst children, young adults and the ageing population in Australia. These data will be used to assist in setting air quality standards, for example, by validating the transferability of overseas exposure assessment models to Australia. It is envisioned that these data will be useful for an extended period of time and will be used in a number of ways. Time Activity Study data will be a valuable input in the reviews of the ozone and sulphur dioxide standards commencing in 2003, and in the comprehensive review of the Ambient Air Quality NEPM scheduled to commence in 2005.

In June 2002 a submission to undertake the Time Activity Study was tendered by the Centre for Population Studies in Epidemiology (CPSE), South Australian Department of Human Services. A contract was signed 27 August 2002.



The Time Activity Study aimed to interview 4,000 people on two occasions, once during winter and once during summer to allow consideration of important seasonal differences. Interviews for the first stage of the survey commenced in September 2002. Interviews for the second stage of survey were conducted in February 2003. This report summarises the main findings of the second stage of the survey.

## **1.2 Survey objectives**

The objectives of the project were to undertake a computer-assisted telephone interviewing (CATI) population survey of state/territory capital cities and two large regional cities to:

- provide statistically sound socio-demographic, time activity data (for example, time spent outdoors and time spent doing heavy exercise during various time intervals over 24 hours) and data on key exposures related to ambient air and indoor air for children aged 0 to 4 years and 5 to 14 years, young adults aged 15 to 25 years, and, older people aged 60 years and over.
- provide data on health status related to medical conditions that may be affected by indoor or outdoor air quality (e.g. asthma, emphysema).



## **CHAPTER 2: METHOD**

## 2.1 Survey design

### 2.1.1 Sample selection

The Time Activity Study surveyed a number of populations across Australia. An NEPC working group established to oversee the Time Activity Study determined that the survey should be conducted in each of ten Australian cities. The cities selected for inclusion were each of the state/territory capitals: Adelaide, Brisbane, Canberra, Darwin, Hobart, Melbourne, Perth, and Sydney; and the cities of Gladstone in Queensland and Launceston in Tasmania. Inclusion of the latter two cities was based on knowledge that each has an identified ambient air problem. Participation in the survey was restricted to persons in the age groups 0 to 4 years, 5 to 14 years, 15 to 25 years and 60 years and over.

All households in each selected city with a telephone connected and the telephone number listed in the Electronic White Pages (EWP) were eligible for selection in the sample for the first stage of the survey, conducted in September 2002.

Based on best estimates of household composition and response rates, an initial sample size of 15,650 was anticipated to result in approximately 4000 interviews with persons eligible for inclusion in the study (i.e. persons aged 0 to 25 years and persons aged 60 years and over).

The total initial sample of 15,650 households was selected from across the ten selected cities. The initial sample size per city varied. Population age distributions differ between cities meaning that different initial sample sizes were necessary to achieve a similar number of interviews per age group in each city. Further, previous experience with conducting national surveys indicated that response rates differ between states/territories. From the information on age distributions and response rates, the initial sample sizes were calculated for each city and are shown in Table 2.1.

Those respondents from the winter survey who indicated that they were willing to be interviewed again during summer, were included in the second stage of the survey, conducted in February 2003.

**Table 2.1: Initial sample sizes drawn from EWP for each city**

City (in alphabetical order)	Initial sample size
Adelaide	1400
Brisbane	1700
Canberra	1400
Darwin	1850
Gladstone	1400
Hobart	1400
Launceston	1400
Melbourne	1850
Perth	1400
Sydney	1850
<b>Total Initial sample</b>	<b>15650</b>

Within each household, only one person was interviewed. The target number of interviews with respondents aged 60 years and over was anticipated to be more easily achievable than the targets for the age group 0 to 4 years, 5 to 14 years and 15 to 25 years due to the higher proportion of the population in this age group. Therefore, in the winter survey, where the household structure included persons aged 0 to 25 years, the person in this age group who was the last to have a birthday was selected for interview. For selected respondents aged less than 16 years, a parent or equivalent significant adult was interviewed. Where a household structure did not include persons 25 years or less but did include persons aged 60 years or over, the person aged 60 or more years who was last to have a birthday was selected to participate. Households whose occupants were aged 26 to 59 years only were not eligible for the study and were politely informed of this by the interviewer. There was no replacement for non-contactable persons.

In the second stage of the survey, the household members who participated in the first stage of the survey was identified by name, age and sex, and selected.

### **2.1.2 Introductory letter**

A letter introducing the health survey (Appendix 1) was sent to the household of each selected telephone number prior to the first stage of the survey. This informed people of the purpose of the survey and indicated that they could expect to be contacted by telephone within the time frame of the survey. Overall, 57.5% of the respondents reported receiving the letter.

### 2.1.3 Questions

The survey questionnaire for the winter survey was developed in consultation with the National Environment Protection Council working group. Where possible, questions were used that had been previously included in other surveys and indicated their validity/reliability. The summer questionnaire was slightly amended to facilitate repeat interviews on previous respondents so comparisons could be made between winter and summer. Some questions were only asked of particular age groups, according to their appropriateness.

The issues covered and the number of questions asked in this survey are listed in Table 2.2.

**Table 2.2: Issues covered in survey**

Areas covered	Number of questions
Time spent outdoors	5
Level of exertion whilst outdoors	7
Indoor air risks	28
Outdoor air risks	6
Health conditions	6
Symptoms of ill health potentially related to air quality	1
Risk factors for ill health	8
Demographics	14

The full list of questions asked in this survey is contained in Appendix 2.

### 2.1.4 Pilot testing

Before the conduct of the main survey, the questionnaire was pilot tested (n = 50). The original questionnaire was amended slightly on the basis of the information obtained.

## **2.2 Data collection**

Data collection was undertaken by the agency contracted by the SA Department of Human Services, being Harrison Health Research. The second stage of the survey commenced on 31 January 2003 and concluded on 18 February 2003. Telephone calls were made between 9:30 am and 9.00 pm. in the state of interview, seven days a week. Professional interviewers conducted the interviews and were supervised by Harrison Health Research and CPSE personnel. Disposition codes and data were supplied to CPSE staff daily, or as required, to ensure careful monitoring of survey activities.

On contacting the household, the interviewer initially identified themselves and the purpose of the survey.

### **2.2.1 CATI**

The CATI III (Computer Assisted Telephone Interview) system was used to conduct the interviews. This system allows immediate entry of data from the interviewer's questionnaire screen to the computer database. The main advantages of this system are the precise ordering and timing of call backs and correct sequencing of questions as specific answers are given. The CATI system enforces a range of checks on each response with most questions having a set of pre-determined response categories. When open-ended responses were required these were transcribed exactly by the interviewer.

### **2.2.2 Call backs**

Up to ten call backs were made to the telephone number selected to interview the selected household member. Different times of the day or evening were scheduled for each call back. If a person could not be interviewed immediately they were rescheduled for interview at a time suitable to them. Replacement interviews for persons who could not be contacted or interviewed were not permitted.

### **2.2.3 Validation**

Of each interviewer's work, 10% was selected at random for validation by the supervisor. In addition, Harrison Health Research is a member of Interviewer Quality Control Australia (IQCA), a national quality control assurance initiative of the Market Research Society of Australia. Accredited organisations must strictly adhere to rigorous quality assurance requirements and are subject to regular audits by IQCA auditors.

### **2.2.4 Participation rate**

The estimated participation rate for the summer survey was 95.8%. From the winter survey, 3807 respondents indicated that they would participate in the summer survey. Sample loss of 539 occurred due to fax/modem connections (21), non-connected numbers (138), non-residential numbers (4), no contact made after 10 calls (171), no longer at number (97), and respondent unavailable (108). From the eligible sample of 10013, the participation rate was calculated as shown in Table 2.3. Of the 3268 households where respondents were interviewed, 5 were ineligible to participate in the survey due to no household member in eligible age groups or respondent unable to be interviewed in English.



**Table 2.3: Participation rate for Summer Survey**

<b>Initial sample</b>	<b>3807</b>	<b>%</b>
<hr/>		
<b>Sample loss</b>		
Fax/modem	21	3.8
Non-connected numbers	138	25.6
Non-residential numbers	4	0.8
No contact made after 10 calls	171	31.7
No longer at number	97	17.9
Respondent unavailable	108	20.0
	<hr/>	<hr/>
	539	100.0
<hr/>		
<b>Eligible sample</b>	<b>3268</b>	
Ineligible - age & language (contact established but nobody in household in age range or English speaking)	5	0.02
<b>New eligible sample</b>	<b>3265</b>	
<hr/>		
<b>Participation rate</b>		
Refusals (age not established)	94	2.9
Unable -ill	35	1.1
Terminated	6	0.1
<i>Interviews</i>	<i>3128</i>	<i>95.8</i>
	<hr/>	<hr/>
	<b>3263</b>	<b>100.0</b>

## 2.2.5 Number of interviews conducted

The total number of interviews repeated in each State/Territory, by age groups, is shown in Table 2.4. Of the initial sample, 3807 respondents indicated that they would be interviewed, and from these, 3127 interviews were completed (82.2%).

**Table 2.4: Number of interviews conducted by State and age group**

City or Town (in alphabetical order)	0 to 4 years	5 to 14 years	15 to 25 years	60 years or over	Total
Adelaide	45	96	105	144	390
Brisbane	40	83	91	87	301
Canberra	45	95	109	82	331
Darwin	46	89	88	41	264
Gladstone	52	112	89	71	324
Hobart	42	89	92	117	340
Launceston	33	70	70	93	266
Melbourne	39	80	86	101	306
Perth	38	82	89	91	300
Sydney	41	81	86	97	305
Total	421	877	905	924	3127

## 2.2.6 Weather conditions

The prevailing weather conditions during the survey were compared with average conditions to suggest whether the behaviours reported were typical of those that would be expected from these cities during February. Adverse weather conditions may influence outdoor and indoor activities due to warmer or cooler weather or increased rain.

Data on meteorological observations in each of the survey cities were received from the Commonwealth Bureau of Meteorology. The mean daily maximum and minimum temperatures and total rainfall for February were compared to overall mean figures for these weather stations. Temperatures that were within 1°C of the overall mean temperatures, and rainfall that was less than 10% different from the mean, were considered to not be different. A summary of the differences of weather conditions in the surveyed cities from the averages for those centres in February is shown in Table 2.5.

These data show that most cities surveyed recorded average temperatures for the month. Three southern cities were up to 2°C warmer than average.

The south-east cities of Sydney, Melbourne, Launceston, and Hobart all recorded rainfall at levels lower than average. Extreme higher rainfall recordings of 300% higher than average occurred in Adelaide and Gladstone. These instances are not related as the recorded rainfall in Adelaide was only one tenth of that in Gladstone and therefore would still be considered very dry by Gladstone standards. There would be only a marginal effect of the higher rainfall in these centres on activity out of doors as these extreme rainfalls occurred on only one and two days in February in Adelaide and Gladstone respectively. The two days in Gladstone however were 248mm and 229mm of rainfall.

**Table 2.5: Climatic differences from December/January/February averages for survey cities**

Climatic differences	Temperature	Rainfall
Adelaide	average	300% higher than average
Brisbane	average	average
Canberra	warmer by 2°C	average
Darwin	average	60% higher than average
Gladstone	average	300% higher than average
Hobart	average	80% lower than average
Launceston	warmer by 2°C	100% lower than average
Melbourne	average	60% lower than average
Perth	average	40% higher than average
Sydney	warmer by 2°C	50% lower than average

The average temperatures in these cities for December/January/February range from low 20s to low 30s and would not be expected to hinder outdoor activities to any appreciable extent. The average rainfall between centres is however much more variable. In February most centres are relatively dry, but average rainfall of over 100mm is recorded for Brisbane, Gladstone, and Sydney, while Darwin has an average of over 350mm. Extensive wet conditions in Darwin i.e. rain on nearly every day, may therefore limit outdoor activities. In contrast although Gladstone had more rain than Darwin in February this was accumulated in only three days.

## **2.3 Data processing**

### **2.3.1 Analysis**

Raw data from the CATI system were imported into SPSS Version 11.0. Data were then analysed using SPSS.

The analysis throughout the report involves separate presentation of population estimates for each of the ten included cities. Where appropriate, analysis is stratified into four age groupings: 0 to 4 years, 5 to 14 years, 15 to 25 years and 60 years and over. For some statistics, averages of the data for the ten states have been calculated. It is important to note that these overall figures do not equate to national estimates, but are merely summaries of the data from the sampled cities.

### **2.3.2 Weighting**

Weighting was used to correct for disproportionateness of the sample with respect to the population of interest. Data for each of the ten cities was independently weighted to reflect the population age and sex structure of that particular city's population. The data were weighted by age, sex and probability of selection in the household. Probability of selection in the household was calculated on the number of adults in the household and the number of listings in the White Pages that reach the household.

### **2.3.3 Data interpretation**

The weighting of the data results in rounding effects for the numbers. In all instances the percentages should be the point of reference rather than the actual numbers of respondents. For example cell sizes presented as 1, 2 and 4 could in fact be 1.3, 2.4 and 4.4, which results in a slight variation from the totals presented (7 vs. 8). The percentages presented in this report have been processed on the figures pre-rounding.

Caution should be exercised in the interpretation of some of the results in this report. In some of the tables presented, small cell sizes are apparent and confidence intervals around the estimates will be large.

## **CHAPTER 3: DEMOGRAPHICS**

### 3.1 Introduction

The original samples taken in each of the cities in which the survey was conducted in September 2002 were random samples of the population. These respondents were called again in February 2003 however there was some loss for those who could not be contacted etc. The sample who were successfully contacted again were age and gender weighted to the most recent Estimated Residential Population from the Australian Bureau of Statistics. Note that therefore the age groups presented in Section 3.2 reflect the proportions of these age groups in the population rather than in the sample.

Various demographic questions were asked of respondents, and these results are presented here.

### 3.2 Age groups

The completed interviews in the follow up survey in each age group for the surveyed cities, following weighting, are shown in Table 3.1.

**Table 3.1: Weighted age groups by city**

Weighted sample size	0-4 years	5-14 years	15-25 years	60+ years
Adelaide	45	96	105	144
Brisbane	40	83	91	87
Canberra	45	95	109	82
Darwin	46	89	88	41
Gladstone	52	112	89	71
Hobart	42	89	92	117
Launceston	33	70	70	93
Melbourne	39	80	86	101
Perth	38	82	89	91
Sydney	41	81	86	97
<b>Overall</b>	421	877	905	924

### 3.3 Marital status

Marital status was asked only of respondents aged 18 years or over. Table 3.2 shows that just under 80% of respondents aged 18 to 25 years had never been married. There was a higher rate of being married/de facto in the smaller regional centre of Gladstone than in the larger capital cities.

The majority of those in the survey aged 60 years or over reported being married or in a de facto relationship. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

**Table 3.2: Marital status of respondents aged 18 years or over**

Marital status	Married/ de facto	Separated/ divorced	Widowed	Never married
18 – 25 years	%	%	%	%
Adelaide	9.5	-	-	90.5
Brisbane	26.9	-	-	73.1
Canberra	13.8	-	-	86.2
Darwin	26.8	-	-	73.2
Gladstone	44.2	-	-	55.8
Hobart	27.1	-	-	72.9
Launceston	22.2	-	-	77.8
Melbourne	13.8	-	-	86.2
Perth	13.8	-	-	86.2
Sydney	11.5	-	-	79.7
<b>Overall</b>	20.3	-	-	79.7
60 years or over				
Adelaide	63.9	9.7	21.5	4.9
Brisbane	58.6	10.3	26.4	4.6
Canberra	78.0	4.9	14.6	2.4
Darwin	68.3	17.1	14.6	-
Gladstone	69.4	11.1	18.1	1.4
Hobart	69.2	9.4	17.1	4.3
Launceston	62.4	15.1	18.3	4.3
Melbourne	65.0	8.0	22.0	5.0
Perth	63.7	11.0	20.9	4.4
Sydney	67.0	8.2	19.6	5.2
<b>Overall</b>	66.2	10.1	19.7	4.0

### 3.4 Work status

Work status was assessed using a range of categories, which have been condensed into the three broad categories in Table 3.3. Work status was asked only of respondents aged 18 years or over. In the 18 to 25 years age group, employment was highest in Adelaide, Canberra, Gladstone, and Sydney.

The rate of employment in the 60 years or over age group was highest in Launceston. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

**Table 3.3: Work status**

<b>Work status</b>	<b>Employed</b>	<b>Not in employment</b>	<b>Retired</b>
<b>18-25 years</b>	<b>%</b>	<b>%</b>	<b>%</b>
Adelaide	76.0	24.0	-
Brisbane	60.6	39.4	-
Canberra	76.9	23.1	-
Darwin	62.5	37.5	-
Gladstone	78.8	21.2	-
Hobart	71.2	28.8	-
Launceston	73.3	26.7	-
Melbourne	63.1	36.9	-
Perth	63.8	36.2	-
Sydney	76.7	23.3	-
<b>Overall</b>	<b>70.2</b>	<b>29.8</b>	<b>-</b>
<b>60+ years</b>			
Adelaide	6.3	2.8	91.0
Brisbane	15.9	2.3	81.8
Canberra	14.5	6.0	79.5
Darwin	14.6	9.8	75.6
Gladstone	18.3	12.7	69.0
Hobart	12.8	12.0	75.2
Launceston	22.6	8.6	68.8
Melbourne	14.9	5.0	80.2
Perth	17.4	9.8	72.8
Sydney	9.3	5.2	85.6
<b>Overall</b>	<b>14.0</b>	<b>7.0</b>	<b>79.0</b>



### 3.5 Education

Education status is shown in Table 3.4. This question was asked only of respondents aged 16 years or over as it is assumed those under 16 years of age have not yet left school.

**Table 3.4: Education status, by city**

Education status	Secondary	Trade/apprenticeship/ certificate/diploma	Degree or higher
16-25 years	%	%	%
Adelaide	62.6	26.4	11.0
Brisbane	72.3	14.5	13.3
Canberra	58.2	25.3	16.5
Darwin	63.5	31.1	5.4
Gladstone	57.3	36.0	6.7
Hobart	74.7	15.7	9.6
Launceston	71.0	19.4	9.7
Melbourne	73.8	17.5	8.8
Perth	62.2	18.9	18.9
Sydney	61.0	20.8	18.2
<b>Overall</b>	65.6	22.5	11.9
60+ years			
Adelaide	54.5	33.8	11.7
Brisbane	55.2	29.9	14.9
Canberra	43.4	42.2	14.5
Darwin	37.5	42.5	20.0
Gladstone	57.7	39.4	2.8
Hobart	62.4	26.5	11.1
Launceston	57.0	39.8	3.2
Melbourne	54.5	27.7	17.8
Perth	54.9	31.9	13.2
Sydney	61.9	24.7	13.4
<b>Overall</b>	55.1	32.9	12.0

### 3.6 Household income

Respondents were asked to report household income (Table 3.5). This includes all sources of income for the household.

The large proportion (13.8%) of respondents who did not state, or did not know their income is not unusually high. The cities with the highest proportion of low income households were Adelaide, Hobart, and Launceston. High income households were more common in Canberra, Darwin, and Gladstone. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

**Table 3.5: Household income by city**

<b>Household income</b>	<b>Up to \$20,000</b>	<b>\$20,001-\$40,000</b>	<b>\$40,001-\$60,000</b>	<b>Over \$60,000</b>	<b>Not stated, don't know</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Adelaide	26.2	18.8	16.2	24.7	14.1
Brisbane	19.2	20.2	16.6	29.8	14.2
Canberra	9.6	15.0	16.2	48.9	10.2
Darwin	11.4	14.4	22.0	43.9	8.3
Gladstone	19.1	14.8	17.9	37.7	10.5
Hobart	25.2	23.5	18.5	24.0	8.8
Launceston	26.7	19.5	21.4	19.5	12.8
Melbourne	19.3	16.7	15.4	24.5	24.2
Perth	19.9	16.9	16.3	29.9	16.9
Sydney	19.8	14.2	18.2	29.7	18.2
<b>Overall</b>	19.8	17.5	17.7	31.2	13.8

### 3.7 Body Mass Index

Body Mass Index (BMI) was calculated from self reported height and weight for all individuals in the sample, including children (Table 3.6 to Table 3.15). The resultant data was used to determine the proportions of the sample that were of under or normal weight (grouped together), overweight, and obese. Data was only collected for respondents aged 2 years and over.

The calculation of BMI was mass in kilograms divided by height in metres squared. Cut-off values for adults were overweight between 25 and less than 30, and obese 30 or greater<sup>3</sup>. Values for children need to consider their patterns of development. The cut-off values to classify overweight and obese in children are shown in Appendix 3. These values decrease with younger ages, that is, fewer kilograms are required to be classified as overweight or obese.

Age groups for analysis were the same as throughout this report i.e. 0-4 years preschool children, 5-14 years school children, 15-25 years young adults, and 60 years and over adults. Data in the youngest age group were only collected from those aged at least 2 years as the method for determining weight status of infants differs from BMI. Note that the table of BMI cut-off scores shown in Appendix 3 begins at 2 years of age. Sample sizes in the 2 to 4 years age group were very small and as a result gave discordant results that are too variable for meaningful analysis. The results for this age group have therefore have been omitted.

In seven of the ten cities, the 5 to 14 year age group sampled has a higher proportion of obese individuals than the 15 to 25 year age grouping. In some of these cities there were more than twice the rate of obese children aged 5 to 14 as there were in obese people aged 15 to 25 years. These results should be treated with caution, as there is a high degree of variability between cities that is difficult to explain.

There was a higher prevalence of overweight and obesity in children than in adolescents and young adults. Older persons aged 60 and over, had a higher proportion of overweight and obesity than either group of young people. It is difficult to draw conclusions about the apparent differences between cities. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

**Table 3.6: Body Mass Index, by age group - Adelaide<sup>a</sup>**

<b>Adelaide</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	78.2	71.6	41.2
Overweight	14.5	21.1	41.2
Obese	7.3	7.4	17.6
<b>Total</b>	100.0	100.0	100.0

**Table 3.7: Body Mass Index, by age group - Brisbane**

<b>Brisbane</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	76.8	79.1	42.2
Overweight	17.9	12.8	44.6
Obese	5.4	8.1	13.3
<b>Total</b>	100.0	100.0	100.0

**Table 3.8: Body Mass Index, by age group - Canberra**

<b>Canberra</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	68.9	80.8	51.3
Overweight	21.3	16.2	39.5
Obese	9.8	3.0	9.2
<b>Total</b>	100.0	100.0	100.0

**Table 3.9: Body Mass Index, by age group - Darwin**

<b>Darwin</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	68.9	79.0	32.5
Overweight	22.2	14.8	52.5
Obese	8.9	6.2	15.0
<b>Total</b>	100.0	100.0	100.0

<sup>a</sup> Note: for many of these categories the sample sizes are small and therefore Confidence Intervals around the estimates will be wide. The proportions should be treated with caution.

**Table 3.10: Body Mass Index, by age group - Gladstone**

<b>Gladstone</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	66.7	68.4	45.6
Overweight	20.6	24.1	29.4
Obese	12.7	7.6	25.0
<b>Total</b>	100.0	100.0	100.0

**Table 3.11: Body Mass Index, by age group - Hobart**

<b>Hobart</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	73.7	83.3	45.8
Overweight	17.5	15.4	36.4
Obese	8.8	1.3	17.8
<b>Total</b>	100.0	100.0	100.0

**Table 3.12: Body Mass Index, by age group - Launceston**

<b>Launceston</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	70.6	74.2	50.0
Overweight	11.7	19.4	33.0
Obese	17.6	6.5	17.0
<b>Total</b>	100.0	100.0	100.0

**Table 3.13: Body Mass Index, by age group - Melbourne**

<b>Melbourne</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	81.4	75.3	47.8
Overweight	11.6	21.0	36.7
Obese	7.0	3.7	15.6
<b>Total</b>	100.0	100.0	100.0

**Table 3.14: Body Mass Index, by age group - Perth**

<b>Perth</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	69.8	60.2	60.9
Overweight	22.6	31.3	32.2
Obese	7.5	8.4	6.9
<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Table 3.15: Body Mass Index, by age group - Sydney**

<b>Sydney</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Underweight/normal	74.0	70.1	44.4
Overweight	16.0	24.7	41.1
Obese	10.0	5.2	14.4
<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

## **CHAPTER 4: CURRENT HEALTH CONDITIONS**

## 4.1 Respiratory conditions

The prevalence of current respiratory problems in the sample was investigated estimating the prevalence of asthma, bronchitis, emphysema, chronic lung disease and the frequency of wheezing. These respiratory questions were asked of all ages, except the asthma questions not asked of those aged 2 or less. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

### 4.1.1 Asthma

Asthma was measured in two ways, firstly to determine if the respondent had ever suffered asthma, including asthma as a child that may not have persisted, and secondly whether the respondent still suffered asthma. Rates for asthma are considerably higher in children than in adults. The question as to whether the individual still suffered asthma was asked only of those aged 16 years or older, to detect those persons for whom asthma symptoms had subsided and disappeared. All individuals aged less than 16 years who reported having asthma were considered to still have asthma. This explains why the estimates in Table 4.1 for ‘current’ asthma for children are the same as for ‘ever had’ asthma.



**Table 4.1: Prevalence of asthma, by age group, by city**

	3-4 years	5-14 years	15-25 years	60+ years
<b>Ever had asthma</b>	%	%	%	%
Adelaide	32.0	31.6	22.9	19.3
Brisbane	11.1	31.0	35.2	13.8
Canberra	12.0	31.3	26.6	14.5
Darwin	13.0	22.5	24.1	17.5
Gladstone	19.0	31.3	31.5	19.7
Hobart	7.1	33.7	29.0	9.4
Launceston	6.7	21.4	20.0	19.4
Melbourne	6.3	45.0	29.9	15.0
Perth	26.9	26.8	28.9	9.8
Sydney	30.8	28.8	25.9	18.8
<b>Current asthma</b>				
Adelaide	32.0	31.3	10.5	11.1
Brisbane	11.1	31.0	14.4	6.9
Canberra	12.0	31.3	15.6	9.6
Darwin	13.0	22.5	16.1	12.2
Gladstone	19.0	31.3	21.3	15.3
Hobart	7.1	33.7	19.6	5.1
Launceston	6.7	21.4	8.6	9.8
Melbourne	6.3	45.0	16.3	9.9
Perth	26.9	26.8	19.1	5.5
Sydney	30.8	28.8	11.8	8.3

The results of asthma prevalence shown in Table 4.1 generally show higher rates of asthma in children than in adults, as expected. There is a high degree of variability between locations however, and there does not appear to be a recognisable pattern associated with temperature, humidity, or population density. In the 5 to 14 years age group there were similar low rates reported for Darwin and Launceston, whereas Melbourne showed the highest rate.

The rates for current asthma in adults showed a marked decrease from those who had ever had asthma in the same age groups, indicating the degree to which asthma abates during maturity.

### 4.1.2 Wheezing

Questions regarding wheezing were asked only of those aged 3 years and above. Wheezing was measured as the frequency of wheezing over the last month. The results were ranked from the most frequent, being wheezing on a daily or nearly daily basis over the last month, to those who rarely or never wheeze.

Overall rates of wheezing in February were low with generally fewer than 20% of any age group reporting wheezing (Table 4.2 to Table 4.11). There did not appear to be a relation between wheezing and latitude. Rates of wheezing were similar in centres as diverse as Darwin and Hobart.

**Table 4.2: Prevalence of wheezing, by age group - Adelaide**

Adelaide	3-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Daily or most days	-	1.0	2.8	6.3
Once or twice a week	-	1.0	0.9	3.5
Once or twice a month	20.0	6.3	9.4	6.9
Rarely or never	80.0	91.7	86.8	82.6
Don't know/not sure	-	-	-	0.7
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.3: Prevalence of wheezing, by age group - Brisbane**

Brisbane	3-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Daily or most days	-	-	3.3	1.1
Once or twice a week	-	2.4	-	2.3
Once or twice a month	-	6.0	7.8	3.4
Rarely or never	100.0	90.5	88.9	93.2
Don't know/not sure	-	1.2	-	-
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.4: Prevalence of wheezing, by age group - Canberra**

Canberra	3-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Daily or most days	4.0	1.1	4.6	6.0
Once or twice a week	-	1.1	4.6	8.4
Once or twice a month	-	3.2	9.2	2.4
Rarely or never	96.0	92.6	81.7	83.1
Don't know/not sure	-	2.1	-	-
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.5: Prevalence of wheezing, by age group - Darwin**

Darwin	3-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Daily or most days	-	-	1.1	-
Once or twice a week	4.2	2.2	2.3	2.4
Once or twice a month	8.3	4.5	4.6	7.3
Rarely or never	87.5	93.3	92.0	90.2
Don't know/not sure	-	-	-	-
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.6: Prevalence of wheezing, by age group - Gladstone**

Gladstone	3-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Daily or most days	-	2.7	1.1	7.0
Once or twice a week	4.5	1.8	3.4	7.0
Once or twice a month	4.5	0.9	4.5	2.8
Rarely or never	90.9	94.7	91.0	83.1
Don't know/not sure	-	-	-	-
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.7: Prevalence of wheezing, by age group - Hobart**

<b>Hobart</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Daily or most days	-	1.1	3.3	6.8
Once or twice a week	-	3.4	1.1	4.2
Once or twice a month	7.1	3.4	2.2	3.4
Rarely or never	92.9	92.1	93.5	84.7
Don't know/not sure	-	-	-	0.8
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.8: Prevalence of wheezing, by age group - Launceston**

<b>Launceston</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Daily or most days	-	-	2.9	9.8
Once or twice a week	-	-	2.9	-
Once or twice a month	-	5.6	2.9	3.3
Rarely or never	100.0	93.0	91.4	85.9
Don't know/not sure	-	1.4	-	1.1
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.9: Prevalence of wheezing, by age group - Melbourne**

<b>Melbourne</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Daily or most days	-	-	4.7	7.9
Once or twice a week	-	-	5.8	5.9
Once or twice a month	-	5.1	4.7	6.9
Rarely or never	100.0	94.9	84.9	79.2
Don't know/not sure	-	-	-	-
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.10: Prevalence of wheezing, by age group - Perth**

Perth	3-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Daily or most days	-	2.4	-	3.3
Once or twice a week	7.7	1.2	3.4	1.1
Once or twice a month	3.8	6.0	5.6	5.6
Rarely or never	88.5	90.4	91.0	90.0
Don't know/not sure	-	-	-	-
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 4.11: Prevalence of wheezing, by age group - Sydney**

Sydney	3-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Daily or most days	-	2.5	1.2	4.2
Once or twice a week	-	3.8	1.2	6.3
Once or twice a month	3.8	5.0	4.7	3.1
Rarely or never	96.2	88.8	92.9	86.5
Don't know/not sure	-	-	-	-
<b>Total</b>	100.0	100.0	100.0	100.0

### 4.1.3 Bronchitis, emphysema, chronic lung disease

Questions regarding other respiratory conditions (bronchitis, emphysema and chronic lung disease) were asked only of those aged 3 years and above. The rates of other respiratory conditions appear higher in older people than young people (Table 4.12 to Table 4.21). In particular, emphysema and chronic lung disease were rare in persons aged under 25 years.

There were no clear regional differences in the prevalence of these respiratory conditions, with rates in southerly centres being little different from northerly centres.

**Table 4.12: Prevalence of other respiratory problems, by age group – Adelaide\***

<b>Adelaide</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	2.1	2.9	1.4
Emphysema	-	-	-	4.1
Chronic lung disease	-	-	-	2.1
None of the above	100.0	97.9	97.1	92.4
Current respiratory problem	-	2.1	-	6.9

\*Multiple response

**Table 4.13: Prevalence of other respiratory problems, by age group – Brisbane\***

<b>Brisbane</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	-	-	5.7
Emphysema	-	-	-	2.3
Chronic lung disease	-	-	-	3.4
None of the above	100.0	100.0	100.0	89.7
Current respiratory problem	-	-	-	4.6

\*Multiple response

**Table 4.14: Prevalence of other respiratory problems, by age group – Canberra\***

<b>Canberra</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	1.1	0.9	3.7
Emphysema	-	-	-	-
Chronic lung disease	-	1.1	-	1.2
None of the above	100.0	97.9	99.1	95.2
Current respiratory problem	-	2.1	-	3.6

\*Multiple response

**Table 4.15: Prevalence of other respiratory problems, by age group – Darwin\***

<b>Darwin</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	4.2	2.2	2.3	4.9
Emphysema	-	-	-	-
Chronic lung disease	-	-	-	-
None of the above	95.8	97.8	97.7	95.1
Current respiratory problem	4.2	2.2	-	2.4

\*Multiple response

**Table 4.16: Prevalence of other respiratory problems, by age group – Gladstone\***

<b>Gladstone</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	0.9	1.1	1.4
Emphysema	-	-	-	1.4
Chronic lung disease	-	-	-	-
None of the above	100.0	99.1	98.9	97.2
Current respiratory problem	-	0.9	1.1	2.8

\*Multiple response

**Table 4.17: Prevalence of other respiratory problems, by age group – Hobart\***

<b>Hobart</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	-	1.1	2.6
Emphysema	-	-	-	6.0
Chronic lung disease	-	-	-	-
None of the above	100.0	100.0	98.9	91.5
Current respiratory problem	-	-	1.1	6.0

\*Multiple response

**Table 4.18: Prevalence of other respiratory problems, by age group – Launceston\***

<b>Launceston</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	2.9	-	9.7
Emphysema	-	-	-	3.2
Chronic lung disease	-	-	-	3.2
None of the above	100.0	97.1	100.0	84.9
Current respiratory problem	-	2.9	-	7.6

\*Multiple response

**Table 4.19: Prevalence of other respiratory problems, by age group – Melbourne\***

<b>Melbourne</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	1.3	-	3.0
Emphysema	-	-	1.2	2.0
Chronic lung disease	-	-	-	3.0
None of the above	100.0	98.8	98.8	92.1
Current respiratory problem	-	1.3	-	7.0

\*Multiple response



**Table 4.20: Prevalence of other respiratory problems, by age group – Perth\***

<b>Perth</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	-	1.1	5.5
Emphysema	-	-	-	4.4
Chronic lung disease	-	-	-	3.3
None of the above	100.0	100.0	98.9	87.9
Current respiratory problem	-	-	-	5.5

\*Multiple response

**Table 4.21: Prevalence of other respiratory problems, by age group – Sydney\***

<b>Sydney</b>	<b>3-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Bronchitis	-	1.2	-	8.2
Emphysema	-	-	-	2.1
Chronic lung disease	-	-	-	1.0
None of the above	100.0	98.8	100.0	90.7
Current respiratory problem	-	1.2	-	3.1

\*Multiple response

## 4.2 Other health conditions

A range of health conditions other than respiratory conditions were surveyed. Of these, the first were heart conditions that had ever been diagnosed by a doctor. The remaining health conditions were a range of symptoms that may be associated with respiratory conditions. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

### 4.2.1 Heart conditions

Heart conditions were surveyed by asking if the respondent had ever been diagnosed by a doctor with having a heart attack, angina, heart disease, or stroke. These questions were asked only of respondents aged 16 to 25 years or 60 years or over. The results are shown in the following tables (Table 4.22 to Table 4.31).

**Table 4.22: Prevalence of heart conditions, by age group – Adelaide\***

<b>Adelaide</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	5.5
Angina	-	13.1
Heart disease	-	9.7
Stroke	-	5.5
None of the above	100.0	73.6

\*Multiple response

**Table 4.23: Prevalence of heart conditions, by age group – Brisbane\***

<b>Brisbane</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	5.7
Angina	-	12.6
Heart disease	-	6.9
Stroke	-	4.5
None of the above	100.0	78.2

\*Multiple response

**Table 4.24: Prevalence of heart conditions, by age group – Canberra\***

<b>Canberra</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	8.4
Angina	-	4.9
Heart disease	-	6.0
Stroke	-	4.9
None of the above	100.0	85.4

\*Multiple response

**Table 4.25: Prevalence of heart conditions, by age group – Darwin\***

<b>Darwin</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	4.1	10.0
Angina	-	12.2
Heart disease	-	9.8
Stroke	-	4.9
None of the above	95.9	80.5

\*Multiple response

**Table 4.26: Prevalence of heart conditions, by age group – Gladstone\***

<b>Gladstone</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	5.6
Angina	-	15.5
Heart disease	-	7.0
Stroke	-	4.2
None of the above	100.0	80.3

\*Multiple response

**Table 4.27: Prevalence of heart conditions, by age group – Hobart\***

<b>Hobart</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	10.3
Angina	-	13.7
Heart disease	-	9.4
Stroke	-	5.1
None of the above	100.0	75.2

\*Multiple response

**Table 4.28: Prevalence of heart conditions, by age group – Launceston\***

<b>Launceston</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	7.5
Angina	-	2.2
Heart disease	-	4.3
Stroke	-	3.3
None of the above	100.0	84.9

\*Multiple response

**Table 4.29: Prevalence of heart conditions, by age group – Melbourne\***

<b>Melbourne</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	7.9
Angina	-	10.0
Heart disease	-	5.9
Stroke	-	4.0
None of the above	100.0	78.2

\*Multiple response

**Table 4.30: Prevalence of heart conditions, by age group – Perth\***

<b>Perth</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	8.8
Angina	-	9.9
Heart disease	-	6.6
Stroke	-	4.4
None of the above	100.0	80.4

\*Multiple response

**Table 4.31: Prevalence of heart conditions, by age group – Sydney\***

<b>Sydney</b>	<b>16-25 years</b>	<b>60+ years</b>
<b>Ever had</b>	<b>%</b>	<b>%</b>
Heart attack	-	12.4
Angina	-	7.3
Heart disease	-	8.2
Stroke	-	8.2
None of the above	100.0	77.3

\*Multiple response

### 4.2.2 Symptoms of ill health

Other health conditions investigated were reported symptoms that may be related to respiratory conditions. These included evidence of colds and flu, hay fever, and difficulty breathing. In addition, questions were asked concerning headache, and digestive system symptoms. Finally, reports of disturbed sleep were recorded. These data are presented in Table 4.32 to Table 4.41. Each city is shown in a separate table, stratified by age groups.

Symptoms of stuffy or runny noses were highest of all symptoms experienced in the past two weeks. This was evident across the country, with no exceptional differences between northern and southern latitudes. In general, these symptoms were less frequent in older age groups than in the 0 to 4 year age group. Symptoms of colds and flu, particularly nasal congestion, remain the most common of complaints.

The next most common complaint recorded in this summer survey was headache, with most of these being reported by the 15 to 25 year age group.

There was evidence of only low levels of irritations to breathing passages and eyes in summer. There was no pattern of difference between regions. As the climate data have shown, the differences between cities relate mainly to humidity rather than temperature differences. The climate was such that people would have been able to spend considerable amounts of time outdoors, or have windows and doors open in the house. The potential exposure to more irritants in the atmosphere does not appear to have led to many reports of ill health.

Symptoms of digestive system upset surveyed were diarrhoea, nausea, and vomiting. These reported rates were generally low (less than 10%) in all centres, however these rates were somewhat higher in the 0 to 4 years age group.

Reported disturbed sleep in the past two weeks was reported by over 30% in some age groups. The age groups with the highest rates of disturbed sleep were generally the youngest (0 to 4 years) and oldest (60 years and over).

**Table 4.32: Symptoms of ill health, by age group – Adelaide\***

<b>Adelaide</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Stuffy or runny nose	26.7	24.0	29.5	31.3
Sore or scratchy throat	13.3	11.6	24.8	20.7
Cough	27.3	14.6	22.9	31.7
Hay fever attacks	9.1	13.5	25.0	17.2
Headache	2.2	26.3	39.0	17.4
Diarrhoea	27.3	4.2	5.7	6.3
Nausea	6.7	8.4	5.7	5.6
Vomiting	8.9	5.2	7.6	1.4
Itching or burning eyes	6.7	5.3	17.1	27.6
Skin rashes, irritation or itching	22.2	15.6	17.1	15.9
Difficulty breathing	8.9	3.1	12.4	14.5
Disturbed sleep	37.8	19.8	21.2	26.4
None of the above	27.3	36.5	27.6	25.5

\*Multiple response

**Table 4.33: Symptoms of ill health, by age group – Brisbane\***

<b>Brisbane</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Stuffy or runny nose	36.6	25.0	45.1	31.8
Sore or scratchy throat	12.5	15.5	22.2	11.5
Cough	22.5	12.0	25.3	21.8
Hay fever attacks	2.4	11.9	22.0	16.1
Headache	2.4	19.0	30.8	24.1
Diarrhoea	20.0	2.4	11.0	4.6
Nausea	12.2	2.4	11.0	1.1
Vomiting	10.0	2.4	4.4	1.1
Itching or burning eyes	5.0	11.9	26.4	27.6
Skin rashes, irritation or itching	19.5	7.2	14.3	17.0
Difficulty breathing	-	3.6	8.8	3.4
Disturbed sleep	25.0	13.3	28.6	27.6
None of the above	22.5	44.0	20.9	30.7

\*Multiple response

**Table 4.34: Symptoms of ill health, by age group – Canberra\***

Canberra	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Stuffy or runny nose	33.3	28.1	34.9	28.9
Sore or scratchy throat	11.4	20.0	20.2	15.9
Cough	24.4	15.8	23.6	26.8
Hay fever attacks	-	8.4	12.8	12.0
Headache	6.8	21.1	45.0	25.6
Diarrhoea	13.3	7.4	13.6	6.0
Nausea	8.9	9.5	7.3	7.2
Vomiting	6.7	-	4.5	3.7
Itching or burning eyes	6.7	8.4	20.9	35.4
Skin rashes, irritation or itching	35.6	15.8	14.7	15.9
Difficulty breathing	-	4.2	13.8	8.4
Disturbed sleep	40.0	16.8	25.5	41.5
None of the above	24.4	40.0	32.7	24.1

\*Multiple response

**Table 4.35: Symptoms of ill health, by age group – Darwin\***

Darwin	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Stuffy or runny nose	42.6	27.0	26.1	17.1
Sore or scratchy throat	21.3	11.2	28.4	12.2
Cough	34.8	19.1	30.7	17.1
Hay fever attacks	6.5	3.4	18.2	14.6
Headache	6.5	11.2	43.2	29.3
Diarrhoea	10.6	4.5	4.5	9.8
Nausea	2.2	7.9	17.0	7.3
Vomiting	10.6	1.1	4.6	4.9
Itching or burning eyes	10.9	7.9	26.1	17.1
Skin rashes, irritation or itching	27.7	10.1	27.3	24.4
Difficulty breathing	10.9	3.4	8.0	7.3
Disturbed sleep	32.6	7.9	33.3	36.6
None of the above	36.2	51.7	27.3	36.6

\*Multiple response



**Table 4.36: Symptoms of ill health, by age group – Gladstone\***

<b>Gladstone</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Stuffy or runny nose	26.9	24.8	34.1	26.8
Sore or scratchy throat	7.7	12.4	20.2	18.3
Cough	25.0	18.8	22.5	26.8
Hay fever attacks	9.6	7.1	11.2	12.7
Headache	3.8	17.0	37.1	22.5
Diarrhoea	13.5	5.3	9.0	7.0
Nausea	3.8	8.0	5.6	2.8
Vomiting	7.7	3.6	4.5	-
Itching or burning eyes	5.8	11.6	6.7	32.4
Skin rashes, irritation or itching	15.4	7.1	7.9	11.1
Difficulty breathing	3.8	4.5	4.5	9.9
Disturbed sleep	26.9	8.0	12.5	42.3
None of the above	38.5	49.1	43.8	32.4

\*Multiple response

**Table 4.37: Symptoms of ill health, by age group – Hobart\***

<b>Hobart</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Stuffy or runny nose	7.3	21.3	30.4	29.1
Sore or scratchy throat	2.4	12.4	16.3	10.3
Cough	9.5	10.1	13.0	21.4
Hay fever attacks	4.8	12.4	17.4	14.5
Headache	-	12.4	40.2	21.4
Diarrhoea	9.5	2.2	3.3	7.6
Nausea	2.4	3.3	12.9	6.0
Vomiting	2.4	4.5	3.3	1.7
Itching or burning eyes	-	15.7	13.0	17.9
Skin rashes, irritation or itching	14.6	17.8	10.9	14.5
Difficulty breathing	2.4	5.6	10.9	7.7
Disturbed sleep	26.8	18.0	17.4	25.6
None of the above	46.3	52.8	23.9	31.6

\*Multiple response

**Table 4.38: Symptoms of ill health, by age group – Launceston\***

<b>Launceston</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Stuffy or runny nose	36.4	10.0	26.1	26.1
Sore or scratchy throat	8.8	5.7	11.6	12.9
Cough	20.6	7.0	12.9	19.4
Hay fever attacks	9.1	8.5	18.6	16.1
Headache	6.1	21.4	31.4	24.7
Diarrhoea	12.1	5.7	5.8	8.6
Nausea	5.9	2.9	5.7	6.5
Vomiting	9.1	1.4	-	6.5
Itching or burning eyes	5.9	14.3	8.6	10.8
Skin rashes, irritation or itching	20.6	12.9	11.6	16.3
Difficulty breathing	9.1	2.9	1.4	7.5
Disturbed sleep	27.3	12.9	18.6	45.7
None of the above	32.4	50.7	36.2	32.3

\*Multiple response

**Table 4.39: Symptoms of ill health, by age group – Melbourne\***

<b>Melbourne</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Stuffy or runny nose	38.5	27.5	27.9	36.0
Sore or scratchy throat	12.8	11.3	12.8	18.8
Cough	23.1	12.5	24.4	24.0
Hay fever attacks	-	10.0	12.6	20.8
Headache	-	20.0	25.3	26.7
Diarrhoea	10.3	1.3	7.0	7.9
Nausea	5.1	5.1	4.7	7.0
Vomiting	10.3	-	-	1.0
Itching or burning eyes	-	16.3	14.0	26.7
Skin rashes, irritation or itching	28.2	21.5	19.5	18.0
Difficulty breathing	-	7.6	9.2	13.9
Disturbed sleep	17.9	18.8	23.0	43.0
None of the above	33.3	37.5	34.9	20.8

\*Multiple response

**Table 4.40: Symptoms of ill health, by age group – Perth\***

Perth	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Stuffy or runny nose	13.2	15.9	38.2	33.0
Sore or scratchy throat	21.1	14.5	18.9	18.7
Cough	18.4	12.2	16.7	20.9
Hay fever attacks	10.5	6.1	17.8	18.7
Headache	5.3	18.3	42.7	26.4
Diarrhoea	10.5	6.0	3.4	2.2
Nausea	2.6	4.9	6.7	5.5
Vomiting	-	-	3.4	1.1
Itching or burning eyes	5.3	9.6	16.9	28.6
Skin rashes, irritation or itching	26.3	13.4	11.2	14.3
Difficulty breathing	13.2	6.1	9.0	8.8
Disturbed sleep	23.7	12.0	27.0	31.9
None of the above	44.7	53.7	25.8	37.0

\*Multiple response

**Table 4.41: Symptoms of ill health, by age group – Sydney\***

Sydney	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Stuffy or runny nose	9.8	18.5	32.6	20.6
Sore or scratchy throat	2.4	9.9	26.7	12.5
Cough	9.8	11.1	16.3	22.7
Hay fever attacks	-	6.2	10.6	10.3
Headache	2.4	18.8	34.9	17.7
Diarrhoea	7.3	4.9	-	7.3
Nausea	2.4	4.9	8.2	7.3
Vomiting	4.9	2.5	3.5	1.0
Itching or burning eyes	-	14.8	23.3	15.5
Skin rashes, irritation or itching	7.3	7.4	10.5	8.2
Difficulty breathing	-	3.7	4.7	11.5
Disturbed sleep	15.0	15.0	37.2	36.5
None of the above	70.7	48.8	17.6	37.1

\*Multiple response



## **CHAPTER 5: HEALTH RELATED BEHAVIOURS**

## 5.1 Introduction

Health related behaviours were investigated by asking questions of respondents regarding alcohol consumption, tobacco consumption, and physical activity. These were all collected to enable comparisons between cities, and age groups where appropriate.

## 5.2 Alcohol consumption risk

Alcohol consumption data were collected from respondents aged 18 to 25 years and 60 years or over. Two questions were used and these related to the number of days per week that the respondent usually drank alcohol, and the number of standard drinks the respondent would drink on a day when they drank alcohol. From these data, the long term risk to health from alcohol consumption was calculated. Long term risk is associated with the number of drinks per week, averaged over a long period. No data were collected on short term risk which is the most number of drinks consumed in a single session.

Alcohol risk varies with gender as there are separate recommendations for safe drinking levels in males and females. Alcohol risk was separately calculated for men and women in this sample, but due to the small sample sizes concerned with expressing alcohol risk by age and gender the results are only presented by age group.

Respondents were categorised into non-drinkers, no risk drinkers, low risk drinkers, intermediate risk drinkers, high risk drinkers and very high risk drinkers. These questions, and the classification formulae that put them into risk categories, were taken from the 1989 National Heart Foundation Risk Factor Prevalence study<sup>3</sup>. The risk factor levels have been defined in Table 5.1:

**Table 5.1: Alcohol risk levels**

Category	Description	Risk	
		Men	Women
A	Non-drinkers	None	None
B	Average daily intake of less than 3 drinks	None	Low
C	Average daily intake of 4 drinks or 9-12 drinks in any day	Low	Intermediate
D	Average daily intake of 5-8 drinks or occasional excess	Intermediate	High
E	Average daily intake of 9-12 drinks or frequent or great occasional excessive intake	High	Very high
F	Average daily intake of over 12 drinks	Very high	Very high

The calculation of alcohol risk status for women means that at the same level of consumption as men, women are one risk category higher eg average daily intake of four drinks for men is low risk but for women is intermediate risk. Thus, calculation precludes any women who drink from being classified as 'no risk'.

The categories of risk have been defined in Table 5.2.

**Table 5.2: Categories of Risk Levels**

Frequency of drinking	Number of drinks					
	1-2	3-4	5-8	9-12	13-20	>20
Less than once a week	B	B	B	C	D	E
1 or 2 days	B	B	B	C	D	E
3 or 4 days	B	B	C	D	E	F
5 or 6 days	B	C	D	E	F	F
Every day	B	C	D	E	F	F

Table 5.3 to Table 5.12 show alcohol risk for the 18 to 25 years and 60 year and over age groups for the ten cities surveyed. Medium to high alcohol risk was very much higher in the 18 to 25 year age group than among older people. The younger age group showed medium to high alcohol risk ranging from 35% to 65% of the age group. There appears to be an association of higher alcohol consumption with hotter climate, as the two cities with highest alcohol risk in summer were Darwin and Gladstone. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

**Table 5.3: Alcohol consumption risk, by age group - Adelaide**

Adelaide	18-25 years	60+ years
	%	%
Non-drinkers	8.1	28.0
Low alcohol risk	45.9	67.1
Medium alcohol risk	25.7	2.8
High alcohol risk	20.3	1.4
Refused	-	0.7
<b>Total</b>	100.0	100.0

**Table 5.4: Alcohol consumption risk, by age group - Brisbane**

<b>Brisbane</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	6.0	31.8
Low alcohol risk	50.7	59.1
Medium alcohol risk	22.4	6.8
High alcohol risk	20.9	2.3
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.5: Alcohol consumption risk, by age group - Canberra**

<b>Canberra</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	10.8	25.3
Low alcohol risk	43.1	67.5
Medium alcohol risk	15.4	7.2
High alcohol risk	29.2	-
Refused	1.5	-
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.6: Alcohol consumption risk, by age group - Darwin**

<b>Darwin</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	5.5	41.5
Low alcohol risk	34.5	51.2
Medium alcohol risk	38.2	7.3
High alcohol risk	21.8	-
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.7: Alcohol consumption risk, by age group - Gladstone**

<b>Gladstone</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	13.5	32.4
Low alcohol risk	21.2	63.4
Medium alcohol risk	23.1	2.8
High alcohol risk	42.3	1.4
<b>Total</b>	<b>100.0</b>	<b>100.0</b>



**Table 5.8: Alcohol consumption risk, by age group - Hobart**

<b>Hobart</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	15.3	23.9
Low alcohol risk	27.1	69.2
Medium alcohol risk	15.3	4.3
High alcohol risk	42.4	2.6
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.9: Alcohol consumption risk, by age group - Launceston**

<b>Launceston</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	8.7	30.1
Low alcohol risk	37.0	58.1
Medium alcohol risk	32.6	10.8
High alcohol risk	19.6	1.1
Refused	2.2	-
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.10: Alcohol consumption risk, by age group - Melbourne**

<b>Melbourne</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	10.8	30.7
Low alcohol risk	38.5	65.3
Medium alcohol risk	20.0	2.0
High alcohol risk	30.8	1.0
Refused	-	1.0
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.11: Alcohol consumption risk, by age group - Perth**

<b>Perth</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	12.3	30.8
Low alcohol risk	52.6	65.9
Medium alcohol risk	21.1	3.3
High alcohol risk	14.0	-
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.12: Alcohol consumption risk, by age group - Sydney**

<b>Sydney</b>	<b>18-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-drinkers	15.0	22.4
Low alcohol risk	45.0	71.4
Medium alcohol risk	28.3	4.1
High alcohol risk	11.7	2.0
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

## 5.3 Smoking

Several aspects of smoking as a behavioural risk factor were addressed in this survey. As the sample included children, the survey included questions about smoke in environments where children would be exposed to it. This is in addition to standard usual questions about individual smoking behaviour, which do not address where the smoking takes place.

The first issue addressed was smoking in the home. This covers not only the smoking behaviour of occupants but also that of visitors to the home. The amount of tobacco smoked in the home was then quantified, by different types of tobacco. Finally, the self reported smoking status of adults was assessed. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

### 5.3.1 Smoking in the home

Respondents were asked to choose from a range of statements that best described the smoking situation in their home. The options were either that their home was smoke free, although smoking may be permitted outside, that there was occasional smoking in the home, or that there was frequent smoking in the home. These data were then stratified by age of respondent and city of residence. The results are presented in Table 5.13 to Table 5.22.

In general, 80% or more of homes surveyed were smoke free. There was little difference between age groups. The most northerly cities, Darwin and Gladstone, had the lowest rates of smoke free homes.

**Table 5.13: Smoking in the home, by age group of respondent - Adelaide**

Adelaide	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Home is smoke free	84.4	90.7	80.8	94.5
People occasionally smoke in the house	15.6	6.2	5.8	3.4
People frequently smoke in the house	-	3.1	13.5	2.1
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.14: Smoking in the home, by age group of respondent - Brisbane**

<b>Brisbane</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Home is smoke free	87.8	80.7	78.0	87.4
People occasionally smoke in the house	4.9	12.0	6.6	4.6
People frequently smoke in the house	7.3	7.2	15.4	8.0
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.15: Smoking in the home, by age group of respondent - Canberra**

<b>Canberra</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Home is smoke free	86.7	96.8	92.7	90.4
People occasionally smoke in the house	13.3	2.1	4.6	3.6
People frequently smoke in the house	-	1.1	2.8	6.0
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.16: Smoking in the home, by age group of respondent - Darwin**

<b>Darwin</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Home is smoke free	89.4	86.4	67.0	80.5
People occasionally smoke in the house	8.5	8.0	6.8	14.6
People frequently smoke in the house	2.1	5.7	26.1	4.9
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.17: Smoking in the home, by age group of respondent - Gladstone**

<b>Gladstone</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Home is smoke free	84.9	82.3	71.9	76.4
People occasionally smoke in the house	13.2	8.0	13.5	15.3
People frequently smoke in the house	1.9	9.7	14.6	8.3
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.18: Smoking in the home, by age group of respondent - Hobart**

<b>Hobart</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Home is smoke free	97.6	83.1	85.7	91.5
People occasionally smoke in the house	2.4	10.1	9.9	4.3
People frequently smoke in the house	-	6.7	4.4	4.3
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.19: Smoking in the home, by age group of respondent - Launceston**

<b>Launceston</b>	<b>0-4 years</b>	<b>5-14 years</b>	<b>15-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
Home is smoke free	87.9	80.3	85.7	83.0
People occasionally smoke in the house	12.1	11.3	10.0	10.6
People frequently smoke in the house	-	8.5	4.3	6.4
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.20: Smoking in the home, by age group of respondent - Melbourne**

Melbourne	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Home is smoke free	94.9	86.3	83.7	89.1
People occasionally smoke in the house	5.1	10.0	7.0	5.9
People frequently smoke in the house	-	3.8	9.3	5.0
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.21: Smoking in the home, by age group of respondent - Perth**

Perth	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Home is smoke free	84.2	86.7	87.6	92.3
People occasionally smoke in the house	7.9	8.4	6.7	4.4
People frequently smoke in the house	7.9	4.8	5.6	3.3
<b>Total</b>	100.0	100.0	100.0	100.0

**Table 5.22: Smoking in the home, by age group of respondent - Sydney**

Sydney	0-4 years	5-14 years	15-25 years	60+ years
	%	%	%	%
Home is smoke free	100.0	90.1	82.6	92.8
People occasionally smoke in the house	-	8.6	8.1	2.1
People frequently smoke in the house	-	1.2	9.3	5.2
<b>Total</b>	100.0	100.0	100.0	100.0

### 5.3.2 Number of cigarettes smoked

Respondents who indicated that there was smoking in the home were asked the number of cigarettes smoked in the home yesterday. These data are shown in Table 5.23.

It should be noted that the median is used as the measure of average number of cigarettes smoked as the sample sizes were small and hence numbers highly variable. The results should be treated with caution.

**Table 5.23: Number of cigarettes smoked in house yesterday, by age group and city**

Number of cigarettes smoked in house yesterday (median)	0-4 years	5-14 years	15-25 years	60+ years
Adelaide	6	6	12	5
Brisbane	57	9	15	13
Canberra	2	6	3	8
Darwin	12	10	10	2
Gladstone	2	10	10	4
Hobart	-	4	8	12
Launceston	2	6	4	10
Melbourne	1	6	5	8
Perth	44	5	16	10
Sydney	-	1	9	10

Table 5.24 reports the number of cigars or pipes smoked in the house yesterday. These data were collected only from respondents aged 16 years or over.

In the sample, there were no reports of cigar or pipe smoking from six cities.

**Table 5.24: Number of cigars or pipes smoked in house yesterday, by age group and city**

Number of cigars or pipes smoked in house yesterday (mean)	16-25 years	60+ years
Adelaide	-	-
Brisbane	-	-
Canberra	-	-
Darwin	-	-
Gladstone	<1	<1
Hobart	-	<1
Launceston	-	-
Melbourne	<1	<1
Perth	<1	<1
Sydney	-	-



### 5.3.3 Smoking status

Self reported smoking status was asked of respondents aged 16 years or over. Respondents who indicated that they were daily or occasional smokers were classified as current smokers. Those responding that they do not smoke now but used to, or who tried a few times but never smoked regularly, were classified as ex-smokers. Respondents indicating that they had never smoked were classified as non-smokers. The results for each city are presented in Table 5.25 to Table 5.34 by age group.

Substantial differences exist between smoking rates of the younger age group compared with the older, which confirms other data that describe smoking rates as declining with age<sup>5</sup>.

**Table 5.25: Smoking status, by age group - Adelaide**

<b>Adelaide</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	61.1	39.6
Ex-smoker	24.4	56.3
Current smoker	14.4	4.2
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.26: Smoking status, by age group - Brisbane**

<b>Brisbane</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	65.9	33.3
Ex-smoker	13.4	55.2
Current smoker	20.7	11.5
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.27: Smoking status, by age group - Canberra**

<b>Canberra</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	47.8	48.8
Ex-smoker	22.8	42.7
Current smoker	29.3	8.5
<b>Total</b>	100.0	100.0

**Table 5.28: Smoking status, by age group - Darwin**

<b>Darwin</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	54.1	34.1
Ex-smoker	20.3	56.1
Current smoker	25.7	9.8
<b>Total</b>	100.0	100.0

**Table 5.29: Smoking status, by age group - Gladstone**

<b>Gladstone</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	55.3	33.8
Ex-smoker	21.1	53.5
Current smoker	23.7	12.7
<b>Total</b>	100.0	100.0

**Table 5.30: Smoking status, by age group - Hobart**

<b>Hobart</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	45.1	38.5
Ex-smoker	36.6	53.8
Current smoker	18.3	7.7
<b>Total</b>	100.0	100.0

**Table 5.31: Smoking status, by age group - Launceston**

<b>Launceston</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	52.4	39.1
Ex-smoker	22.2	50.0
Current smoker	25.4	10.9
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.32: Smoking status, by age group - Melbourne**

<b>Melbourne</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	43.0	28.7
Ex-smoker	30.4	59.4
Current smoker	26.6	11.9
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.33: Smoking status, by age group - Perth**

<b>Perth</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	62.2	37.0
Ex-smoker	24.3	55.4
Current smoker	13.5	7.6
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

**Table 5.34: Smoking status, by age group - Sydney**

<b>Sydney</b>	<b>16-25 years</b>	<b>60+ years</b>
	<b>%</b>	<b>%</b>
Non-smoker	60.3	50.5
Ex-smoker	24.4	43.3
Current smoker	15.4	6.2
<b>Total</b>	<b>100.0</b>	<b>100.0</b>

## 5.4 Physical activity

Physical activity measurement was included in the survey as an important component of activity out of doors. This activity was measured in several categories corresponding with various rates of exertion.

Adult physical activity was measured separately from child physical activity. The questions for measuring adult physical activity have been extensively researched in recent years in Australia by the Australian Institute of Health and Welfare<sup>4</sup>, and represent the latest thinking on capturing the essential components of leisure time physical activity. These questions have also been used in National and State population surveys. A subset of these is included in the section on adult physical activity.

The questions on adult physical activity have not been used for measuring child physical activity and as such do not reflect the manner of physical activity in this age group. To measure child physical activity, separate questions were asked of the responsible adult who was responding on behalf of the child. The results are therefore presented separately in the following two sections. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

### 5.4.1 Adult physical activity

Adult physical activity was measured in three categories, representing various levels of exertion. These categories correspond with those used in National and State surveys to determine levels of physical activity in the population sufficient to provide a health benefit. For the purposes of brevity in the current survey, a subset of questions was asked. These relate to the number of times per week the nominated activities were performed. The week referred to was the week previous to the date the questionnaire was administered to the respondent.

The physical activity questions were asked of ages 16 to 25 years inclusive, and 60 to 64 years inclusive. Child physical activity is addressed in the next section, and those aged 65 years or over were not questioned.

The categories of physical activity surveyed were walking, vigorous activity, and moderate activity other than walking. The rationale for measuring walking separately

relates to the predominance of this activity, and the different roles it plays in various age groups.

Walking was measured as an activity that was performed continuously for at least ten minutes. The purpose of the walking may have been for recreation or exercise, or for transport in getting to or from places. This definition was explained to respondents at the time of asking the question.

Vigorous physical activity was defined as any activity that resulted in breathing harder or puffing and panting. Examples given were tennis, jogging, cycling, and keep fit exercises. There was specific exclusion of household chores or gardening due to the lack of research into the benefits from these activities. This is in concordance with the use of this question in National and State surveys.

Moderate physical activity other than walking similarly excluded household chores and gardening. Examples of the activities accepted under this category were given as lawn bowls, golf, and gentle swimming.

Data for walking are presented in Table 5.35 to Table 5.36. The prevalence of walking was high for both the 16 to 25 year and 60 to 64 year age groups. Walking rates for the 60 to 64 year age group in the capital cities were all greater than 75% whereas in the country centres, Gladstone and Launceston, they were around 50%. The walking rate for the 16 to 25 year age group was considerably lower in Gladstone (69%) than in other centres.

**Table 5.35: Prevalence of walking in the last week, by age group and city**

Proportion who did any walking in the last week	16-25 years	60-64 years
	%	%
Adelaide	83.5	87.5
Brisbane	85.5	81.8
Canberra	93.5	85.7
Darwin	90.7	76.9
Gladstone	68.8	46.4
Hobart	97.6	80.6
Launceston	90.5	55.0
Melbourne	82.5	81.8
Perth	94.6	80.6
Sydney	83.3	89.5

Of those respondents who indicated in Table 5.35 that they walked, the mean number of times they did this activity in the previous week is shown in Table 5.36. There was variation between cities but no clear pattern of walking being more common in some cities than in others.

**Table 5.36: Number of times walked in the last week, by age group and city**

Mean number of times walked in the last week	16-25 years	60-64 years
Adelaide	5.2	4.3
Brisbane	4.8	6.5
Canberra	6.5	5.8
Darwin	8.2	6.5
Gladstone	4.7	4.8
Hobart	7.4	4.6
Launceston	5.4	6.4
Melbourne	5.4	3.7
Perth	7.7	6.3
Sydney	5.3	4.7

The prevalence of vigorous activity is shown in Table 5.37. Vigorous physical activity was very much higher in younger people than in older people, as expected from the results of other surveys around Australia. There was variation between cities that can perhaps be best explained by sampling variability due to the size of the samples used. The general trend for higher rates of vigorous physical activity in younger people is however supported.

**Table 5.37: Prevalence of vigorous activity in the last week, by age group and city**

Proportion who did any vigorous activity in the last week	16-25 years %	60-64 years %
Adelaide	80.2	18.2
Brisbane	67.1	27.3
Canberra	75.0	42.9
Darwin	62.2	46.2
Gladstone	64.5	25.0
Hobart	78.0	16.1
Launceston	72.6	35.0
Melbourne	69.6	22.7
Perth	77.0	46.7
Sydney	71.4	26.3

Of those in Table 5.37 who indicated that they did vigorous activity, the mean number of times that this activity was performed in the previous week is shown in Table 5.38. These data show that those older people who did do vigorous activity in the previous week did so at a comparable number of times per week to that of the younger people in the sample.

**Table 5.38: Number of times did vigorous activity in the last week, by age group and city**

Mean number of times did vigorous activity in the last week	16-25 years	60-64 years
Adelaide	3.4	2.3
Brisbane	3.1	3.7
Canberra	3.6	4.7
Darwin	4.4	3.4
Gladstone	3.1	3.3
Hobart	3.3	2.7
Launceston	3.7	4.5
Melbourne	3.5	2.6
Perth	4.9	4.1
Sydney	3.9	2.6

The prevalence of moderate physical activity other than walking is shown in Table 5.39. The rates of moderate activity for younger people show variation between cities, with Hobart and Perth being relatively high and Gladstone and Sydney being low. There is greater variation between cities in the level of moderate activity for

respondents aged 60 to 64 years. There appears to be no consistent pattern between cities in the level of this physical activity. The figures for the 60 to 64 years age group should also be treated with caution because of the small sample sizes in this age group.

**Table 5.39: Prevalence of moderate activity other than walking in the last week, by age group and city**

Proportion who did any moderate activity in the last week	16-25 years %	60-64 years %
Adelaide	42.2	25.0
Brisbane	40.2	31.8
Canberra	43.5	25.0
Darwin	56.8	30.8
Gladstone	35.5	3.4
Hobart	63.4	25.8
Launceston	46.8	30.0
Melbourne	50.0	9.1
Perth	59.5	36.7
Sydney	31.2	63.2

Of those who reported in Table 5.39 that they did moderate activity, the mean number of times this moderate activity was performed in the previous week is shown in Table 5.40. Again there is some variability in the numbers, but overall there is no clear pattern of difference between geographic regions. The data do not distinguish between younger and older respondents as to greater frequency of moderate activity for one age group over the other.



**Table 5.40: Number of times did moderate activity in the last week, by age group and city**

Mean number of times did moderate activity other than walking in the last week	16-25 years	60-64 years
Adelaide	2.3	4.0
Brisbane	2.3	1.4
Canberra	1.9	3.7
Darwin	3.2	3.1
Gladstone	2.4	-
Hobart	2.3	2.5
Launceston	2.1	5.6
Melbourne	4.1	1.8
Perth	3.0	3.0
Sydney	2.6	3.0

### 5.4.2 Child physical activity

Levels of physical activity in children were measured by reports from the adult in the household responding on behalf of the child. There were two questions asked, the first being a subjective assessment of the level of activity of the child, and the second being the number of hours per week the child spends doing organised sport outside.

The results of the question on levels of physical activity are shown for each surveyed city in Table 5.41 to Table 5.50. The response categories were read to the adult who responded on behalf of the child. These categories were very active, active, not very active, and not at all active. The results were stratified by three age groups. No questions were asked of children aged less than two years old.

Levels of physical activity in children were fairly consistent across cities. Children of all ages were reported to be predominantly active or very active. The variations that exist that are probably the result of sampling variability i.e. the 2 to 4 years age group contained few individuals in the sample.

Younger children were more active than older children. Overall, approximately 10-15% of children aged 10 to 15 years were reported to not be very active. In most instances this was in comparison with a much smaller proportion of younger children being not very active.

**Table 5.41: Level of physical activity in children, by age group - Adelaide**

Adelaide	2-4 years	5-9 years	10-15 years
	%	%	%
Very active	58.1	55.3	32.3
Active	41.9	42.6	53.2
Not very active	-	2.1	14.5
Not at all active	-	-	-
<b>Total</b>	100.0	100.0	100.0

**Table 5.42: Level of physical activity in children, by age group - Brisbane**

<b>Brisbane</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	57.7	47.6	34.7
Active	42.3	47.6	51.0
Not very active	-	4.8	10.2
Not at all active	-	-	4.1
<b>Total</b>	100.0	100.0	100.0

**Table 5.43: Level of physical activity in children, by age group - Canberra**

<b>Canberra</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	58.1	46.8	32.3
Active	41.9	42.6	52.3
Not very active	-	6.4	15.4
Not at all active	-	4.3	-
<b>Total</b>	100.0	100.0	100.0

**Table 5.44: Level of physical activity in children, by age group - Darwin**

<b>Darwin</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	81.3	60.9	33.3
Active	18.8	26.1	49.1
Not very active	-	13.0	14.0
Not at all active	-	-	3.5
<b>Total</b>	100.0	100.0	100.0

**Table 5.45: Level of physical activity in children, by age group - Gladstone**

<b>Gladstone</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	80.0	63.8	38.8
Active	20.0	32.8	50.7
Not very active	-	3.4	10.4
Not at all active	-	-	-
<b>Total</b>	100.0	100.0	100.0

**Table 5.46: Level of physical activity in children, by age group - Hobart**

<b>Hobart</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	72.7	67.4	42.1
Active	27.3	30.2	40.4
Not very active	-	-	15.8
Not at all active	-	2.3	1.8
<b>Total</b>	100.0	100.0	100.0

**Table 5.47: Level of physical activity in children, by age group - Launceston**

<b>Launceston</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	91.7	80.0	48.8
Active	8.3	20.0	41.5
Not very active	-	-	9.8
Not at all active	-	-	-
<b>Total</b>	100.0	100.0	100.0

**Table 5.48: Level of physical activity in children, by age group - Melbourne**

<b>Melbourne</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	80.0	52.5	45.7
Active	20.0	45.0	47.8
Not very active	-	2.5	4.3
Not at all active	-	-	2.2
<b>Total</b>	100.0	100.0	100.0

**Table 5.49: Level of physical activity in children, by age group - Perth**

<b>Perth</b>	<b>2-4 years</b>	<b>5-9 years</b>	<b>10-15 years</b>
	<b>%</b>	<b>%</b>	<b>%</b>
Very active	71.0	64.1	33.3
Active	25.8	35.9	54.4
Not very active	3.2	-	10.5
Not at all active	-	-	1.8
<b>Total</b>	100.0	100.0	100.0

**Table 5.50: Level of physical activity in children, by age group - Sydney**

Sydney	2-4 years	5-9 years	10-15 years
	%	%	%
Very active	53.3	61.0	43.8
Active	43.3	36.6	39.6
Not very active	-	2.4	16.7
Not at all active	3.3	-	-
<b>Total</b>	100.0	100.0	100.0

The following section shows the results of the question asking about time spent doing organised sport outside. Table 5.51 shows the proportion of children, by age group, who were reported to participate in organised sport outside. In nearly all instances the proportion of children being involved in organised sport outside increased with the age of the children. Rates in very young children, aged 2 to 4 years, were around 25% or less. The rates across cities were variable due to the sample size in these age groups.

**Table 5.51: Proportion of children active at organised sport outdoors, by age group and city**

Proportion of children active at organised sport outdoors	2-4 years	5-9 years	10-15 years
	%	%	%
Adelaide	3.3	42.6	59.7
Brisbane	19.2	33.3	67.3
Canberra	16.1	53.2	60.0
Darwin	25.0	51.1	61.4
Gladstone	8.6	43.9	47.8
Hobart	4.5	33.3	62.5
Launceston	-	30.6	48.8
Melbourne	20.0	57.5	64.4
Perth	16.1	47.5	53.4
Sydney	23.3	53.7	49.0

The mean times spent at organised sport outdoors by those children who were reported above as being active are shown in Table 5.52. The times for the youngest age group are highly variable due to the small numbers of this age group who were active. For the older age groups there is a consistency across cities in the time spent being active in organised sport outside, although reported times were higher in

Launceston. In general, about five hours per week were spent by participating children aged 10 to 15 years in organised sport outside.

**Table 5.52: Time spent by children being active at organised sport outdoors, by age group and city**

Mean time spent doing organised sport outdoors (hours)	2-4 years	5-9 years	10-15 years
Adelaide	-	5.7	5.3
Brisbane	7.7	3.5	5.4
Canberra	1.2	2.6	4.3
Darwin	6.5	4.0	4.5
Gladstone	7.5	3.9	4.4
Hobart	-	3.5	4.9
Launceston	-	5.9	8.7
Melbourne	2.1	4.4	4.7
Perth	2.1	4.2	5.2
Sydney	2.1	3.7	4.0

## **CHAPTER 6: ENVIRONMENTAL EXPOSURES OUTDOORS**

## 6.1 Time spent outdoors during the day

The time spent outdoors by the age groups represented by this study is shown in the following graphs. Each age group is represented by a line that traces the length of time spent outdoors in three hour periods across the entire day.

There are notable differences between age groups, and geographic regions, in the time spent outdoors. The most apparent patterns are explained below. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

### Age groups

- People aged 60 years and over spent the highest proportion of their time outdoors in the morning. The period between 9 am and midday was a period of outdoor activity in all locations.
- The peak time for the 5 to 14 year age group was mid afternoon, which corresponds with after school activities. The exceptions to this are the Tasmanian cities where the peak times for this age group are in the middle of the day.
- The 0 to 4 year age group had a bimodal distribution in most centres, with peaks in the morning and late afternoon and generally a less active period outdoors at midday.

### Geographic regions

- The most northerly location samples (Darwin and Gladstone) did not show distributions in summer that are substantially different from southern cities.
- Launceston showed activity times that are biased toward morning and midday, with activity tapering off toward afternoon and evening. This pattern was less pronounced in Hobart.
- Locations in mid latitudes, where the majority of the population resided, tended to be characterised by the 60 years and over age group being outdoors in the morning, the 5 to 25 year ages being outdoors in the afternoon, and the 0 to 4 year age group having peaks of activity in the morning and mid afternoon with a period indoors at midday.



The patterns of activity reported for the alternative day, being the day before yesterday, are substantially similar to the patterns described above.


Patterns of time spent outdoors breathing heavily represent a fraction of the time reported outdoors, and as such are substantially lower. The times at which these activities occur reflect the patterns of total activity outdoors. In all locations, the 5 to 14 years age group spent the most time across the day outdoors breathing heavily.

### 6.1.1 Time spent outdoors - Adelaide


Outdoor activity in Adelaide was characterised by the 5 to 14 year olds being the most active, and this activity peaking in the mid afternoon (Figure 6.1 to Figure 6.4). The figures for yesterday (Figure 6.1) show peak activities outdoors through the middle of the day (peak UV times) whereas those for the day before yesterday (Figure 6.3) show an avoidance of this time by the 0 to 4 years age group.

Activity outdoors while breathing heavily was highest in the 5 to 14 years age group and was minimal in the 60 years and over age group.


**Figure 6.1: Time spent outdoors yesterday, by time of day - Adelaide**




**Figure 6.2: Time spent outdoors yesterday breathing heavily, by time of day - Adelaide**



**Figure 6.3: Time spent outdoors the day before yesterday, by time of day - Adelaide**




**Figure 6.4: Time spent outdoors the day before yesterday breathing heavily, by time of day - Adelaide**




### 6.1.2 Time spent outdoors - Brisbane

Outdoor activity in Brisbane was characterised by older people being active in the morning and 5 to 14 year olds being active in the late afternoon (Figure 6.5 to Figure 6.8). The 0 to 4 year age group showed a bimodal distribution of morning and late afternoon time spent outdoors.


**Figure 6.5: Time spent outdoors yesterday, by time of day - Brisbane**




**Figure 6.6: Time spent outdoors yesterday breathing heavily, by time of day - Brisbane**



**Figure 6.7: Time spent outdoors the day before yesterday, by time of day - Brisbane**




**Figure 6.8: Time spent outdoors the day before yesterday breathing heavily, by time of day - Brisbane**




### 6.1.3 Time spent outdoors - Canberra

Outdoor activity in Canberra was characterised by older people being active in the morning, the 5 to 14 years age group most active in the afternoon, and an avoidance of midday exposure by the 0 to 4 years age group (Figure 6.9 to Figure 6.12).


**Figure 6.9: Time spent outdoors yesterday, by time of day - Canberra**




**Figure 6.10: Time spent outdoors yesterday breathing heavily, by time of day - Canberra**



**Figure 6.11: Time spent outdoors the day before yesterday, by time of day - Canberra**




**Figure 6.12: Time spent outdoors the day before yesterday breathing heavily, by time of day - Canberra**




### 6.1.4 Time spent outdoors - Darwin

Outdoor activity in Darwin was characterised by bimodal distribution in the 0 to 4 years and 60 years and over age groups where there was outdoor activity both in the morning and late afternoon (Figure 6.13 to Figure 6.16). The 5 to 14 years age group were less active in the morning but very active in the afternoon.

**Figure 6.13: Time spent outdoors yesterday, by time of day - Darwin**




**Figure 6.14: Time spent outdoors yesterday breathing heavily, by time of day - Darwin**






**Figure 6.15: Time spent outdoors the day before yesterday, by time of day - Darwin**




**Figure 6.16: Time spent outdoors the day before yesterday breathing heavily, by time of day - Darwin**




### 6.1.5 Time spent outdoors - Gladstone

Outdoor activity in Gladstone was characterised in the 60 years and over age group by morning activity and less outdoor activity as the day progressed (Figure 6.17 to Figure 6.20). Again, young people aged 5 to 14 years spent more time outdoors in the afternoon than at other times of the day.


**Figure 6.17: Time spent outdoors yesterday, by time of day - Gladstone**




**Figure 6.18: Time spent outdoors yesterday breathing heavily, by time of day - Gladstone**



**Figure 6.19: Time spent outdoors the day before yesterday, by time of day - Gladstone**




**Figure 6.20: Time spent outdoors the day before yesterday breathing heavily, by time of day - Gladstone**




### 6.1.6 Time spent outdoors - Hobart

The peak times for outdoor activity in Hobart was early afternoon for all age groups, with the exception of the 60 years and over age group who were most active in the morning (Figure 6.21 to Figure 6.24). Outdoor activity while breathing heavily was quite high in the 5 to 14 years age group when compared with other age groups.


**Figure 6.21: Time spent outdoors yesterday, by time of day - Hobart**




**Figure 6.22: Time spent outdoors yesterday breathing heavily, by time of day - Hobart**



**Figure 6.23: Time spent outdoors the day before yesterday, by time of day - Hobart**




**Figure 6.24: Time spent outdoors the day before yesterday breathing heavily, by time of day - Hobart**




### 6.1.7 Time spent outdoors - Launceston

Outdoor activity in Launceston declined from morning/midday for all age groups (Figure 6.25 to Figure 6.28). Activity whilst breathing heavily peaked for the 5 to 14 years age group in the middle of the day and was less frequent after school hours.


**Figure 6.25: Time spent outdoors yesterday, by time of day - Launceston**




**Figure 6.26: Time spent outdoors yesterday breathing heavily, by time of day - Launceston**



**Figure 6.27: Time spent outdoors the day before yesterday, by time of day - Launceston**




**Figure 6.28: Time spent outdoors the day before yesterday breathing heavily, by time of day - Launceston**




### 6.1.8 Time spent outdoors - Melbourne

Outdoor activity in Melbourne was characterised by older people being active in the morning and the 5 to 14 year age group being active in the late afternoon (Figure 6.29 to Figure 6.32). Peak activity whilst breathing heavily also occurred in the 5 to 14 year age group in the mid afternoon.

**Figure 6.29: Time spent outdoors yesterday, by time of day - Melbourne**




**Figure 6.30: Time spent outdoors yesterday breathing heavily, by time of day - Melbourne**






**Figure 6.31: Time spent outdoors the day before yesterday, by time of day - Melbourne**




**Figure 6.32: Time spent outdoors the day before yesterday breathing heavily, by time of day - Melbourne**




### 6.1.9 Time spent outdoors - Perth

Outdoor activity in Perth was characterised by the 0 to 4 year age group being most active of all age groups in the morning and mid afternoon but avoiding midday exposure (Figure 6.33 to Figure 6.36). This age group also spent considerable time outdoors breathing heavily in the morning and mid afternoon.


**Figure 6.33: Time spent outdoors yesterday, by time of day - Perth**




**Figure 6.34: Time spent outdoors yesterday breathing heavily, by time of day - Perth**



**Figure 6.35: Time spent outdoors the day before yesterday, by time of day - Perth**




**Figure 6.36: Time spent outdoors the day before yesterday breathing heavily, by time of day - Perth**




### 6.1.10 Time spent outdoors - Sydney

Outdoor activity in Sydney was characterised by older people being active in the morning and the 5 to 14 year age group being active in the late afternoon (Figure 6.37 to Figure 6.40).


**Figure 6.37: Time spent outdoors yesterday, by time of day - Sydney**




**Figure 6.38: Time spent outdoors yesterday breathing heavily, by time of day - Sydney**



**Figure 6.39: Time spent outdoors the day before yesterday, by time of day - Sydney**



**Figure 6.40: Time spent outdoors the day before yesterday breathing heavily, by time of day - Sydney**




## 6.2 Time spent in transport

Respondents were asked about the time they spent yesterday in a range of vehicles. These varied from private modes of transport, such as a car or pushbike, to public transport options. The data presented are the mean times across all the individuals in the sample. This was done even though some modes of transport were reported as being used by only one or two respondents, as reporting times for users alone would distort the results and indicate greater transport use than actual. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

### 6.2.1 Time spent in a car

The first question asked about time spent yesterday in a car. The results shown in Figure 6.41 indicate that car use was fairly consistent across the nation at between an hour and an hour and a half for most age groups and cities. In general, car use was higher for the 15 to 25 years age group, who are perhaps the more mobile age group sampled here.

**Figure 6.41: Time spent in a car in previous day, by age group**

### 6.2.2 Median year of manufacture of car

Following the report of the time spent in a car yesterday was a question regarding the year of manufacture of the car. The results are presented in Table 6.1.

No one city stands out as having newer, or older, cars than other cities. There is no clear pattern of difference between age groups in the age of the cars used.

The 15 to 25 years age group drive, or are driven in, the oldest cars. This is only by a few years, but may indicate independent young people using a cheaper car for transport.

**Table 6.1: Median year of manufacture of car, by age group**


Median year of manufacture	0-4 years	5-14 years	15-25 years	60+ years
Adelaide	1995	1996	1991	1993
Brisbane	1994	1993	1995	1995
Canberra	1994	1996	1992	1996
Darwin	1996	1996	1996	1995
Gladstone	1995	1996	1996	1994
Hobart	1995	1994	1989	1994
Launceston	1995	1994	1992	1995
Melbourne	1993	1998	1990	1995
Perth	1997	1996	1995	1996
Sydney	1999	1996	1994	1993



### 6.2.3 Time spent in a bus

The first of the public transport modes in the questionnaire was time spent in a bus on the previous day. Figure 6.42 shows the time spent by age groups and cities. The greatest average time spent on a bus was in Canberra, Sydney, and Melbourne.


**Figure 6.42: Time spent in a bus in previous day, by age group**



## 6.2.4 Time spent in a train

Train transport was used mainly by the 15 to 25 year old age group. Figure 6.43 shows that average train travel times were greatest in Sydney.


**Figure 6.43: Time spent in a train in previous day, by age group**



### 6.2.5 Time spent in a tram

Trams were indicated as being a source of public transport in Adelaide and Melbourne only (Figure 6.44). The 15 to 25 years age group were the greatest users of trams.


**Figure 6.44: Time spent in a tram in previous day, by age group**



### 6.2.6 Time spent on a ferry

Ferry use was reported in Brisbane, Hobart, Melbourne, and Sydney (Figure 6.45), with the greatest use being in Hobart.


**Figure 6.45: Time spent on a ferry in previous day, by age group**



### 6.2.7 Time spent in a truck

Time spent in a truck was rarely recorded (Figure 6.46).


**Figure 6.46: Time spent in a truck in previous day, by age group**



### 6.2.8 Time spent on a motorbike/scooter

Mean time spent on a motorbike or scooter was low when averaged across all respondents in the sample (Figure 6.47).

**Figure 6.47: Time spent on a motorbike/scooter in previous day, by age group**




### 6.2.9 Time spent on a pushbike

Pushbike use was reported at substantial levels by the 5 to 14 years age group, for whom this is a popular mode of transport (Figure 6.48). There was also large use of pushbikes by the 0 to 4 years age group. The cities with the highest reported use in these age groups were the northern cities of Darwin and Gladstone and the southern cities of Hobart and Launceston.

Average times spent on a pushbike were relatively low in the 15 to 25 year age group, who already reported relatively high car use. Use of a pushbike was lowest in Adelaide and Brisbane.

**Figure 6.48: Time spent on a pushbike in previous day, by age group**




### 6.2.10 Time spent in medium/heavy traffic

Time spent in medium to heavy traffic is shown in Figure 6.49. There were notable differences between cities, with respondents from the major population centres reporting higher times than in the smaller centres Darwin, Gladstone, Hobart, and Launceston.

The pattern of time spent in traffic by age groups is less clear. The 0 to 4 years age group was consistent between cities. The 5 to 14 years age group was highest in Adelaide, Melbourne, and Sydney.

**Figure 6.49: Time spent in medium/heavy traffic, by age group**





### 6.2.11 Exposure at service station yesterday

Respondents were asked if they had visited a service station during the previous day. The results in Table 6.2 show that the 15 to 25 year age group was most likely to have visited a service station. This concurs with their higher use of cars as shown in Figure 6.41. More frequent visits can perhaps best be explained by greater distances travelled, but this does not appear to be associated with large cities. Smaller centres such as Launceston also demonstrate frequent service station use, which may reflect considerable rural travel as well as urban.

**Table 6.2: Visit to service station yesterday, by age group**

Service station	0-4 years %	5-14 years %	15-25 years %	60+ years %
Adelaide	6.8	10.4	40.0	11.1
Brisbane	5.0	6.0	28.6	17.0
Canberra	11.1	12.6	28.4	13.3
Darwin	17.0	4.4	20.5	12.2
Gladstone	11.5	8.8	17.0	18.3
Hobart	9.5	14.6	33.7	6.0
Launceston	26.5	12.7	34.8	14.1
Melbourne	2.6	5.0	37.2	8.9
Perth	2.6	14.5	21.3	11.0
Sydney	9.8	3.7	33.7	10.4

### 6.2.12 Exposure at enclosed car park yesterday

Enclosed car park use in the previous day is shown in Table 6.3. There were high rates in centres where this use would perhaps not be expected to be high, such as Darwin.

**Table 6.3: Visit to enclosed car park yesterday, by age group**

Enclosed car park	0-4 years %	5-14 years %	15-25 years %	60+ years %
Adelaide	2.2	5.2	15.2	7.6
Brisbane	10.0	3.6	15.4	11.5
Canberra	15.6	7.4	24.5	23.2
Darwin	19.1	7.9	17.2	24.4
Gladstone	7.7	1.8	18.2	11.3
Hobart	21.4	10.1	10.9	7.7
Launceston	8.8	2.9	8.6	2.2
Melbourne	5.1	5.0	6.9	7.9
Perth	10.5	-	19.1	4.3
Sydney	7.3	8.8	25.6	13.4

### 6.2.13 Present when petrol engine garden tools used

The use of petrol engine garden tools in the previous week while the respondent was present is shown in Table 6.4. As these data represent one week, there is a weekend included in every response. The opportunity for petrol engine garden tools to be used is therefore high. These results show that substantial proportions of age groups who were too young to use the tools themselves were present when the tools were being used.

**Table 6.4: Present when petrol engine garden tools used, by age group**


Petrol engine garden tools	0-4 years %	5-14 years %	15-25 years %	60+ years %
Adelaide	22.2	25.3	16.2	25.7
Brisbane	7.5	18.1	30.8	29.9
Canberra	13.3	8.4	15.6	21.7
Darwin	41.3	22.5	35.6	43.9
Gladstone	7.5	7.1	11.4	9.9
Hobart	19.0	23.6	27.2	23.1
Launceston	24.2	32.9	30.0	41.9
Melbourne	15.4	8.9	16.3	16.8
Perth	18.4	18.3	21.1	27.5
Sydney	22.0	17.5	18.6	20.8

### 6.2.14 Time present when petrol engine garden tools used

Of those respondents who indicated in Table 6.4 above that they were present when petrol engine garden tools were in use, the mean times that the tools were in use are shown in Figure 6.50.

The greatest time spent exposed to the emissions were generally by the age groups who could be expected to be operating the tools i.e. adults. Petrol engine garden tools were most often in use by people aged 60 years or over in Gladstone with a high rate also in Hobart. High rates were also evident for 15 to 25 year old respondents in Sydney and Melbourne.

**Figure 6.50: Time present when petrol engine garden tools used, by age group**



## **CHAPTER 7: ENVIRONMENTAL EXPOSURE INDOORS**

## 7.1 Introduction

Exposure to a range of substances that affect indoor air quality are investigated in this section. These substances fall into general categories that are defined as indoor air fresheners, heating and cooking sources, volatile chemicals, and sundry items such as leaving windows open. These questions were asked of all respondents, and the results are expressed as proportions of respondents who were exposed yesterday, and in some categories the length of time of exposure as well. For the sample sizes used for each different age group, in each city, please refer to Table 3.1.

### 7.1.1 Use of indoor air fresheners

The use of room fresheners or sprays in the previous day is shown in Table 7.1. Rates varied from 21.7% in Sydney to 35.2% in Canberra. The overall rate fell midway between these rates and most cities were close to the overall rate.

**Table 7.1: Use of room fresheners or sprays, by city**

Use of room fresheners or sprays	Households %
Adelaide	31.0
Brisbane	29.5
Canberra	35.2
Darwin	31.8
Gladstone	33.6
Hobart	30.3
Launceston	30.1
Melbourne	23.9
Perth	28.2
Sydney	21.7
<b>Overall</b>	<b>29.6</b>

The overall rate of use of bathroom or toilet bowl deodorisers was just less than 40% (Table 7.2). Most cities were very close to this figure. The range of rates was from 33.0% in Darwin to 47.8% in Perth.

**Table 7.2: Use of bathroom or toilet bowl deodorisers, by city**

Use of bathroom or toilet bowl deodorisers	Households %
Adelaide	35.6
Brisbane	40.1
Canberra	36.1
Darwin	33.0
Gladstone	41.7
Hobart	36.2
Launceston	35.7
Melbourne	42.5
Perth	47.8
Sydney	43.1
<b>Overall</b>	<b>39.1</b>

Humidifiers use was very low in February as shown by Table 7.3.

**Table 7.3: Use of humidifiers, by city**

Use of humidifiers	Households %
Adelaide	0.3
Brisbane	-
Canberra	0.9
Darwin	0.4
Gladstone	-
Hobart	0.6
Launceston	1.1
Melbourne	1.0
Perth	0.7
Sydney	0.3
<b>Overall</b>	<b>0.5</b>

Just less than half of the sample reported no use of the indoor air fresheners. These results are shown in Table 7.4.

**Table 7.4: None of these indoor air fresheners used, by city**

None of these indoor air fresheners used yesterday	Households %
Adelaide	47.2
Brisbane	45.0
Canberra	43.7
Darwin	49.2
Gladstone	42.0
Hobart	48.8
Launceston	45.9
Melbourne	46.7
Perth	38.9
Sydney	47.4
<b>Overall</b>	<b>45.5</b>



### 7.1.2 Use of indoor heating/cooling methods

A range of indoor heating/cooling methods was reported on. Some of these, such as wood combustion, could produce emissions that would affect air quality in the home, whereas others like electricity would not pollute through combustion. The range of heating/cooling methods and the proportions of houses using them during summer are shown in Table 7.5 to Table 7.8, followed by the length of time these methods were used in the previous day shown in Figure 7.1 to Figure 7.10.

As expected in summer, there was little use of indoor heating. Air conditioner use reported here would almost surely reflect cooling only. Firstly, wood combustion heater use (Table 7.5) was only reported in less than one percent of households in Launceston and Sydney.

**Table 7.5: Use of wood combustion heaters, by city**

Use of wood combustion heaters	Households %
Adelaide	-
Brisbane	-
Canberra	-
Darwin	-
Gladstone	-
Hobart	-
Launceston	0.8
Melbourne	-
Perth	-
Sydney	0.3
<b>Overall</b>	0.1

Open fires were not reported to be in use in summer, as shown in Table 7.6.

**Table 7.6: Use of open fires, by city**

Use of open fires	Households %
Adelaide	-
Brisbane	-
Canberra	-
Darwin	-
Gladstone	-
Hobart	-
Launceston	-
Melbourne	-
Perth	-
Sydney	-
<b>Overall</b>	<b>0.0</b>

Use of gas heaters was reported in less than one percent of homes in Adelaide and Sydney, as shown in Table 7.7.

**Table 7.7: Use of gas heaters, by city**

Use of gas heaters	Households %
Adelaide	0.3
Brisbane	-
Canberra	-
Darwin	-
Gladstone	-
Hobart	-
Launceston	-
Melbourne	-
Perth	-
Sydney	0.7
<b>Overall</b>	<b>0.1</b>

The results reported for the use of air conditioners are shown in Table 7.8. The greatest use of air conditioners was reported in Darwin, which equates with the hotter climate in the far north of the country. There was an association in the other cities of

air conditioner use with humidity in summer, with drier cities Adelaide, Melbourne, and Perth having the next highest use. Humid cities, Brisbane, Gladstone, and Sydney, had less use of air conditioners. In Tasmania there was the lowest reported use of air conditioners in summer.

**Table 7.8: Use of air conditioners, by city**


Use of air conditioners	Households %
Adelaide	31.8
Brisbane	17.5
Canberra	22.6
Darwin	58.0
Gladstone	19.4
Hobart	8.2
Launceston	9.0
Melbourne	36.9
Perth	34.6
Sydney	23.7
<b>Overall</b>	<b>25.9</b>



### 7.1.3 Time spent using heaters/coolers by type



The time spent in the previous day using the various heating/cooling methods is shown for each city in Figure 7.1 to Figure 7.10. All graphs are scaled to the same number of hours to enable visual comparisons between cities. The results have been stratified by age groups however it should be noted that this is the age group of the respondents only and is not indicative of all ages present in the household.



The results show predictable patterns regarding the extent of use of heating/cooling, with heating not registering and cooling reflecting the climate in the city during summer. Most centres reported use of air conditioners for around four hours in the previous day. Higher usage was reported for Darwin and Gladstone, as would perhaps be expected considering their more northerly position. The highest usage however was reported for Perth, with between 4 and 11 hours of use depending on age group.



**Figure 7.1: Mean time spent using heaters or coolers, by type - Adelaide**




**Figure 7.2: Mean time spent using heaters or coolers, by type - Brisbane****Figure 7.3: Mean time spent using heaters or coolers, by type - Canberra**

**Figure 7.4: Mean time spent using heaters or coolers, by type - Darwin****Figure 7.5: Mean time spent using heaters or coolers, by type - Gladstone**

**Figure 7.6: Mean time spent using heaters or coolers, by type - Hobart****Figure 7.7: Mean time spent using heaters or coolers, by type - Launceston**

**Figure 7.8: Mean time spent using heaters or coolers, by type - Melbourne****Figure 7.9: Mean time spent using heaters or coolers, by type - Perth**



**Figure 7.10: Mean time spent using heaters or coolers, by type - Sydney**

### 7.1.4 Use of cooking methods

The survey questionnaire included questions on the use of kitchen cooking appliances, specifically the use of gas and electric ovens and cook tops. The following sections show the proportions of households surveyed that use each of these cooking appliances, and then the mean time each was in use on the day previous to the survey. The analyses are stratified by cities, and age groups where appropriate.

Table 7.9 shows the proportion of household reporting ownership of an electric cook top. Electric cook top ownership was highest in Tasmania, with Launceston and Hobart having ownership rates exceeding 83%. Rates were lowest in Adelaide, Melbourne, and Perth where fewer than 40% of households reported having electric cook tops. The overall rate was 59.1%.

**Table 7.9: Use of electric cook tops, by city**

Use of electric cook tops	Households %
Adelaide	36.7
Brisbane	71.9
Canberra	58.7
Darwin	72.3
Gladstone	71.3
Hobart	83.8
Launceston	85.3
Melbourne	23.9
Perth	31.6
Sydney	63.2
<b>Overall</b>	<b>59.1</b>

In contrast with electric cook tops above, gas cook tops showed the reverse pattern. Gas was most common in Adelaide, Melbourne, and Perth, as shown in Table 7.10. The overall rate of gas cook top ownership was 36.9%.

**Table 7.10: Use of gas cook tops, by city**

Use of gas cook tops	Households %
Adelaide	61.5
Brisbane	26.8
Canberra	34.0
Darwin	25.8
Gladstone	20.4
Hobart	6.8
Launceston	7.9
Melbourne	74.2
Perth	67.1
Sydney	37.2
<b>Overall</b>	<b>36.9</b>

Electric oven ownership was high, at an overall rate of 75.8% of households. Table 7.11 shows that again Hobart and Launceston have the highest ownership of electric kitchen appliances. The lowest rates were in Adelaide and Melbourne.

**Table 7.11: Use of electric ovens, by city**

Use of electric ovens	Households %
Adelaide	54.9
Brisbane	79.5
Canberra	81.9
Darwin	81.8
Gladstone	83.6
Hobart	93.5
Launceston	93.2
Melbourne	56.2
Perth	68.1
Sydney	71.4
<b>Overall</b>	<b>75.8</b>

Gas ovens were in highest use in Adelaide and Melbourne, with both exceeding 40% of households. Fewer than 10% of Tasmanian households have gas ovens. The overall rate, as shown in Table 7.12, was 23.2%.

**Table 7.12: Use of gas ovens, by city**

Use of gas ovens	Households
	%
Adelaide	44.9
Brisbane	19.5
Canberra	17.2
Darwin	17.0
Gladstone	14.8
Hobart	5.3
Launceston	4.9
Melbourne	43.1
Perth	30.6
Sydney	28.3
<b>Overall</b>	23.2


### 7.1.5 Time spent using cooking methods by type

The contrasts in the types of ovens and cook tops between Australian cities displayed in Section 7.1.4 does not follow through to the reported amount of time these appliances were used in the day prior to the survey. In general, the mean length of time spent using a cooking appliance varied between 20 and 50 minutes irrespective of the city. The results are explained along with the city graphs shown at Figure 7.11 to Figure 7.20.

In most cities there appeared to be greater time on average spent using cooking appliances in households where the respondent was aged 60 years and over than in other households.


Mean time spent using cooking appliances in Adelaide was greatest for all appliances in the 60 years and over age group. Gas appliances, although more common in Adelaide than electric appliances, were not used for greater time, as shown in Figure 7.11.

**Figure 7.11: Time spent using cooking methods, by type - Adelaide**




The use of cooking appliances in Brisbane shows a pattern consistent with other cities (Figure 7.12).

**Figure 7.12: Time spent using cooking methods, by type - Brisbane**




The use of cooking appliances in Canberra, shown in Figure 7.13, shows that the mean time each type was in use varied in general between 20 and 40 minutes in the previous day.

**Figure 7.13: Time spent using cooking methods, by type - Canberra**




In Darwin the mean times spent using any of the cooking appliance types ranged up to a maximum of around one hour (Figure 7.14).

**Figure 7.14: Time spent using cooking methods, by type - Darwin**




The extreme values shown in cooking times in Gladstone (Figure 7.15) may be the result of smaller sample sizes for these appliances and should be treated with caution.

**Figure 7.15: Time spent using cooking methods, by type - Gladstone**




The older age group in the survey from Hobart, aged 60 years or over, were predominantly greater users of cooking appliances than other households (Figure 7.16).

**Figure 7.16: Time spent using cooking methods, by type - Hobart**



A similar pattern in the use of electric appliances by the 60 years and over age group in Hobart above was revealed by the results for Launceston shown in Figure 7.17.


**Figure 7.17: Time spent using cooking methods, by type - Launceston**





In Melbourne, households where the respondent was aged 60 years or over were high users of cooking appliances (Figure 7.18).

**Figure 7.18: Time spent using cooking methods, by type - Melbourne**



Figures for use of cooking appliances in Perth show a substantial use of these appliances by the 60 years and over age group (Figure 7.19).

**Figure 7.19: Time spent using cooking methods, by type - Perth**





Figure 7.20 shows the mean times using electric and gas cooking appliances for Sydney.

**Figure 7.20: Time spent using cooking methods, by type - Sydney**



### 7.1.6 Use of volatile chemicals

This section presents the results from questions in the survey about the use of household products that may possibly release solvent or other fumes. These household products include volatile chemicals that passively enter the atmosphere, or that are expressed in the air by being sprayed. These chemicals are broadly grouped into glues, nail polish or removers, household cleaning sprays, household cleaning liquids other than dishwashing liquid, and paints.

The proportions of households using these chemicals in the day prior to the survey, or week prior in the case of paints, are shown in Table 7.13 to Table 7.17. These proportions are presented separately for each city surveyed. Following these tables are graphs presenting the mean amount of time spent using these chemicals, for each city.

The use of glue is shown in Table 7.13. The overall rate of use of glue in the previous day was 10.7% of households. Rates in surveyed cities were generally close to this figure although both Tasmanian cities were about half of this figure.

**Table 7.13: Use of glue, by city**

Use of glue yesterday	Households
	%
Adelaide	12.8
Brisbane	12.3
Canberra	13.0
Darwin	11.7
Gladstone	17.3
Hobart	5.0
Launceston	4.5
Melbourne	9.2
Perth	9.0
Sydney	11.5
<b>Overall</b>	<b>10.7</b>

Nail polish or remover use was reported in 4.9% of households overall, as shown in Table 7.14. Rates were considerably lower in Darwin and Melbourne and higher in Adelaide and Brisbane.

**Table 7.14: Use of nail polish or removers, by city**

Use of nail polish or removers yesterday	Households %
Adelaide	6.9
Brisbane	7.3
Canberra	4.2
Darwin	2.3
Gladstone	4.9
Hobart	4.1
Launceston	6.0
Melbourne	2.9
Perth	5.6
Sydney	3.6
<b>Overall</b>	<b>4.9</b>

The use of household cleaning sprays in the previous day was fairly consistent between cities, as shown in Table 7.15. The overall rate was 7.6% of households reporting use of household cleaning sprays.

**Table 7.15: Use of household cleaning sprays, by city**

Use of household cleaning sprays yesterday	Households %
Adelaide	6.2
Brisbane	9.3
Canberra	9.0
Darwin	6.1
Gladstone	5.6
Hobart	9.1
Launceston	6.0
Melbourne	8.8
Perth	7.3
Sydney	8.9
<b>Overall</b>	<b>7.6</b>

Overall reported use of household cleaning liquids, other than dishwashing liquid, was 6.2% of households. Table 7.16 shows the rate of use for these chemicals ranged between 4.2% and 10.5% of households.

**Table 7.16: Use of household cleaning liquids, by city**

Use of household cleaning liquids yesterday	Households %
Adelaide	5.9
Brisbane	6.6
Canberra	4.2
Darwin	5.3
Gladstone	6.5
Hobart	7.1
Launceston	10.5
Melbourne	4.2
Perth	7.3
Sydney	5.3
<b>Overall</b>	<b>6.2</b>

The survey questions asking about the use of paints, stains, and varnishes differed from the previous categories of chemicals by asking about use at any time in the week prior to the survey. The other chemicals were asked of only if used in the previous day. Table 7.17 shows that 14.7% of households used these paints sometime in the previous week. There was variation between cities in the rate of use of paints with the range of values being from 9.8% to 20.3%.

**Table 7.17: Use of paints, stains and varnishes in last week, by city**

Use of paints, stains and varnishes in last week	Households %
Adelaide	12.1
Brisbane	15.9
Canberra	12.9
Darwin	16.3
Gladstone	18.8
Hobart	12.6
Launceston	14.3
Melbourne	9.8
Perth	20.3
Sydney	15.5
<b>Overall</b>	<b>14.7</b>

### 7.1.7 Time spent using volatile chemicals, by type


The overall proportions of the sample that indicated the use of the following volatile chemicals were less than 10%. The usage times of these chemicals therefore come from very small numbers and would be expected to be quite variable as a result. The following graphs (Figure 7.21 to Figure 7.30) should therefore be treated with caution. It is difficult to draw firm conclusions from these graphs, however the patterns that are apparent will be briefly described.

In general, mean times for use of volatile chemicals are around 30 minutes to an hour in the previous day. In particular, nail polish or remover use appears to be in brief episodes of less than 30 minutes, whereas cleaning sprays and liquids are used for slightly longer periods. Glue use shows greater variation, which may indicate the wider range of activities that may be encompassed by use of this chemical.


Note should be made of the extreme values for Gladstone that are incongruous with the other cities. Other sections of the survey have shown similarly discrepant findings for Gladstone. The reasons for such differences are not immediately obvious. More investigation may need to take place to establish why Gladstone shows to have an individual character.

The time spent in the use of paints is presented at the end of this section.

The results for Adelaide (Figure 7.21) show moderate use of volatile chemicals of generally less than 30 minutes in the previous day. There was some more extensive use of glue in the 60 years and over age group.


**Figure 7.21: Time spent using volatile chemicals, by type - Adelaide**

Mean times for volatile chemical use in Brisbane, shown in Figure 7.22, are generally in the order for other centres, apart from a more extensive use of glue in the 15 to 25 years age group.


**Figure 7.22: Time spent using volatile chemicals, by type - Brisbane**

Use of volatile chemicals in Canberra was reported at levels of less than 30 minutes on the previous day, on average. These results are shown in Figure 7.23.



**Figure 7.23: Time spent using volatile chemicals, by type - Canberra**


Use of glue and cleaning sprays in Darwin (Figure 7.24) was generally in the order of that for most other centres.

**Figure 7.24: Time spent using volatile chemicals, by type - Darwin**

Patterns of use of volatile chemicals in Gladstone (Figure 7.25) were quite atypical. This applies mainly to the 15 to 25 years age group. These mean times were inexplicably high in relation to those found across other surveyed cities in Australia. The small sample who reported time using these chemicals can go part way to explaining the variance, but the consistency of results from the other cities suggests


that there is a unique feature of the Gladstone results that has not been detected in the survey.

**Figure 7.25: Time spent using volatile chemicals, by type - Gladstone**




There was a slight elevation in the reported time using cleaning sprays in Hobart, shown in Figure 7.26.


**Figure 7.26: Time spent using volatile chemicals, by type - Hobart**




Results for use of volatile chemicals in Launceston (Figure 7.27) show levels of 30 minutes in the previous day on average. This is consistent with findings in most of the surveyed cities.

**Figure 7.27: Time spent using volatile chemicals, by type - Launceston**


Cleaning products were reported used for similar periods of time in Melbourne compared with other centres, whereas glue and nail polish were less than for other centres (Figure 7.28).

**Figure 7.28: Time spent using volatile chemicals, by type - Melbourne**

Perth generally showed results consistent with the other cities (Figure 7.29).

**Figure 7.29: Time spent using volatile chemicals, by type - Perth**

The results for Sydney, shown in Figure 7.30, are lower than for other cities, being mainly for a mean of less than 30 minutes in the previous day.

**Figure 7.30: Time spent using volatile chemicals, by type - Sydney**

The time spent in the use of paints was recorded for the previous week, not the previous day as presented for the other volatile chemicals above. As a result there was a large range of values recorded. Respondents reported this time in days, hours, and/or minutes. These data were recoded into hours or part thereof.

The values ranged from 1 hour to 168 hours in the previous week. Nearly 65% of responses were for 1 hour only, making the data highly skewed. The median value was therefore considered to be the best measure for reporting, however when this analysis was conducted for each of the surveyed cities the median was found to be 1 hour. In consequence, it is not meaningful to present these data in tabular or graphical form.

The conclusion to be drawn from the data on time spent in the last week painting is that there was no detectable difference between the surveyed cities in the time spent in this activity.

### 7.1.8 Bedroom or main living area painted, varnished or had timber floors treated in past month

Questions were included in the survey to cover other common sources of smells, odours, fumes, or vapours that could be the source of irritation or ill health in the household. The data presented in Table 7.18 are for the proportion of households who reported that either bedrooms or the main living room had been painted in the previous month. These data differ from those on the use of paint by the respondent, shown in Table 7.17, in that the paint may have been applied when the respondent was not present.

The data in Table 7.18 show that the overall reported rate of painting of these rooms was 6.3% of households in the previous month. The rates for individual cities varied from 4.1% in Adelaide to 8.6% in Perth.

**Table 7.18: Bedroom or main living area painted, by city**

Bedroom or main living area painted in previous month	Households %
Adelaide	4.1
Brisbane	6.6
Canberra	6.3
Darwin	5.3
Gladstone	4.6
Hobart	8.2
Launceston	6.4
Melbourne	7.5
Perth	8.6
Sydney	5.3
<b>Overall</b>	<b>6.3</b>

### 7.1.9 Bedroom or main living area had new carpet in past month

New carpet installations were a matter of interest in this survey. The proportions of households that had new carpet installed in either bedrooms or the main living area in the last month are shown in Table 7.19. Overall, just over 1% of households had new carpet in these areas. There was little variation between cities in this rate.

**Table 7.19: Bedroom or main living area had new carpet, by city**

Bedroom or main living area had new carpet in previous month	Households %
Adelaide	-
Brisbane	1.0
Canberra	0.6
Darwin	0.8
Gladstone	1.5
Hobart	2.4
Launceston	1.5
Melbourne	2.3
Perth	0.3
Sydney	2.0
<b>Overall</b>	1.2

### 7.1.10 Windows or doors left open in house yesterday

Respondents were asked if windows or doors in the house had been left open at any time on the previous day. The results are shown in Table 7.20. Overall, a high proportion (92.4%) of households opened their house in this way on the day previous to the survey. Only two centres had less than 90% of households opening windows and doors, these being Gladstone and Melbourne. It can be concluded that there was not a regional difference in the rate at which houses were opened.

**Table 7.20: Windows or doors left open in house, by city**

Windows or doors left open yesterday	Households %
Adelaide	91.3
Brisbane	95.7
Canberra	92.5
Darwin	93.2
Gladstone	89.5
Hobart	96.5
Launceston	98.5
Melbourne	84.6
Perth	90.0
Sydney	92.8
<b>Overall</b>	<b>92.4</b>



### 7.1.11 Bothered by smoke from wood fires

A question in the survey asked about whether the respondent had, in the last week, been bothered by smoke from wood fires.

The results on being bothered by smoke from wood fires are shown in Table 7.21, stratified by city. The overall rate of being bothered by smoke was 9.0% of respondents. The highest rates were reported in Hobart and Melbourne. At the time there was little use of wood fires for heating, as reported earlier in this report, so an immediate explanation for the phenomenon is not possible. The experience of smoke in these cities may be associated with forestry.

**Table 7.21: Bothered by smoke from wood fires, by city**

Smoke from wood fires	Households %
Adelaide	2.3
Brisbane	6.0
Canberra	5.7
Darwin	0.8
Gladstone	3.1
Hobart	17.6
Launceston	7.5
Melbourne	27.8
Perth	9.0
Sydney	10.9
<b>Overall</b>	<b>9.0</b>

### 7.1.12 Mould growing on inside walls

Reports of mould growing on inside walls of the respondent's house are shown in Table 7.22. Overall, 13.9% of households reported mould growing on inside walls. Darwin reported the highest rate of mould on inside walls, with Gladstone and Launceston also high.

**Table 7.22: Mould growing on inside walls, by city**

<b>Mould grows on inside walls</b>	<b>Households %</b>
Adelaide	12.1
Brisbane	12.9
Canberra	13.2
Darwin	27.7
Gladstone	17.0
Hobart	10.0
Launceston	16.2
Melbourne	10.5
Perth	11.0
Sydney	11.5
<b>Overall</b>	<b>13.9</b>

Those households reporting mould on inside walls were further asked in which rooms this mould occurred. These results are shown in Table 7.23. The room most reported to have mould was the bathroom, with 71.9% of homes with mould having it growing in this room. The only other room to have substantial reports of mould was the bedroom.

**Table 7.23: Rooms with mould on walls, by type of room**

<b>Rooms with mould on walls</b>	<b>Households %</b>
Bathroom	71.9
Bedroom	30.9
Living room	11.7
Kitchen	7.8
Toilet	6.8
Dining room	6.1
Other	8.5

### 7.1.13 Nature of dwelling

The survey asked two questions about the dwelling in which the respondent lived. The questions concerned the type of dwelling it was, and the nature of its construction. These results are shown in Table 7.24 and Table 7.25.

The majority of respondents (89.1%) reported living in a detached house (Table 7.24).

**Table 7.24: Nature of dwelling**

Nature of dwelling	Households
	%
Detached house	89.1
Attached house	5.8
Flat or apartment	4.6
Mobile home	0.1
Other	0.4
<b>Total</b>	100.0

The main building material of dwellings was reported to be brick, with over 70% of respondents living in a brick house (Table 7.25).

**Table 7.25: Building material used for dwelling**

Building material	Households
	%
Brick	71.1
Timber	15.7
Other	7.8
Concrete	3.8
Plywood	1.3
Don't know	0.2
<b>Total</b>	100.0

### 7.1.14 Direct access to house from under-roof garage

Respondents were asked further about the house in which they live, in particular whether there was direct access from an under-roof garage into the house. The results are presented in Table 7.26.

Overall, 25.0% of household have such a garage connected to the house. This rate is substantially higher in Queensland, with over 40% of respondents in Brisbane and Gladstone reporting access to the house from an under-roof garage.

**Table 7.26: Direct access to house from under-roof garage, by city**

Direct access to house from under-roof garage	Households %
Adelaide	17.7
Brisbane	42.7
Canberra	16.6
Darwin	22.7
Gladstone	44.4
Hobart	16.2
Launceston	18.8
Melbourne	18.9
Perth	23.6
Sydney	29.6
<b>Overall</b>	<b>25.0</b>

### 7.1.15 Live within 100m of a busy 4-lane road or highway

The effects of traffic fumes and noise were assessed by measuring the proportions of households in each city that live within 100m of a busy 4-lane road or highway. As expected, the smaller centres that are not capital cities were lower than the overall figure of 21.0% of households. Canberra was also low at 15.7%. The highest rates of living near a busy road or highway were in Adelaide, and Melbourne, which were both at around 28% of households.

**Table 7.27: Live close to highway, by city**

Live close to highway	Households
	%
Adelaide	27.7
Brisbane	20.3
Canberra	15.7
Darwin	23.5
Gladstone	19.8
Hobart	16.5
Launceston	12.4
Melbourne	28.8
Perth	21.6
Sydney	22.7
<b>Overall</b>	<b>21.0</b>



## REFERENCES

1. Taylor A, Kenny B., Starr G, Avery J. *Time Activity Study I – Winter 2002*. 2003 Centre for Population Studies in Epidemiology, South Australian Department of Human Services.
2. National Environment Protection Council Service Corporation (2002): *Consultancy Brief – Time Activity Study*.
3. World Health Organisation (2000): *Obesity: Preventing and Managing the Global Epidemic*. World Health Organisation. Geneva.
4. *Risk Factor Prevalence Study: Survey no 3* (1989). National Heart Foundation of Australia
5. AIHW (2002): *2001 National Drug Household Survey: detailed results*. AIHW Catalogue number PHE 41. Canberra: AIHW (Drug Statistics Series No. 11).
6. Cole T, Bellizzi M, Flegal K, Dietz W (2000): Establishing A Standard Definition For Child Overweight And Obesity Worldwide: International Survey. *British Medical Journal*, 320: 1-6.



## **APPENDIX 1: LETTER OF INVITATION**



NEPC Service Corporation  
Level 5, 81 Flinders Street  
Adelaide SA 5000

Telephone 08 8419 1200  
Facsimile 08 8224 0912

12 August 2002

[Eec@ephc.gov.au](mailto:Eec@ephc.gov.au)  
[www.ephc.gov.au](http://www.ephc.gov.au)

Dear Householder

I am writing to seek your assistance in an important general health and well-being survey in relation to environmental issues being conducted by the Environmental Protection and Heritage Council. The Council, together with the National Environment Protection Council, is responsible for developing air quality standards for the protection of health in Australia.

The Council has contracted the Centre for Population Studies in Epidemiology at the South Australian Department of Human Services, to conduct this survey.

Should you be able to assist us, one of our interviewers will be contacting you in the next couple of weeks to conduct a telephone interview. This interview will take approximately 10 to 15 minutes. **All information collected will be confidential.** This research aims to bring benefits to the community by increasing our understanding of community health and the extent of any concerns and about environmental health issues.

If you have any queries about the survey or if you do not wish to participate, please contact Anne Taylor, Programme Co-ordinator on **1800 635 352**.

Yours faithfully

**Dr B.P. Kennedy**  
Executive Officer

## **APPENDIX 2: QUESTIONNAIRE**

# NATIONAL ENVIRONMENTAL SURVEY

**Summer - January 2003**

*(For Interviewer's initial information from Sample for Summer survey spreadsheet:*

*If Age ≥16 years, CATI programming to display **PHONE, FIRST NAME, AGE and SEX** of respondent then Go to DEM1*

*If Aged <16 years, CATI to display **CHILD'S NAME, AGE and SEX** as well as **RELATIONSHIP** to child & (if available) **FIRST NAME** of person who answered questions for that child respondent then Go to DEM1)*

## TIME OF SURVEY

**DEM1** Enter Year

(Single Response. Enter 9999 if not stated)

1. Enter Year                      - - - -

**DEM2** Enter month

(Single Response)

- |                |       |
|----------------|-------|
| 1. January     | [   ] |
| 2. February    | [   ] |
| 3. March       | [   ] |
| 4. April       | [   ] |
| 5. May         | [   ] |
| 6. June        | [   ] |
| 7. July        | [   ] |
| 8. August      | [   ] |
| 9. September   | [   ] |
| 10. October    | [   ] |
| 11. November   | [   ] |
| 12. December   | [   ] |
| 13. Not stated | [   ] |

**DEM3** Enter day of the week

(Single Response)

- |               |       |
|---------------|-------|
| 1. Monday     | [   ] |
| 2. Tuesday    | [   ] |
| 3. Wednesday  | [   ] |
| 4. Thursday   | [   ] |
| 5. Friday     | [   ] |
| 6. Saturday   | [   ] |
| 7. Sunday     | [   ] |
| 8. Not stated | [   ] |

**DEM4** Enter date (Single Response)

- |               |       |
|---------------|-------|
| 1. Enter Date | _____ |
| 2. Not stated | [   ] |

## INTRODUCTION

Sequence guide:

If "First Name" is available from spreadsheet Go to Q1  
If "First Name" not available from spreadsheet Go to Q3

**1 Hello, May I speak to [name]?**

(Single Response)

- |    |   |      |
|----|---|------|
| 1. |   | Yes[ |
|    | ] |      |
| 2. |   | No[  |
|    | ] |      |

Sequence guide:

If Q1 = 1 Go to Q2

If Q1 = 2 Either: a) Get the person, clarify first name, and Go to Q2  
b) Make an appointment to call back later (within 24 hours)

**2 My name is ..... calling again on behalf of the National Environment Protection Council, a government body involved with health and the environment.**

**We spoke to you around September last year regarding your health, and you said that you would be able to participate in a follow up interview. We would now like to ask you the questions again about your health at this time of year. Are you available for an interview now?**

(Single Response)

- |                 |       |
|-----------------|-------|
| 1 Available     | [   ] |
| 2 Not Available | [   ] |

Sequence guide:

If Q2 = 1 Go to A.

If Q2= 2 Make an appointment to call back later (within 24 hours)

**3 Hello, My name is ..... calling again on behalf of the National Environment Protection Council, a government body involved with health and the environment. May I speak to the [relationship to] of [child's name /child in the household of age N]?**

(Single Response)

- 1 Yes [ ]  
2 No [ ]

Sequence guide:

If Q3 = 1 clarify person is same as mentioned in initial information, Go to Q4

If Q3 = 2 Either: a) Get the person clarify first name, and Go to Q4  
b) Make an appointment to call back later (within 24 hours)

- 4 We spoke with you around September last year regarding the health of [child's name], and you said that you would be able to participate in a follow up interview. We would now like to ask you the questions again about your health at this time of year. Are you available for an interview now?**

(Single Response)

- 1 Available [ ]  
2 Not Available [ ]

Sequence guide:

If Q4= 1 Go to A.

If Q4= 2 Make an appointment to call back later (within 24 hours)

## A. INITIAL DEMOGRAPHICS

, Some of the questions that I will ask you will be the same questions that were asked in the last interview. We would like to see whether these things have changed because of the differences in weather at different times of the year, so please bear with us.

As some of the questions relate to certain groups of people only, could you please tell me your age / child's name's age.

### A.1 Age of respondent

(Single Response. Enter 9999 if not stated.)

1. Enter years [ ]  
2. Enter months [ ]  
3. Enter weeks [ ]  
4. Not stated [9999]

Sequence guide:

If QA.1 = 4 Go to QA.2

### A.2 Which age group [are you / is the person who was last to have a birthday] in? Would it be

(Read Options. Single Response.)

1. **0 to 2** [ ]  
2. **3 to 4** [ ]  
3. **5 to 14** [ ]  
4. **15 to 25** [ ]  
5. **60+** [ ]  
6. Not stated [ ]

## B. HEALTH CONDITIONS

### Confidentiality and assurance

I can assure you that information given will remain confidential. The answers from all people interviewed will be gathered together and presented in a report. No individual answers will be passed on.

Sequence guide:

If AGE ≤ 2 Go to NS

**A.3 [Have you / has *child's name*] ever been told by a doctor that [you have / he has / she has] asthma?**

(Single Response.)

- |               |     |
|---------------|-----|
| 1. Yes        | [ ] |
| 2. No         | [ ] |
| 3. Don't know | [ ] |

Sequence guide:

If QA.3= 2 Go to QA.5

If AGE < 16 Go to QA.5

**A.4 [Do you / does *child's name*] still have asthma?**

(Single Response.)

- |               |     |
|---------------|-----|
| 1. Yes        | [ ] |
| 2. No         | [ ] |
| 3. Don't know | [ ] |

**A.5 In the last month, how often, if at all, did [you/*child's name*] suffer from WHEEZING?**

(Read Options. Single Response)

- |                          |     |
|--------------------------|-----|
| 1. Daily or most days    | [ ] |
| 2. Once or twice a week  | [ ] |
| 3. Once or twice a month | [ ] |
| 4. Rarely or never       | [ ] |
| 5. Don't know / not sure | [ ] |

**A.6 [Have you / has *child's name*] ever been told by a doctor that [you have / he has / she has] any of the following respiratory problems that have lasted six months or more?**

(Read Options. Multiple Response.)

- |                         |     |
|-------------------------|-----|
| 1. Bronchitis           | [ ] |
| 2. Emphysema            | [ ] |
| 3. Chronic lung disease | [ ] |
| 4. None of the above    | [ ] |

Sequence guide:

If QA.6 = 4 & AGE ≥ 16 Go to QA.8

If QA.6 = 4 AGE < 16 Go to NS

**A.7 [Do you / does *child's name*] still have [these / this] other respiratory problem(s)?**

(Single Response.)

- |               |     |
|---------------|-----|
| 1. Yes        | [ ] |
| 2. No         | [ ] |
| 3. Don't know | [ ] |

Sequence guide:

If AGE < 16 Go to NS

**A.8 Have you ever been told by a doctor that you have any of the following conditions?**

(Read Options. Multiple Response.)

- |                      |     |
|----------------------|-----|
| 1. Heart attack      | [ ] |
| 2. Angina            | [ ] |
| 3. Heart disease     | [ ] |
| 4. Stroke            | [ ] |
| 5. None of the above | [ ] |

## B. SYMPTOMS OF ILL HEALTH

**B.1** During the last two weeks, have [you/child's name] experienced any of the following complaints or symptoms?

(Read Options. Multiple Response)

1. **Stuffy or runny nose** [ ]
2. **Sore or scratchy throat** [ ]
3. **Cough** [ ]
4. **Hay fever attacks** [ ]
5. **Headache** [ ]
6. **Diarrhoea** [ ]
7. **Nausea (felt sick but did not vomit)** [ ]
8. **Vomiting** [ ]
9. **Itching or burning eyes** [ ]
10. **Skin rashes, irritation or itching** [ ]
11. **Difficulty breathing** [ ]
12. **Disturbed sleep** [ ]
13. **None** [ ]

## C. HEIGHT AND WEIGHT - BODY MASS INDEX (BMI)

Sequence guide:

If Age < 2 Go to NS

**C.1** What is [your / child's name] height without shoes?

(Single Response. Enter 999 if not stated)

1. *Enter Centimetres* [ ]

OR

2. *Enter Feet : Inches* [ ]

3. **Don't know** [ ]

4. **Refused** [ ]

5. **Not stated** [999]

**C.2** What is [your / child's name] weight? (Undressed in the morning)

(Single Response. Enter 999 if not stated)

1. *Enter Kilograms (Kg)* [ ]

OR

2. *Enter Stones : Pounds* [ ]

3. **Don't know** [ ]

4. **Refused** [ ]

5. **Not stated** [999]

## D. ALCOHOL CONSUMPTION

Sequence guide:

If age < 18 Go to NS

The following questions are about drinking alcohol.

**D.1** How often do you usually drink alcohol?

(Single Response.)

1. **I don't drink alcohol** [ ]

2. **Less than once a week** [ ]

3. *Specify number of days per week* \_\_\_\_\_

4. **Refused** [ ]

Sequence guide:

If QD.1 = 1 Go to NS

**D.2** A Standard Drink is equivalent to a schooner or midi of full strength beer, a glass of wine or a nip of spirits. On a day when you drink alcohol, how many drinks do you usually have?

(Single Response.)

1. *Specify number drinks* \_\_\_\_\_

2. **Refused** [ ]

## E. SMOKING

The following question(s are/ is) about tobacco smoking. This includes cigarettes, cigars and pipes.

**E.1** Which of the following best describes [your /child's name's] home situation?

(Single Response.)

1. **[My /child's name] home is smoke free** (includes smoking is allowed outside) [ ]

2. **People occasionally smoke in the house** [ ]

3. **People frequently smoke in the house** [ ]

4. **Don't know** [ ]

5. **Refused** [ ]

Sequence guide:

If QE.1 = 1, 5 & age < 16 Go to NS

If QE.1 = 1, 5 & age >= 16 Go to QE.4

**E.2 How many cigarettes were smoked in [your/child's name] house yesterday?**

(Single Response. Enter 999 if not stated. Enter number)

1. Enter number [ ]
2. None [ ]
3. Don't know [ ]

Sequence guide:

If Age < 16 Go to NS

**E.3 How many pipes or cigars were smoked in [your/child's name] house yesterday?**

(Single Response. Enter 999 if not stated. Enter number)

1. Enter number [ ]
2. None [ ]
3. Don't know [ ]

**E.4 Which of the following best describes your smoking status?**

(Read options. Single Response.)

1. I smoke daily [ ]
2. I smoke occasionally [ ]
3. I don't smoke now but I used to [ ]
4. I've tried it a few times but never smoked regularly [ ]
5. I've never smoked [ ]
6. Refused [ ]

**F. PHYSICAL ACTIVITY**

Sequence guide:

If AGE ≥ 65 or < 2 Go to NS

If AGE < 16 Go to QF.4

The next few questions are about any physical activities that you may have done in the last week.

**F.1 In the last week, how many times have you walked continuously, for at least 10 minutes, for recreation, exercise or to get to or from places?**

(Single Response. Enter number of times. Enter 0 if none)

1. None [ ]
2. Enter number of times [ ]
3. Not stated/Don't know [ ]

**F.2 This question excludes household chores or gardening. In the last week, how many times did [you/child's name] do any vigorous physical activity which made you breathe harder or puff and pant? (e.g. tennis, jogging, cycling, keep fit exercises).**

(Single Response. Enter number of times. Enter 0 if none)

1. None [ ]
2. Enter number of times [ ]
3. Not stated/Don't know [999]

**F.3 This question excluded household chores or gardening. In the last week, how many times did you do other more moderate physical activities that you have not already mentioned? (e.g. lawn bowls, golf, gentle swimming, etc)**

(Single Response. Enter number of times. Enter 0 if none)

1. None [ ] Go to NS
2. Enter number of times [ ]
3. Not stated/Don't know [999]

Sequence guide:

If AGE ≥ 16 Go to NS

**F.4 Over the course of the last month do you consider [child's name] to have been physically active?**

(Read Options. Single Response)

1. Very active [ ]
2. Active [ ]
3. Not very active [ ]
4. Not at all active [ ]
5. Don't know [ ]

**F.5 On average, how many hours per day or per week does [child's name] spend doing organised sport outside?**

(Single Response. Interviewer note: Does not = PE at school, organised means regular commitment to activity. Enter number of hours/ day or hours/ week)

1. None [ ]
2. Enter hours per day [ ]
3. Enter hours per week [ ]
4. Don't know [ 99 ]
5. Refused [ 999 ]



## G. TIME SPENT OUTDOORS

The next few questions are about the time people spend outdoors, and their level of exertion while outside. This excludes the time spent in cars or other vehicles.

### 5 How much time did [you/child's name] spend outdoors yesterday during the following time periods?

(Record Response for every time period. Enter 999 if not stated. *Interviewer note:* Enter number of hours and/or nearest 15 minutes.)

1. Between 6am and 9am
2. Between 9am and 12 midday
3. Between 12 midday and 3pm
4. Between 3pm and 6pm
5. Between 6pm and 9pm
6. Between 9pm and 6am
7. Didn't go outside    [  ]
8. Don't know    [  ]
9. Refused /never go outside    [  ]

Sequence Guide:

If Q5 = 7 Go to Q7.

### 6 For each of those time periods when you were outside yesterday, how much time did [you/child's name] spend doing work or exercise that caused [you/child's name] to breathe heavily?

(Record Response for every time period displayed. Enter 999 if not stated. *Interviewer note:* Enter number of hours and/or nearest 15 minutes.)

1. Between 6am and 9am
2. Between 9am and 12 midday
3. Between 12 midday and 3pm
4. Between 3pm and 6pm
5. Between 6pm and 9pm
6. Between 9pm and 6am
7. Refused /never go outside [  ]
8. Didn't go outside    [  ]
9. Don't know    [  ]
- None [  ]

(CATI programming to display only periods where response >0 in Q5 and check to be included which prevents period per category for Q6 to exceed period for Q5)

I would now like to ask you the same two questions about the day before yesterday, that is [interviewer to calculate and name day]

### 7 How much time did [you/child's name] spend outdoors on [interviewer to calculate day], the day before yesterday during the following time periods?

(Record Response for every time period. Enter 999 if not stated.

*Interviewer note:* Enter number of hours and/or nearest 15 minutes.)

1. Between 6am and 9am
2. Between 9am and 12 midday
3. Between 12 midday and 3pm
4. Between 3pm and 6pm
5. Between 6pm and 9pm
6. Between 9pm and 6am
7. Didn't go outside    [  ]
8. Don't know    [  ]
9. Refused /never go outside    [  ]

Sequence Guide:

If Q7 = 7 Go to QG.1

### 8 For each of those time periods when you were outside on [interviewer to calculate day], the day before yesterday, how much time did [you/child's name] spend doing work or exercise that caused [you/child's name] to breathe heavily?

(Record Response for every time period displayed. Enter 999 if not stated. *Interviewer note:* Enter number of hours and/or nearest 15 minutes.)

1. Between 6am and 9am
2. Between 9am and 12 midday
3. Between 12 midday and 3pm
4. Between 3pm and 6pm
5. Between 6pm and 9pm
6. Between 9pm and 6am
7. Refused /never go outside [  ]
8. Didn't go outside    [  ]
9. Don't know    [  ]
10. None [  ]

(CATI programming to display only periods where response >0 in Q7 and check to be included which prevents period per category for Q8 to exceed period for Q7)

### G.1 How much time did (you/child's name) spend in /on any of the following vehicles yesterday?

(Read options. Multiple Response.)  
(Record Response for every vehicle displayed. Enter 999 if not stated.)  
*Interviewer note:* Enter number of hours and/or nearest 15 minutes.)

- |                        |       |
|------------------------|-------|
| 1. Car                 | ___   |
| 2. Bus                 | ___   |
| 3. Train               | ___   |
| 4. Tram                | ___   |
| 5. Ferry               | ___   |
| 6. Truck               | ___   |
| 7. Motorbike / Scooter | ___   |
| 8. Pushbike            | ___   |
| 9. No                  | [ ]   |
| 10. Don't know         | [999] |

Sequence Guide:

If QG.1 = 9, 10 Go to NS

If QG.1 ≠ 1 Go to QG.3

### G.2 What is the year of manufacture of the car that (you/child's name) were [in / mainly in (if more than one)]?

(Single Response. Enter 999 if not stated.)

- |               |       |
|---------------|-------|
| 1. Enter year | ___   |
| 2. Don't know | [ ]   |
| 3. Not stated | [999] |

### G.3 How much time did (you/child's name) spend in medium or heavy traffic yesterday?

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

- |                          |       |
|--------------------------|-------|
| 1. Enter hours           | ___   |
| 2. Enter minutes         | ___   |
| 3. none                  | [ ]   |
| 4. Not stated/Don't know | [999] |

## H. INDOOR AIR RISKS

### H.1 Did your household use any of the following products yesterday?

(Read Options. Multiple Response)

- |  |     |
|--|-----|
| 1. Room fresheners or sprays                                   |     |
| (Interviewer note: products that emitted a spray or scent etc) | [ ] |
| 2. Bathroom or toilet bowl deodorisers                         | [ ] |
| 3. Humidifiers   | [ ] |
| 4. Don't know  | [ ] |
| 5. None  | [ ] |

### H.2 Did your household use any of the following heating methods yesterday?

(Read Options. Multiple Response)

- |                        |     |      |
|------------------------|-----|------|
| 1. d combustion heater | [ ] | Woo  |
| 2. fire                | [ ] | Open |
| 3. heater              | [ ] | Gas  |
| 4. Don't know          | [ ] |      |
| 5. None                | [ ] |      |

Sequence Guide:

If QH.2 = 1 Go to QH.3

If QH.2 = 2 Go to QH.4

If QH.2 = 3 Go to QH.5

If QH.2 = 4,5 Go to QH.7

### H.3 How much time was a wood heater used in the room while [you/child's name] were present yesterday?

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

- |                          |       |
|--------------------------|-------|
| 1. Hours                 | [ ]   |
| 2. minutes               | [ ]   |
| 3. Not used              | [ ]   |
| 4. Not stated/Don't know | [999] |

Sequence Guide:

If QH.2 = 2, Go to QH.4

If QH.2 = 3 Go to QH.5

Else Go to QH.7

**H.4 How much time was an open fire used in the room while [you/child's name] were present yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. *Enter hours* [ ]
2. *Enter minutes* [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

Sequence Guide:

If QH.2 = 3 Go to QH.5

Else Go to QH.7

**H.5 How much time was a gas heater used in the room while [you/child's name] were present yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. *Enter hours* [ ]
2. minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [ ]

**H.6 Does the gas heater used have a flue or chimney, or is it ducted?**

(Single Response.)

1. Flue [ ]
2. Chimney [ ]
3. Ducted [ ]
4. No [ ]
5. Don't know [ ]

**H.7 Did your household use air conditioning for cooling or heating (reverse cycle) yesterday?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

Sequence Guide:

If QH.7 >= 2 Go to QH.9

**H.8 How much time was an air-conditioner used for cooling or heating while [you were / child's name was] in the house yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. *Enter hours* [ ]
2. minutes [ ]
3. Not stated/Don't know [ ]

**H.9 Do you have an electric or gas cook top or oven stove?**

(Read Options. Multiple Response.)

1. **Electric cook top** [ ]
2. **Gas cook top** [ ]
3. **Electric oven** [ ]
4. **Gas oven** [ ]
5. No [ ]
6. Don't know [ ]

Sequence Guide:

If QH.9 = 1 Go to QH.10

If QH.9 = 2 Go to QH.11

If QH.9 = 3 Go to QH.12

If QH.9 = 4 Go to QH.13

If QH.9 >= 5 Go to QH.14

**H.10 How much time was your electric cook top used while [you were /child's name was] present in the kitchen yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. *Enter hours* [ ]
2. *Enter minutes* [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

Sequence Guide:

If QH.9 = 2 Go to QH.11

If QH.9 = 3 Go to QH.12

If QH.9 = 4 Go to QH.13

Else Go to QH.14

**H.11 For how much time was your gas cook top used while [you were /child's name was] present in the kitchen yesterday?**

(Single Response. Enter 999 if **not stated. Enter number of hours and/or minutes**)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

Sequence Guide:

If QH.9 = 3 Go to QH.12

If QH.9 = 4 Go to QH.13

Else Go to QH.14

**H.12 For how much time was your electric oven used while [you were /child's name was] present in the kitchen yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

Sequence Guide:

If QH.9 = 4 Go to QH.13

Else Go to QH.14

**H.13 For how much time was your gas oven used while [you were /child's name was] present in the kitchen yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

**H.14 Did [you/child's name] use any of the following products yesterday?**

(Read Options. Multiple Response)

1. **Glues** (*Interviewer note: any type*) [ ]
2. **Nail polish or removers** [ ]
3. **Household cleaning sprays** [ ]
4. **Household cleaning liquids (not washing up detergent)** [ ]
5. None [ ]
6. Don't know [ ]

Sequence Guide:

If QH.14=1 Go to QH.15

If QH.14=2 Go to QH.16

If QH.14=3 Go to QH.17

If QH.14=4 Go to QH.18

Else Go to QH.19

**H.15 How much time did [you/child's name] use glue yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

Sequence Guide:

If QH.14=2 Go to QH.16

If QH.14=3 Go to QH.17

If QH.14=4 Go to QH.18

Else Go to QH.19

**H.16 How much time did [you/child's name] use nail polish or remover yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

Sequence Guide:

If QH.14=3 Go to QH.17

If QH.14=4 Go to QH.18

Else Go to QH.19

**H.17 How much time did [you/child's name] use used household cleaning sprays yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

Sequence Guide:

If QH.14=4 Go to QH.18

Else Go to QH.19

**H.18 How much time did [you/child's name] use used household cleaning liquids yesterday?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not used [ ]
4. Not stated/Don't know [999]

**H.19 Did [you/child's name] visit a service station yesterday (to buy petrol, groceries, pump tyres etc)?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

**H.20 Did [you/child's name] visit an enclosed car park yesterday?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

**H.21 In the last month, has [your/child's name] bedroom or main living areas been painted, varnished or had timber floors treated?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

**H.22 In the last week, has [you/child's name] done any painting, staining or varnishing?**

(Single Response. (Interviewer note: any type of painting, including at pre-school)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

Sequence Guide:

If QH.22 =2 Go to QH.24

**H.23 How much time did [you/child's name] spend painting, staining or varnishing?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter Days [ ]
2. Enter hours [ ]
3. Enter minutes [ ]
4. Not stated/Don't know [ ]

**H.24 In the last month, has [your/child's name] bedroom or main living area had new carpet?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

**9 Were windows or doors left open in [your/child's name] house yesterday?**

(Single Response)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

**10 Does mould grow on the inside walls of [your/child's name] dwelling?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Don't know [ ]

Sequence Guide:

If Q10 =2,3 Go to Q12

**11 In which rooms of the dwelling does mould grow?**

(Read Options. Multiple Response.)

1. Bathroom [ ]
2. Toilet [ ]
3. Bedroom [ ]
4. Living room [ ]
5. Dining room [ ]
6. Kitchen [ ]
7. Other [ ]  
Specify \_\_\_\_\_
8. Don't know [ ]

**12 What is the nature of [your/child's name] dwelling? Is it a :**

(Read Options. Single Response)

1. **Detached house** [ ]
2. **Attached house** [ ]
3. **Flat or Apartment** [ ]
4. **Mobile home** [ ]
5. Other [ ]  
Specify \_\_\_\_\_
6. Don't know [ ]

**13 What is the main building material in [your/child's name] dwelling? Is it:**

(Read Options. Single Response)

1. **Timber** [ ]
2. **Brick** [ ]
3. **Concrete** [ ]
4. **Plywood** [ ]
5. Other [ ]  
Specify \_\_\_\_\_
6. Don't know [ ]

**H.25 Does [your/child's name] dwelling have an under-roof garage with direct access to the house?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Not stated/Don't know [ ]

**14 In the last week, have [you/child's name] been bothered by smoke from wood fires?**

(Single Response)

1. Yes [ ]
2. No [ ]
3. Not stated/Don't know [ ]

**15 Do [your/child's name] live within 100m of a busy 4-lane road or highway?**

(Single Response)

1. Yes [ ]
2. No [ ]
3. Not stated/Don't know [ ]

**16 In the last week, were [you/ has child's name] present when any petrol engine garden tools were used?**

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Not stated/Don't know [ ]

Sequence guide:

If Q16 =2,3 Go to NS

**17 In the last week, how much time were [you/ child's name] present when petrol engine garden tools were used?**

(Single Response. Enter 999 if not stated. Enter number of hours and/or minutes)

1. Enter hours [ ]
2. Enter minutes [ ]
3. Not stated/Don't know [ ]

## I. DEMOGRAPHICS

Now to finish off with some general questions.

**I.1** Voice (ask if unsure) / Sex of selected respondent.

1. Male [ ]
2. Female [ ]

**I.2** Including (yourself / child's name) how many people living in this household are in each of the following age groups?

(Multiple Response. *Interviewer note: enter number of people in each age group*)

1. 0 to 4 [ ]
2. 5 to 14 [ ]
3. 15 to 24 [ ]
4. 60+ [ ]
5. Not stated [ ]

**I.3** What is the Postcode of the house?

(Single Response.)

1. Enter postcode [ ]
2. Not stated [9999]

Sequence Guide:

If Q1.3 < 9999 & AGE >= 18 years Go to Q18

If Q1.3 < 9999 & AGE < 18 years, Go to Q24

**I.4** What town, suburb or community do [you/ child's name] live in?

(Single Response.)

1. Enter town/suburb [ ]
2. Not stated [ ]

Sequence guide: If AGE < 18 years, Go to Q24

**18** What is your marital status?

(Read options - Single Response.)

1. Married [ ]
2. Living with a partner [ ]
3. Separated [ ]
4. Divorced [ ]
5. Widowed [ ]
6. Never married [ ]
7. Refused [ ]

**19** What is your work status?

(Read options - Single Response.)

1. Full time employed [ ]
2. Part time/casual employment [ ]
3. Unemployed [ ]
4. Engaged in Home duties [ ]
5. Retired [ ]
6. Unable to work [ ]
7. Student [ ]
8. Other (specify) \_\_\_\_\_

**20** What kind of work have you done for most of your life?

(Single Response.)

1. Specify \_\_\_\_\_
2. Never Worked [ ]

Sequence guide:

If Q19 >= 3 Go to Q24

**21** Did you work yesterday?

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Not stated/Don't know [ ]

**22** Did you work the day before that?

(Single Response.)

1. Yes [ ]
2. No [ ]
3. Not stated/Don't know [ ]

**23 Where do you work?**

(Read Options. Multiple Response)

1. **At home** [ ]
2. **In a shopping centre** [ ]
3. **In a factory / workshop** [ ]
4. **In an office** [ ]
5. **In a vehicle** [ ]
6. **Outdoors** [ ]
7. **Other** [ ]  
Specify \_\_\_\_\_
8. **Not stated/Don't know** [ ]

**24 What is [your/child's name's] country of birth?**

(Single Response.)

1. **Australia** [ ]
2. **Austria** [ ]
3. **Bosnia-Herzegovina** [ ]
4. **Canada** [ ]
5. **China** [ ]
6. **Croatia** [ ]
7. **France** [ ]
8. **Germany** [ ]
9. **Greece** [ ]
10. **Holland/Netherlands** [ ]
11. **Hong Kong** [ ]
12. **Iran** [ ]
13. **Italy** [ ]
14. **Japan** [ ]
15. **Malaysia** [ ]
16. **New Zealand** [ ]
17. **Philippines** [ ]
18. **Poland** [ ]
19. **Slovenia** [ ]
20. **Spain** [ ]
21. **U.K. and Ireland** [ ]
22. **USA** [ ]
23. **Vietnam** [ ]
24. **Former Yugoslav Republic of Macedonia** [ ]
25. **Former Yugoslav Republic of Serbia and Montenegro** [ ]
26. **Other country**  
(specify) \_\_\_\_\_
27. **Don't know** [ ]

**25 Which best describes the highest education qualification you [have/child's name has] obtained?**

(Read options - Single Response.)

1. **Still at school** [ ]
2. **Left school at 15 years or less** [ ]
3. **Left school after age 15** [ ]
4. **Left school after age 15 but still studying** [ ]
5. **Trade/Apprenticeship** [ ]
6. **Certificate/Diploma** [ ]
7. **Bachelor degree or higher** [ ]
8. **Not Stated/Refused** [ ]
9. **Don't know** [ ]

**I.5 Can you tell me the approximate annual gross income of [your / child's name's] household? That is, for all people in the household before tax is taken out. I'll read out some categories and could you please tell me into which one your household's income falls?**

(Read options - Single Response.)

1. **Up to \$12,000** [ ]
2. **\$12,001 - \$20,000** [ ]
3. **\$20,001 - \$30,000** [ ]
4. **\$30,001 - \$40,000** [ ]
5. **\$40,001 - \$50,000** [ ]
6. **\$50,001 - \$60,000** [ ]
7. **\$60,001 - \$80,000** [ ]
8. **More than \$80,000** [ ]
9. **Don't know** [ ]
10. **Not stated/refused** [ ]

**26 How many residential telephone numbers, including mobile phones, can be used to speak to someone in this household?**

(Single Response. Interviewer note: do not include Internet or fax numbers)

1. **Enter number** \_\_\_\_\_
2. **Don't know** [99]

Sequence guide:

If Age ≥16 years, Go to Q25

If Age &lt;16 years, Go to Q1.5



**27 How many times [do these / does this] number(s) appear in the White Pages?**

(Single Response. Interviewer note: do not include Internet or fax numbers. Total number of entries includes numbers that are listed more than once.)

1. Enter number \_\_\_\_\_
2. Don't know [99]

(Single response)

1. Yes  
(specify - record first name only)  
\_\_\_\_\_
2. No [ ]

**That concludes the survey. On behalf of the National Environmental Protection Council, thank you very much again for taking part in this survey.**



## **APPENDIX 3: BODY MASS INDEX**

**Body Mass Index classification for children<sup>6</sup>**

<b>Classification of overweight and obesity for children and adolescents</b>		<b>BMI equivalent to 25 kg/m<sup>2</sup></b>		<b>BMI equivalent to 30 kg/m<sup>2</sup></b>	
<b>Age (years)</b>		<b>Males</b>	<b>Females</b>	<b>Males</b>	<b>Females</b>
2		18.41	18.02	20.09	19.81
3		17.89	17.56	19.57	19.36
4		17.55	17.28	19.29	19.15
5		17.42	17.15	19.30	19.34
6		17.55	17.34	19.78	19.65
7		17.92	17.75	20.63	20.51
8		18.44	18.35	21.60	21.57
9		19.10	19.07	22.77	22.81
10		19.84	19.86	24.00	24.11
11		20.55	20.74	25.10	25.42
12		21.22	21.68	26.02	26.67
13		21.91	22.58	26.84	27.76
14		22.62	23.34	27.63	28.57
15		23.29	23.94	28.30	29.11
16		23.90	24.37	28.88	29.43
17		24.46	24.70	29.41	29.69
18		25	25	30	30